


## **Anexos**



**Anexo I**

**Documentação do sistema BISE versão inicial**

## DR



# Tabelas

Table area				
Name	<a href="#">area</a>			
Description	area			
ID	12			
Table Structure				
Name	Description	Type	Formula	Subtype of
<a href="#">arenom</a>	Área Conhecimento	C (20)		
Indices				
Name	Type	Attributes		
Iarea	Primary Key	<a href="#">arenom</a>		
Superordinated To				
Id	Table	By:		
7	<a href="#">PU01</a>	<a href="#">arenom</a>		
Associated Prompts				
• <a href="#">Gx00C0</a>				

Table Colabor				
Name	<a href="#">Colabor</a>			
Description	Colabor			
ID	1			
Table Structure				
Name	Description	Type	Formula	Subtype of
<a href="#">colcod</a>	Código:	N (6.0)		
<a href="#">colnome</a>	Nome:	C (35)		
<a href="#">colrua</a>	Rua:	C (30)		
<a href="#">colbal</a>	Bairro:	C (20)		
<a href="#">colcid</a>	Cidade:	C (20)		
<a href="#">colcep</a>	CEP:	C (8)		
<a href="#">coluf</a>	UF:	C (2)		
<a href="#">colemail</a>	E-mail:	C (30)		
<a href="#">colfone</a>	Fone:	C (14)		
<a href="#">coltit</a>	Titularidade máxima:	C (20)		
<a href="#">colsen</a>	Senha:	C (6)		
<a href="#">colsex</a>	Sexo:	C (1)		
<a href="#">colprof</a>	Profissão:	C (25)		
<a href="#">collocotra</a>	Local de Trabalho:	C (30)		
<a href="#">colinfo</a>	Informações complementares	L(160)		
Indices				
Name	Type	Attributes		
IColabor	Primary Key	<a href="#">colcod</a>		
IColabor1	Foreign Key	<a href="#">coltit</a>		
Subordinated To				
Id	Table	By:		
6	<a href="#">titulari</a>	<a href="#">coltit</a>		
Superordinated To				
Id	Table	By:		
7	<a href="#">PU01</a>	<a href="#">colcod</a>		
Associated Prompts				
• <a href="#">Gx0010</a>				

Table FX					
Name	<a href="#">FX</a>				
Description	FX				
ID	11				
Table Structure					
Name	Description	Type	Formula	Subtype of	
<a href="#">serie</a>	Faixa Etária	C (15)			
Indices					
Name	Type	Attributes			
IFX	Primary Key	<a href="#">serie</a>			
Superordinated To					
Id	Table	By:			
7	<a href="#">PU01</a>	<a href="#">serie</a>			
Associated Prompts					
• <a href="#">Gx00B0</a>					

Table licenci					
Name	<a href="#">licenci</a>				
Description	<a href="#">licenci</a>				
ID	4				
Table Structure					
Name	Description	Type	Formula	Subtype of	
<a href="#">licnom</a>	Licenciamento:	C (20)			
Indices					
Name	Type	Attributes			
licenci	Primary Key	<a href="#">licnom</a>			
Superordinated To					
Id	Table	By:			
3	<a href="#">SOFT02</a>	<a href="#">licnom</a>			
Associated Prompts					
• <a href="#">Gx0040</a>					

Table midia					
Name	<a href="#">midia</a>				
Description	<a href="#">midia</a>				
ID	5				
Table Structure					
Name	Description	Type	Formula	Subtype of	
<a href="#">midnom</a>	Midia:	C (10)			
Indices					
Name	Type	Attributes			
imidia	Primary Key	<a href="#">midnom</a>			
Superordinated To					
Id	Table	By:			
3	<a href="#">SOFT02</a>	<a href="#">midnom</a>			
Associated Prompts					
• <a href="#">Gx0050</a>					

Table PU01				
Name	<a href="#">PU01</a>			
Description	<a href="#">PU01</a>			
ID	7			
Table Structure				
Name	Description	Type	Formula	Subtype of
<a href="#">placod</a>	Código:	N (6.0)		
<a href="#">sofcod</a>	Código:	N (6.0)		
<a href="#">pladta</a>	pladta	D		
<a href="#">arenom</a>	Área Conhecimento	C (20)		
<a href="#">plabj</a>	Objetivo:	L(3000)		
<a href="#">plapreobs</a>	Observações:	L(500)		
<a href="#">serie</a>	Faixa Etária	C (15)		
<a href="#">usoobs</a>	usoobs	L(2000)		
<a href="#">aaluobs</a>	avaliação Observação aluno	L(3000)		
<a href="#">agerobs</a>	agerobs	L(4000)		
<a href="#">colcod</a>	Código:	N (6.0)		
<a href="#">plares</a>	Resumo:	C (200)		
<a href="#">planom</a>	planom	C (60)		
Indices				
Name	Type	Attributes		
IPU01	Primary Key	<a href="#">placod</a>		
IPU012	Foreign Key	<a href="#">sofcod</a>		
IPU011	Foreign Key	<a href="#">colcod</a>		
IPU013	Foreign Key	<a href="#">serie</a>		
IPU014	Foreign Key	<a href="#">arenom</a>		
Subordinated To				
Id	Table	By:		
1	<a href="#">Colabor</a>	<a href="#">colcod</a>		
11	<a href="#">FX</a>	<a href="#">serie</a>		
12	<a href="#">area</a>	<a href="#">arenom</a>		
3	<a href="#">SOFT02</a>	<a href="#">sofcod</a>		
Superordinated To				
Id	Table	By:		
8	<a href="#">PU02A1</a>	<a href="#">placod</a>		
9	<a href="#">PU03</a>	<a href="#">placod</a>		
10	<a href="#">PU04</a>	<a href="#">placod</a>		
Associated Prompts				
• <a href="#">Gx0070</a>				
Table PU02A1				
Name	<a href="#">PU02A1</a>			
Description	<a href="#">PU02A1</a>			
ID	8			
Table Structure				
Name	Description	Type	Formula	Subtype of
<a href="#">placod</a>	Código:	N (6.0)		
<a href="#">plapordem</a>	Ord	N (2.0)		
<a href="#">plapredes</a>	Descrição:	C (40)		
<a href="#">plaprehrs</a>	HRS Preparação	T(0.5)		
<a href="#">plapreati</a>	Atividade:	L(1000)		
Indices				
Name	Type	Attributes		
IPU02A1	Primary Key	<a href="#">placod</a> , <a href="#">plapordem</a>		
IPU02A11	Foreign Key	<a href="#">placod</a>		
Subordinated To				
Id	Table	By:		
7	<a href="#">PU01</a>	<a href="#">placod</a>		
Associated Prompts				
• <a href="#">Gx0081</a>				



Table PU03				
Name	<a href="#">PU03</a>			
Description	<a href="#">PU03</a>			
ID	9			
Table Structure				
Name	Description	Type	Formula	Subtype of
<a href="#">placod</a>	Código:	N (6.0)		
<a href="#">usoordem</a>	Ord	N (2.0)		
<a href="#">usodes</a>	Descrição	C (40)		
<a href="#">usohrs</a>	Uso Horas	T(0.5)		
<a href="#">usoati</a>	usoati	L(3000)		
Indices				
Name	Type	Attributes		
IPU03	Primary Key	<a href="#">placod</a> , <a href="#">usoordem</a>		
IPU031	Foreign Key	<a href="#">placod</a>		
Subordinated To				
Id	Table	By:		
7	<a href="#">PU01</a>	<a href="#">placod</a>		
Associated Prompts				
• <a href="#">Gx0091</a>				

Table PU04				
Name	<a href="#">PU04</a>			
Description	<a href="#">PU04</a>			
ID	10			
Table Structure				
Name	Description	Type	Formula	Subtype of
<a href="#">placod</a>	Código:	N (6.0)		
<a href="#">aaluordem</a>	Ord	N (2.0)		
<a href="#">aaludes</a>	Descrição	C (40)		
<a href="#">aaluhrs</a>	Tempo	T(0.5)		
<a href="#">aaluati</a>	aaluati	L(3000)		
Indices				
Name	Type	Attributes		
IPU04	Primary Key	<a href="#">placod</a> , <a href="#">aaluordem</a>		
IPU041	Foreign Key	<a href="#">placod</a>		
Subordinated To				
Id	Table	By:		
7	<a href="#">PU01</a>	<a href="#">placod</a>		
Associated Prompts				
• <a href="#">Gx00A1</a>				

Table titulari				
Name	<a href="#">titulari</a>			
Description	<a href="#">titulari</a>			
ID	6			
Table Structure				
Name	Description	Type	Formula	Subtype of
<a href="#">coltit</a>	Titularidade máxima:	C (20)		
Indices				
Name	Type	Attributes		
Ititulari	Primary Key	<a href="#">coltit</a>		
Superordinated To				
Id	Table	By:		
1	<a href="#">Colabor</a>	<a href="#">coltit</a>		
Associated Prompts				
• <a href="#">Gx0060</a>				

Table S0FT02				
Name	<a href="#">S0FT02</a>			
Description	<a href="#">S0FT02</a>			
ID	3			
Table Structure				
Name	Description	Type	Formula	Subtype of
<a href="#">sofcod</a>	Código:	N (6.0)		
<a href="#">sofnom</a>	Nome:	C (25)		
<a href="#">sofversao</a>	Versão	C (10)		
<a href="#">sofemp</a>	Empresa:	C (40)		
<a href="#">sofedr</a>	Endere ço:	C (35)		
<a href="#">sofedb</a>	Bairro:	C (20)		
<a href="#">sofedci</a>	Cidade:	C (20)		
<a href="#">sofenduf</a>	UF:	C (2)		
<a href="#">sofedpa</a>	País:	C (15)		
<a href="#">sofedcep</a>	CEP:	C (8)		
<a href="#">soffone</a>	Fone:	C (14)		
<a href="#">sofemail</a>	E-mail:	C (30)		
<a href="#">sofsite</a>	Site:	C (30)		
<a href="#">sofvenda</a>	Venda pela Internet?	C (1)		
<a href="#">sofobi</a>	Objetivo:	L(2000)		
<a href="#">sofresumo</a>	Resumo	L(2000)		
<a href="#">demnom</a>	Possui demonstrativo?	C (1)		
<a href="#">midnom</a>	Mídia:	C (10)		
<a href="#">licnom</a>	Licenciamento:	C (20)		
<a href="#">lictempo</a>	Prazo:	C (15)		
<a href="#">sofpre</a>	Pre ço:	N (9.2)		
<a href="#">venobs</a>	Observações de venda:	L(400)		
<a href="#">sofred</a>	Trabalha em rede?	C (1)		
<a href="#">sofarq</a>	Grava arquivos?	C (1)		
<a href="#">sofimp</a>	Imprime?	C (1)		
<a href="#">sofint</a>	Usa Internet?	C (1)		
<a href="#">sofintt</a>	Instruções claras?	C (1)		
<a href="#">sofreg</a>	Informa requisitos Soft/Hard?	C (1)		
<a href="#">sofinst</a>	Instalação fácil?	C (1)		
<a href="#">sofhelp</a>	Possui Help?	C (1)		
<a href="#">sofobjt</a>	Importa figuras?	C (1)		
<a href="#">sofexpo</a>	Exporta Figuras?	C (1)		
<a href="#">sofmanu</a>	Possui manual?	C (1)		
<a href="#">sofsupor</a>	Possui suporte na Internet?	C (1)		
<a href="#">softxtco</a>	Texto correto?	C (1)		
<a href="#">softxtad</a>	Texto adequado?	C (1)		
<a href="#">sofsupfo</a>	Possui suporte por fone?	C (1)		
<a href="#">sofponto</a>	Informa pontuação do aluno?	C (1)		
<a href="#">sofalute</a>	Informa tempo de uso do aluno?	C (1)		
<a href="#">sofalre</a>	Armazena respostas do aluno?	C (1)		
<a href="#">sofanim</a>	Possui animação?	C (1)		
<a href="#">sofsom</a>	Possui som?	C (1)		
<a href="#">sodtecobs</a>	Observações aspectos técnicos:	L(2000)		

# Funções

**Transaction Information**

Name area Id: 22  
 Folder Created 2005-03-28 14:35:42  
 Description Área de Conhecimento Updated 2005-03-28 14:36:18  
 Associated to Style Padrão : Padrão  
 Generators  
 Default - Visual FoxPro


**Structure**

arenom\* \* C(20) Área Conhecimento

Directly Associated Tables for each level

area

**Form**



**Rules/Events**

// Rules

// Events

**Properties**

**Variables**

```
$Today D(8)
$Time C(8)
$Node C(3)
$Pgname C(31)
$Pgndesc C(30)
$GtRemove N(1)
```

**Transaction Information**

Name Colabor Id: 1  
 Folder Created 2005-03-10 13:13:44  
 Description Cadastro Colaboradores Updated 2005-03-10 16:05:18  
 Consolidated 2005-03-10 13:13:44

Associated to Style Padrao : Padrao

Generators  
 Default - Visual FoxPro

**Structure**

colcod*	* N(6)	Código:
colnome	C(35)	Nome:
colrua	C(30)	Rua:
colbai	C(20)	Bairro:
colcid	C(20)	Cidade:
colcep	C(8)	CEP:
coluf	C(2)	UF:
colemail	C(30)	E-mail:
colfone	C(14)	Fone:
coltit	* C(20)	Titularidade máxima:
colsen	C(6)	Senha:
colsex	C(1)	Sexo:
colprof	C(25)	Profissão:
colloctra	C(30)	Local de Trabalho:
colinfo	L(160)	Informações complementares

Directly Associated Tables for each level

Colabor

**Form**

**Rules/Events**

```
// Rules
Accept( !colsen ):
Error( 'Confirmação de senha inválida!' ) IF colsen <> colsen ;

// Events
```

**Properties**

```
$Time C(8)
$Mode C(3)
$Pgname C(31)
$Pgndesc C(30)
$GxRemove N(1)
$colsen C(6)
```



**Work Panel Information**

Name CPU02 Id: 16  
 Folder Created 2005-09-29 16:13:18  
 Description Plano de Uso Updated 2005-12-15 16:08:14  
 Associated to Style padwp : Padrão WF  
 Generators  
 Default - Visual FoxPro

**Form**

**Rules/Events/Conditions**

```
// Rules
parm(placod,sofcod, colcod);

// Events
Event 'Prepara'
call(WCPU03 , placod)
EndEvent // 'Prepara'

Event 'uso'
EndEvent // 'uso'

Event 'ava'
EndEvent // 'ava'

Event 'avager'
EndEvent // 'avager'

// Conditions
```

**Properties**

**Variables**

```
&Today D(8)
&Time C(8)
&Pgname C(31)
&Pgmdesc C(20)
```

**Work Panel Information**

Name CPU03 Id: 17  
 Folder Created 2005-02-23 16:22:12  
 Description Preparação Updated 2005-12-16 16:09:12  
 Associated to Style padwp : Padrão WF  
 Generators  
 Default - Visual FoxPro

**Form**

Preparação

**Banco de Informações de Softwares Educacionais**

Plano: placod

Colaborador: colcod - colnome Software: sofcod - sofnom

Objetivo | **Atividades Preparação** | Observações

Ord	Tempo	Descrição	Atividade
plap	plaprehrs	plapredes	plapreati

**Rules/Events/Conditions**

```
// Rules
parm(placod);

// Events

// Conditions
```

**Properties**

**Variables**

```
#Today D(8)
#Time C(8)
#Pgname C(31)
#Pgmdesc C(30)
```

**Help**

**Documentation**

```
#Pgmdesc C(30)
```




**Transaction Information**

Name FX Id: 21  
 Folder Created 2005-03-23 14:34:32  
 Description Faixa Etária Updated 2005-03-23 14:35:08  
 Associated to Style Padrao : Padrao  
 Generators  
 Default - Visual FoxPro

**Structure**

serie\* \* C(15) Faixa Etária  
 Directly Associated Tables for each level  
 FX

**Form**



**Rules/Events**

```
// Rules

// Events
```

**Properties**

**Variables**

```
$Today D(8)
$Time C(8)
$Mode C(3)
$Pgname C(31)
$Pgmdesc C(30)
$GxRemove N(1)
```

**Menu Bar Information**

Name	Geral	Id:	1
Folder		Created	2005-03-10 14:26:26
Description	Geral	Updated	2005-03-23 16:20:24

**Menu Bar**

NAME	ID	SHORTCUT
Sair	GX_FILE	
_Sair	GX_EXIT	
Tabelas	ID_TABELAS	
Titularidade	ID_TTULARIDADE	
Mídia	ID_MDIA	
Colaboradores	ID_COLABORADORI	
Licenciamento	ID_LISENCIAMENTO	
Faixa Etária	FX	
Área de Conhecimento	area	
Softwares	ID_SOFTWARES	
Cadastro	sof01	
Plano de Uso	ID_PLANO_DE_USO	
Cadastro	PU01	
Consulta	CPU01	

**Events**

```
// Rules

// Events

Event MenuBar.ID_COLABORADORES
call(TColabor )
EndEvent // MenuBar.ID_COLABORADORES

Event MenuBar.ID_LISENCIAMENTO
call(Tlicenci )
EndEvent // MenuBar.ID_LISENCIAMENTO

Event MenuBar.ID_MDIA
call(Tmidia )
EndEvent // MenuBar.ID_MDIA

Event MenuBar.ID_TTULARIDADE
call(Ttitulari )
EndEvent // MenuBar.ID_TTULARIDADE

Event MenuBar.sof01
call(TSOFT01 )
EndEvent // MenuBar.sof01

Event MenuBar.PU01
call(TFU01 )
EndEvent // MenuBar.PU01

Event MenuBar.FX
call(TFX )
EndEvent // MenuBar.FX

Event MenuBar.area
call(Tarea )
EndEvent // MenuBar.area

Event MenuBar.CPU01
call(WCFU01 )
EndEvent // MenuBar.CPU01

// Conditions
```

**Variables**

```
Event MenuBar.FX
call(TFX )
EndEvent // MenuBar.FX

Event MenuBar.area
call(Tarea )
EndEvent // MenuBar.area

Event MenuBar.CFU01
call(WCFU01 )
EndEvent // MenuBar.CFU01

// Conditions
```

---

---

**Work Panel Information**


---

Name geral Id: 6  
Folder Created 2005-03-10 14:43:38  
Description Geral Updated 2005-03-31 16:58:26  
Main Object  
Default - Visual FoxPro

---

**Form**

---



**Rules/Events/Conditions**

---

```
// Rules  
  
// Events  
  
// Conditions
```

---

**Properties**

---

```
MENUBAR = [17:1]  
IsPrompt = 0  
IsMain = -1
```

---

**Variables**

---

```
sToday D(8)  
sTime C(8)  
sPgmname C(31)  
sPgmdesc C(30)
```

---



**Work Panel Information**

Name Gw0080 Id: 5  
 Folder Created 2005-03-10 14:36:00  
 Description Lista de Selecao SOFT02 Updated 2005-03-10 14:36:00  
 Generators  
 Default - Visual FoxPro

**Prompt**

Associated to table: 3 SOFT02 : SOFT02

**Form**

**Rules/Events/Conditions**

```
// Rules
parm(out:&V18);
order(sofcd);

// Events
Event Enter
    &V18=sofcd
    return
EndEvent

// Conditions
sofcd >= &C18;
sofnom .LIKE. &C19;
sofversao .LIKE. &C21;
colcod >= &C1;
sofemp .LIKE. &C23;
sofedr .LIKE. &C24;
sofedb .LIKE. &C25;
```

**Properties**

**Variables**

```
&Today D(8)
&Time C(8)
&Pgname C(31)
&Pgmdesc C(30)
&C18 N(6)

&C19 C(25)
&C21 C(10)
&C1 N(6)
&C23 C(40)
&C24 C(35)
&C25 C(20)
&V18 N(6)
```


**Work Panel Information**

Name Gw0040 Id: 3  
 Folder Created 2005-03-10 14:24:34  
 Description Lista de Seleção LICENCI Updated 2005-03-10 14:24:34  
 Generators  
 Default - Visual FoxPro

**Prompt**

Associated to table: 4 licenci : licenci

**Form**



**Rules/Events/Conditions**

```
// Rules
parm(out:&V38);
order(licnom);

// Events
Event Enter
    &V38=licnom
    return
EndEvent

// Conditions
licnom .LIKE. &C38;
```

**Properties**

**Variables**

```
&Today D(8)
&Time C(8)
&Pgname C(31)
&Pgmdesc C(30)
&C38 C(20)
&V38 C(20)
```

**Help**

**Documentation**

```
&Pgname C(31)
&Pgmdesc C(30)
&C38 C(20)
&V38 C(20)
```

**Work Panel Information**

Name Gw0050 Id: 4  
 Folder Created 2005-03-10 14:24:34  
 Description Lista de Seleção MIDIA Updated 2005-03-10 14:24:34  
 Generators  
 Default - Visual FoxPro

**Prompt**

Associated to table: S midia : midia

**Form**



**Rules/Events/Conditions**

```
// Rules
parm(out:sV37);
order(midnom);

// Events
Event Enter
    sV37=midnom
    return
EndEvent

// Conditions
midnom .LIKE. sC27;
```

**Properties**

**Variables**

```
@Today D(8)
@Time C(8)
@Pgname C(31)
@Pgmdesc C(30)
sC27 C(10)
sV37 C(10)
```

**Help**

**Documentation**

```
@Pgname C(31)
@Pgmdesc C(30)
sC27 C(10)
sV37 C(10)
```



**Work Panel Information**

Name Gw0060 Id: 7  
 Folder Created 2005-03-10 14:54:14  
 Description Lista de Seleção TITULARI Updated 2005-03-10 14:54:14  
 Generators  
 Default - Visual FoxPro

**Prompt**

Associated to table: 6 titulari : titulari

**Form**

**Rules/Events/Conditions**

```
// Rules
parm(out:&V9);
order(coltit);

// Events
Event Enter
    &V9=coltit
    return
EndEvent

// Conditions
coltit .LIKE. &C9;
```

**Properties**

**Variables**

```
&Today D(8)
&Time C(8)
&Pgmname C(31)
&Pgmdesc C(30)
&C9 C(20)
&V9 C(20)
```

**Help**

**Documentation**

```
&Pgmname C(31)
&Pgmdesc C(30)
&C9 C(20)
&V9 C(20)
```

**Work Panel Information**

Name Gx0070 Id: 12  
 Folder Created 2005-03-23 13:55:40  
 Description Lista de Seleção PU01 Updated 2005-04-18 16:17:30  
 Generators  
 (\*) - Visual FoxPro (Default)  
 Default - Visual FoxPro

**Prompt**

Associated to table: 7 PU01 : PU01

**Form**

**Rules/Events/Conditions**

```
// Rules
parm(out:sV67);
order(placod);

// Events
Event Enter
    sV67=placod
    return
EndEvent

// Conditions
arenom .LIKE. sC69;
serie .LIKE. sC75;
```

**Properties**

**Variables**

```
sToday D(8)
sTime C(8)
sPgname C(31)
sPgmdesc C(30)
sC67 N(6)
sC18 N(6)
sC68 D(8)
sC69 C(20)
sC75 C(18)
sC1 N(6)

sV67 N(6)
```

**Work Panel Information**

Name Gx0081 Id: 9  
 Folder Created 2005-03-23 13:55:40  
 Description Lista de Seleção PU02A1 Updated 2005-03-23 13:55:40  
 Generators  
 Default - Visual FoxPro

**Prompt**

Associated to table: 8 PU02A1 : PU02A1

**Form**

**Rules/Events/Conditions**

```
// Rules
parm(in:placod,out:&V72);
order(placod,plapordem);

// Events
Event Enter
    &V72=plapordem
    return
EndEvent

// Conditions
plapordem >= &C72;
plapredes LIKE &C73;
plaprehrs >= &C74;
```

**Properties**

**Variables**

```
&Today D(8)
&Time C(8)
&Pgname C(31)
&Pgmdesc C(30)
&C72 N(2)
&C73 C(40)
&C74 T(0.5)
&V72 N(2)
```

**Work Panel Information**

Name Gx00A1 Id: 11  
 Folder Created 2005-03-29 13:55:40  
 Description Lista de Seleção PU04 Updated 2005-03-29 13:55:40  
 Generators  
 Default - Visual FoxPro

**Prompt**

Associated to table: 10 PU04 : PU04

**Form**

**Rules/Events/Conditions**

```
// Rules
parm (in:placod, out: %V83);
order (placod, aaluordem);

// Events
Event Enter
    %V83=aaluordem
    return
EndEvent

// Conditions
aaluordem >= %C83;
aaludes .LIKE. %C84;
aaluhrs >= %C85;
```

**Properties**

**Variables**

```
%Today D(8)
%Time C(8)
%Pgname C(31)
%Pgmdesc C(30)
%C83 N(2)
%C84 C(40)
%C85 T(0.5)
%V83 N(2)
```

**Work Panel Information**

Name Gx00B0 Id: 13  
 Folder Created 2005-03-23 15:01:28  
 Description Lista de Seleção FX Updated 2005-03-23 15:01:28  
 Generators  
 Default - Visual FoxPro

**Prompt**

Associated to table: 11 FX : FX

**Form**



**Rules/Events/Conditions**

```
// Rules
parm(out:&V75):
order(serie):

// Events
Event Enter
    &V75=serie
    return
EndEvent

// Conditions
serie .LIKE. &C75:
```

**Properties**

**Variables**

```
&Today D(8)
&Time C(8)
&Pgname C(31)
&Pgmdesc C(30)
&C75 C(15)
&V75 C(15)
```

**Help**

**Documentation**

```
&Pgname C(31)
&Pgmdesc C(30)
&C75 C(15)
&V75 C(15)
```


**Work Panel Information**

Name Gx00C0 Id: 14  
 Folder Created 2005-03-28 15:01:28  
 Description Lista de Seleção AREA Updated 2005-03-28 15:01:28  
 Generators  
 Default - Visual FoxPro

**Prompt**

Associated to table: 12 area : area

**Form**



**Rules/Events/Conditions**

```
// Rules
parm(out:&V69):
order(arenom):

// Events
Event Enter
    &V69=arenom
    return
EndEvent

// Conditions
arenom .LIKE. &C69:
```

**Properties**

**Variables**

```
&Today D(8)
&Time C(8)
&Pgname C(31)
&Pgmdesc C(30)
&C69 C(20)
&V69 C(20)
```

**Help**

**Documentation**

```
&Pgname C(31)
&Pgmdesc C(30)
&C69 C(20)
&V69 C(20)
```

**Transaction Information**

Name licenci Id: 10  
 Folder Created 2005-02-10 13:53:16  
 Description Licenciamento Updated 2005-02-10 16:05:28  
 Consolidated 2005-02-10 16:00:58

Associated to Style Padrao : Padrao

Generators  
 Default - Visual FoxPro

**Structure**

licnom\* \* C(20) Licenciamento:

Directly Associated Tables for each level

licenci

**Form**

**Rules/Events**

// Rules

// Events

**Properties**

**Variables**

\$Today D(8)  
 \$Time C(8)  
 \$Mode C(2)  
 \$Pgname C(31)  
 \$Pgmdesc C(30)  
 \$GxRemove N(1)

**Transaction Information**

Name LT001 Id: 23  
 Folder Created 2005-04-15 16:05:38  
 Description Lista Planos de Utilização Updated 2005-04-15 16:06:22  
 Associated to Style Padrao : Padrao  
 Generators  
 (\*) - Visual FoxPro (Default)

**Structure**

placod\* \* N(6) Código:  
 plaobj L(3000) Objetivo:

Directly Associated Tables for each level  
 PU01

**Form**

**Rules/Events**

// Rules

// Events

**Properties**

**Variables**

sToday D(8)  
 sTime C(8)  
 sMode C(3)  
 sPgmname C(31)  
 sPgmdesc C(30)  
 sGxRemove N(1)



**Transaction Information**

Name midia Id: 11  
 Folder Created 2005-03-10 13:53:16  
 Description Midia Updated 2005-03-10 16:05:42  
 Consolidated 2005-03-10 16:01:00

Associated to Style Padrao : Padrao

Main Object  
 Default - Visual FoxPro

**Structure**

midnom\* \* C(10) Midia:

Directly Associated Tables for each level

midia

**Form**



**Rules/Events**

// Rules

// Events

**Properties**

**Variables**


\$Today D(8)  
 \$Time C(8)  
 \$Mode C(2)  
 \$Pgname C(31)  
 \$Pgmdesc C(80)  
 \$GxRemove N(1)

**Transaction Style Information**

Name	Padrao	Id:	1
Folder		Created	2005-03-10 13:13:44
Description	Padrao	Updated	2005-03-31 16:48:58
		Consolidated	2005-03-23 13:51:38

**Structure**

**Form**



**Rules/Events**

// Rules

// Events

**Properties**

**Variables**

```

&Today D(8)
&Time C(8)
&Mode C(2)
&Pgmname C(81)
&Pgmdesc C(80)
&GxRemove N(1)
    
```

---

**Work Panel Style Information**


---

Name	padwp	Id:	1
Folder		Created	2005-03-10 16:08:30
Description	Padrão WP	Updated	2005-12-18 16:02:24
		Consolidated	2005-03-28 13:50:50

---

**Form**

---



---

**Rules/Events/Conditions**

---

```
// Rules  
  
// Events  
  
// Conditions
```

---

**Properties**

---

**Variables**

---

```
@Today D(8)  
@Time C(8)  
@Pgname C(31)  
@Pgmdesc C(20)
```

---

Transaction Information

Name PU01 Id: 13  
 Folder Created 2005-03-23 13:51:38  
 Description Plano de Utilização Updated 2005-12-15 16:15:58  
 Consolidated 2005-03-23 13:51:38

Associated to Style Padrão : Padrão

Generators  
 Default - Visual FoxPro

Structure

placod*	* N(6)	Código:
colcod	* N(6)	Código:
colnome	C(35)	Nome:
sofcod	* N(6)	Código:
sofnom	C(25)	Nome:
pladta	D(8)	pladta
plares	C(200)	Resumo:
planom	C(60)	planom

Directly Associated Tables for each level

PU01

Form

Rules/Events

```
// Rules
Prompt( 'wbuscol', colcod );
pladta = @Today ;

// Events

Event 'preparacao'
If placod > 0
Call( TPU02 ,placod)
Else
Msg( 'Selecione Plano de Uso' )
Endif
EndEvent // 'preparacao'

Event 'Use'
If placod > 0
```

```
Event 'avaalu'  
If placod > 0  
Call( TPU04 ,placod,colcod,sofcod)  
Else  
Msg( 'Selecione Plano de Uso' )  
  
Endif  
EndEvent // 'avaalu'  
  
Event 'Avager'  
If placod > 0  
Call( TPU05,placod)  
Else  
Msg( 'Selecione Plano de Uso' )  
  
Endif  
EndEvent // 'Avager'
```

---

**Properties**

---

---

**Variables**

---

```
$Today D(8)  
$Time C(8)  
$Mode C(3)  
$Pgname C(31)  
$Pgmdesc C(30)  
$GrRemove N(1)
```

---

**Transaction Information**

Name PU02 Id: 14  
 Folder Created 2005-03-23 13:51:38  
 Description Plano de Utilização-Preparação Updated 2005-12-15 16:24:42  
 Consolidated 2005-03-23 13:51:40

Associated to Style Padrão : Padrão

Generators  
 Default - Visual FoxPro

**Structure**

placod*	* N(6)	Código:
colcod	* N(6)	Código:
colnome	C(35)	Nome:
sofcod	* N(6)	Código:
sofnom	C(25)	Nome:
arenom	* C(20)	Área Conhecimento
pladta	D(8)	pladta
plaoobj	L(3000)	Objetivo:
plapreobs	L(500)	Observações:
(plapordem*	* N(2)	Ord
plapredes	C(40)	Descrição:
plaprehrs)	T(0.5)	HRS Preparação
serie	* C(15)	Faixa Etária

Directly Associated Tables for each level

PU01  
 (PU02A1)

**Form**

**Rules/Events**

```
// Rules
Form( placod );

// Events
Event 'Desenvolvimento'
Call( TPU02A1 , placod, plapordem )
EndEvent // 'Desenvolvimento'
```

**Properties**

```
// Rules
Farm( placod ):

// Events
Event 'Desenvolvimento'
Call( TPU02A1 , placod, plapordem )
EndEvent // 'Desenvolvimento'
```

---

**Properties**

---

---

**Variables**

---

```
$Today D(8)
$Time C(8)
$Mode C(3)
$Pgname C(31)
$Pgmdesc C(30)
$GxRemove N(1)
```

---

**Transaction Information**

Name PU02A1 Id: 15  
 Folder Created 2005-02-28 13:51:40  
 Description Desenvolvimento Preparação Updated 2005-12-15 16:17:42  
 Consolidated 2005-02-28 13:51:40

Associated to Style Padrao : Padrao

Generators  
 Default - Visual FoxPro

**Structure**

placod*	* N(6)	Código:
colcod	* N(6)	Código:
colnome	C(35)	Nome:
sofcod	* N(6)	Código:
sofnom	C(25)	Nome:
pladta	D(8)	pladta
(plapordem*	* N(2)	Ord
plapredes	C(40)	Descrição:
plapreati	L(1000)	Atividade:
plaprehrs	T(0.5)	HRS Preparação

Directly Associated Tables for each level

PU01  
 (PU02A1)

**Form**

**Rules/Events**

```
// Rules
Form( placod ,plapordem ):

// Events
```

**Properties**

**Variables**

```
sToday D(8)
sTime C(8)

sMode C(3)
sPgname C(21)
sPgndesc C(30)
sGxRemove N(1)
```



**Transaction Information**

Name PU03 Id: 16  
 Folder Created 2005-03-23 13:51:40  
 Description Plano de Utilização-Aplicação Updated 2005-12-15 16:25:50  
 Consolidated 2005-03-23 13:51:40

Associated to Style Padrao : Padrao

Generators  
 Default - Visual FoxPro

**Structure**

placod\* \* N(6) Código:  
 colcod \* N(6) Código:  
 colnome C(35) Nome:  
 sofcod \* N(6) Código:  
 sofnom C(25) Nome:  
 usoobs L(2000) usoobs  
 pladta D(8) pladta  
 (usoordem\* \* N(2) Ord  
 usodes C(40) Descrição  
 usohrs) T(0.5) Uso Horas

Directly Associated Tables for each level

PU01  
 (PU03)

**Form**

**Rules/Events**

```
// Rules
Form(placod,colcod,sofcod);

// Events
Event 'Desenvolvimento'
Call( TPU03A1 , placod, usoordem )
EndEvent // 'Desenvolvimento'
```

**Properties**

**Variables**

```
sTime C(8)
sMode C(3)
sPgname C(21)
sPgmdesc C(30)
sGuRemove N(1)
splacod N(6)
```

**Transaction Information**

Name PU03A1 Id: 17  
 Folder Created 2005-03-23 13:51:40  
 Description Desenvolvimento uso Updated 2005-12-16 16:18:00  
 Consolidated 2005-03-23 13:51:40

Associated to Style Padrao : Padrao

Generators  
 Default - Visual FoxPro

**Structure**

placod*	* N(6)	Código:
colcod	* N(6)	Código:
colnome	C(35)	Nome:
sofcod	* N(6)	Código:
sofnom	C(25)	Nome:
(usoorden*	* N(2)	Ord
usodes	C(40)	Descrição
usoati	L(3000)	usoati
usohrs)	T(0.5)	Use Horas

Directly Associated Tables for each level

PU01  
 (PU03)

**Form**

The screenshot shows a Visual FoxPro form window titled "Desenvolvimento uso". The window has a title bar with standard Windows controls. The main area features a logo on the left and the text "Banco de Informações de Softwares Educacionais" in green. Below this, there are several input fields: "Plano: placod", "Colaborador: colcod - colnome", "Software: sofcod - sofnom", "Ordem: usc", "Tempo: usohrs", and "Descrição: usodes". A large empty text area is labeled "usoati". The form is titled "Desenvolvimento da uso" at the bottom.

**Rules/Events**

```
// Rules
Form( placod ,usoorden ) :

// Events
```

**Properties**

**Variables**

```
sToday D(8)
sTime C(8)
sMode C(3)

sPgname C(31)
sPgmdesc C(30)
sGxRemove N(1)
```

**Transaction Information**

Name PU04 Id: 18  
 Folder Created 2005-03-23 13:51:40  
 Description Avaliação dos Alunos Updated 2005-12-15 16:18:16  
 Consolidated 2005-03-23 13:51:40

Associated to Style Padrão : Padrão

Generators  
 Default - Visual FoxPro

**Structure**

placod*	* N(6)	Código:
colcod	* N(6)	Código:
colnome	C(35)	Nome:
sofcod	* N(6)	Código:
sofnom	C(25)	Nome:
aaluobs	L(3000)	avaliação Observação aluno
(aaluordem*	* N(2)	Ord
aaludes	C(40)	Descrição
aaluhrs)	T(0.5)	Tempo

Directly Associated Tables for each level

PU01  
 (PU04)

**Form**



**Rules/Events**

```
// Rules
Form( placod,colcod,sofcod );

// Events
Event 'Desenvolvimento'
    Call( TPU04A1 , placod, aaluordem )
EndEvent // 'Desenvolvimento'
```

**Properties**

**Variables**

```
sTime C(8)
sMode C(3)
sPgname C(31)
sPgdesc C(30)
sGnRemove N(1)
```

**Transaction Information**

Name PU04A1 Id: 19  
 Folder Created 2005-03-23 13:51:40  
 Description Desenv. Avaliação Alunos Updated 2005-12-15 16:18:32  
 Consolidated 2005-03-23 13:51:42

Associated to Style Padrao : Padrao

Generators  
 Default - Visual FoxPro

**Structure**

placod*	* N(6)	Código:
colcod	* N(6)	Código:
colnome	C(35)	Nome:
sofcod	* N(6)	Código:
sofnom	C(25)	Nome:
(aaluordem*	* N(2)	Ord
aaludes	C(40)	Descrição
aaluati	L(3000)	aaluati
aaluhrs)	T(0.5)	Tempo

Directly Associated Tables for each level

PU01  
 (PU04)

**Form**

**Rules/Events**

```
// Rules
Form( placod ,aaluordem );

// Events
```

**Properties**

**Variables**

```
&Today D(8)
&Time C(8)
&Mode C(3)

&Pgname C(31)
&Pgmdesc C(30)
&GxRemove N(1)
```

**Transaction Information**

Name PU05 Id: 20  
 Folder Created 2005-03-23 13:51:42  
 Description Avaliação Geral do Software Updated 2005-12-15 16:18:52  
 Consolidated 2005-03-23 13:51:42

Associated to Style Padrao : Padrao

Generators  
 Default - Visual FoxPro

**Structure**

placod*	* N(6)	Código:
colcod	* N(6)	Código:
colnome	C(35)	Nome:
sofcod	* N(6)	Código:
sofnom	C(25)	Nome:
agerobs	L(4000)	agerobs

Directly Associated Tables for each level

PU01

**Form**

**Rules/Events**

```
// Rules
Form( placod );

// Events
```

**Properties**


**Variables**

```
$Today D(8)
$Time C(8)
$Mode C(3)
$Pgname C(31)
$Pgmdesc C(30)
$GRRemove N(1)
```

**Work Panel Information**

Name Sel001 Id: 19  
 Folder Created 2005-04-15 16:21:26  
 Description Selecciona Área Conhecimento Updated 2005-04-15 16:22:06  
 Associated to Style padwp : Padrão WF  
 Generators  
 (\*) - Visual FoxPro (Default)

**Form**



**Rules/Events/Conditions**

```
// Rules

// Events
Event Enter
call(WSel002 , arenom)
EndEvent // Enter

// Conditions
```

**Properties**

**Variables**

```
sToday D(8)
sTime C(8)
sPgmname C(31)
sPgmdesc C(80)
```

**Help**

**Documentation**

```
sPgmname C(31)
sPgmdesc C(80)
```

**Work Panel Information**

Name Sel002 Id: 18  
 Folder Created 2005-04-15 16:24:12  
 Description Seleção de Área de Conheciment Updated 2005-04-15 16:24:38  
 Associated to Style padvp : Padrão WF  
 Generators  
 (\*) - Visual FoxPro (Default)

**Form**

Código:	Resumo:
planom	plares
placod	planom

**Rules/Events/Conditions**

```
// Rules
parm(arenom);

// Events
Event Enter
// chama consulta geral modelos parecidos com TNR. Começado com CPU01)
EndEvent // Enter

// Conditions
```

**Properties**

**Variables**

```
$Today D(8)
$Time C(8)
$Pgname C(21)
$Pgmdesc C(20)
```

**Help**

**Documentation**

```
$Time C(8)
$Pgname C(21)
$Pgmdesc C(20)
```

**Transaction Information**

Name SOFT01 Id: 3  
 Folder Created 2005-03-10 13:27:42  
 Description Cadastro de Softwares Updated 2005-03-23 14:24:58  
 Consolidated 2005-03-10 13:27:42

Associated to Style Padrao : Padrao

Generators  
 Default - Visual FoxPro

**Structure**

sofcod*	* N(6)	Código:
sofnom	C(25)	Nome:
sofversao	C(10)	Versão

Directly Associated Tables for each level  
 SOFT02

**Form**

**Rules/Events**

```
// Rules

// Events

Event 'produtor'
call( TSOFT02 ,sofcod )
EndEvent // 'produtor'

Event '03objetivo'
call( TSOFT03 ,sofcod )
EndEvent // '03objetivo'

Event '04resumo'
call( TSOFT04 ,sofcod )
EndEvent // '04resumo'

Event '05venda'
call( TSOFT05 ,sofcod )
EndEvent // '05venda'
```



```
Event 'Asp.Técnicos Info.'  
  call( T3OPT06 ,sofcod )  
EndEvent // 'Asp.Técnicos Info.'  
  
Event '07- Observações'  
  call( T3OPT07 ,sofcod )  
EndEvent // '07- Observações'
```

---

**Properties**

---

---

**Variables**

---

```
$Today D(8)  
$Time C(8)  
$Mode C(3)  
$Pgname C(31)  
$Pgmdesc C(30)  
$GxRemove N(1)  
$valido C(1)
```

---

**Transaction Information**

Name SOFT02 Id: 4  
 Folder Created 2005-03-10 13:37:42  
 Description Produtor do Software Updated 2005-03-31 16:55:40  
 Consolidated 2005-03-10 13:37:44

Associated to Style Padrao : Padrao

Generators  
 Default - Visual FoxPro

**Structure**

sofcod*	* N(6)	Código:
sofnom	C(25)	Nome:
sofemp	C(40)	Empresa:
sofedr	C(35)	Endereço:
sofedb	C(20)	Bairro:
sofedci	C(20)	Cidade:
sofenduf	C(2)	UF:
sofedpa	C(15)	País:
sofedcep	C(8)	CEP:
soffone	C(14)	Fone:
sofemail	C(30)	E-mail:
sofsite	C(30)	Site:
sofvenda	C(1)	Venda pela Internet?

Directly Associated Tables for each level  
 SOFT02

**Form**

The screenshot shows a window titled "Produtor do Software" from the "Banco de Informações de Softwares Educacional" system. The form contains the following fields:

- Software: sofcod - sofnom
- Empresa: sofemp
- Endereço: sofedr
- Bairro: sofedb
- Cidade: sofedci - sof
- País: sofedpa
- CEP: sofedcep
- Fone: soffone
- E-mail: sofemail
- Site: sofsite
- Venda pela Internet? sof

**Rules/Events**

```
// Rules
Parm( sofcod );

// Events
```

**Properties**

**Variables**

```
&Time C(8)
&Mode C(2)
&Pgname C(31)
&Pgndesc C(30)
&GxRemove N(1)
```

**Transaction Information**

Name SOFT03 Id: 5  
 Folder Created 2005-03-10 13:37:44  
 Description Objetivo do software Updated 2005-12-15 16:02:38  
 Consolidated 2005-03-10 13:37:44

Associated to Style Padrao : Padrao

Generators  
 Default - Visual FoxPro

**Structure**

sofcod\* \* N(6) Código:  
 sofnom C(25) Nome:  
 sofobj L(2000) Objetivo:

Directly Associated Tables for each level  
 SOFT02

**Form**

**Rules/Events**

```
// Rules
Form( sofcod );

// Events
```

**Properties**

**Variables**

```
$Today D(8)
$Time C(8)
$Mode C(3)
$Pgname C(31)
$Pgmdesc C(30)
$GrRemove N(1)
```

**Transaction Information**

Name SOFT04 Id: 6  
 Folder Created 2005-03-10 13:37:44  
 Description Resumo do Software Updated 2005-12-15 16:04:04  
 Consolidated 2005-03-10 13:37:44

Associated to Style Padrao : Padrao

Generators  
 Default - Visual FoxPro

**Structure**

sofcod\* \* N(6) Código:  
 sofnom C(25) Nome:  
 sofresumo L(2000) Resumo

Directly Associated Tables for each level  
 SOFT02

**Form**

The screenshot shows a window titled "Resumo do Software" with a blue title bar. On the left is a logo with a red cross on a green circle. The main title is "Banco de Informações de Softwares Educacionais" in green. Below the title are icons for a floppy disk and a printer, and a "Carrão" label. A "Software:" label is followed by two input fields: "sofcod" and "sofnom". Below this is a "Resumo:" label and a large text area containing the label "sofresumo".

**Rules/Events**

```
// Rules
Form( sofcod );

// Events
```

**Properties**

**Variables**

```
$Today D(8)
$Time C(8)
$Mode C(3)
$Pgname C(31)
$Pgmdesc C(30)
$GxRemove N(1)
```

**Transaction Information**

Name SOPT05 Id: 7  
 Folder Created 2005-03-10 13:27:44  
 Description Venda e Comercialização Updated 2005-03-31 16:56:30  
 Consolidated 2005-03-10 13:27:44

Associated to Style Padrao : Padrao

Generators  
 Default - Visual FoxPro

**Structure**

sofcod*	* N(6)	Código:
sofnom	C(25)	Nome:
demnom	C(1)	Possui demonstrativo?
midnom	* C(10)	Mídia:
licnom	* C(20)	Licenciamento:
lictempo	C(15)	Prazo:
sofpre	N(9.2)	Preço:
sofvenda	C(1)	Venda pela Internet?
venobs	L(400)	Observações de venda:

Directly Associated Tables for each level  
 SOPT02

**Form**

The screenshot shows a window titled 'Venda e Comercialização' with a logo on the left. The main area is titled 'Banco de Informações de Softwares Educacional'. It contains several input fields and dropdown menus: 'Software' with sub-fields 'sofcod' and 'sofnom'; 'Possui demonstrativo?' with a dropdown 'demr'; 'Mídia' with a dropdown 'midnom'; 'Licenciamento' with a dropdown 'licnom' and 'Prazo' with a text field 'lictempo'; 'Preço' with a text field 'sofpre'; 'Venda/registro pela Internet?' with a dropdown 'sofv'; and 'Observação' with a large text area 'venobs'. There are also icons for a floppy disk and a printer, and a 'Carrão' label in the top right.

**Rules/Events**

```
// Rules
Form( sofcod );

// Events
```

**Properties**

**Variables**

```
sToday D(8)
sTime C(8)
sHode C(3)
sPgname C(31)

sPgmdesc C(30)
sGuRemove N(1)
```

**Transaction Information**

Name SOFT06 Id: 8  
 Folder Created 2005-03-10 13:27:44  
 Description Aspectos Técnicos Updated 2005-03-31 16:56:50  
 Consolidated 2005-03-10 13:27:44

Associated to Style Padrão : Padrão

Generators  
 Default - Visual FoxPro

**Structure**

sofcod*	* N(6)	Código:
sofnom	C(25)	Nome:
sofred	C(1)	Trabalha em rede?
sofarg	C(1)	Grava arquivos?
sofimp	C(1)	Imprime?
sofint	C(1)	Usa Internet?
sofintt	C(1)	Instruções claras?
sofreq	C(1)	Informa requisitos Soft/Hard?
sofinat	C(1)	Instalação fácil?
sofhelp	C(1)	Possui Help?
sofobjj	C(1)	Importa figuras?
sofexpo	C(1)	Exporta Figuras?
sofmanu	C(1)	Possui manual?
sofupor	C(1)	Possui suporte na Internet?
sofxtco	C(1)	Texto correto?
sofxtad	C(1)	Texto adequado?
sofupfo	C(1)	Possui suporte por fone?
sofponto	C(1)	Informa pontuação do aluno?
sofalute	C(1)	Informa tempo de uso do aluno?
sofalre	C(1)	Armazena respostas do aluno?
sofanim	C(1)	Possui animação?
sofson	C(1)	Possui som?

Directly Associated Tables for each level

SOFT02

**Form**

Aspectos Técnicos

**Banco de Informações de Softwares Educacional**

Carrão

Software: sofcod - sofnom

<input type="checkbox"/> Trabalha em rede?	<input type="checkbox"/> Possui manual?	<input type="checkbox"/> Possui suporte por fone?
<input type="checkbox"/> Grava arquivos?	<input type="checkbox"/> Possui Help?	<input type="checkbox"/> Informa pontuação do aluno?
<input type="checkbox"/> Imprime?	<input type="checkbox"/> Possui suporte na Internet?	<input type="checkbox"/> Armazena respostas do aluno?
<input type="checkbox"/> Usa Internet?	<input type="checkbox"/> Importa Figuras?	<input type="checkbox"/> Informa tempo de uso do aluno?
<input type="checkbox"/> Instalação fácil?	<input type="checkbox"/> Exporta Figuras?	<input type="checkbox"/> Possui animação?
<input type="checkbox"/> Instruções claras?	<input type="checkbox"/> Texto adequado?	<input type="checkbox"/> Possui som?
<input type="checkbox"/> Informa requisitos Soft/Hard?	<input type="checkbox"/> Texto correto?	

**Rules/Events**

```
// Rules
Form( sofcod );

// Events
```

---

**Properties**

---

---

**Variables**

---

\$Today D(8)  
\$Time C(8)  
\$Mode C(3)  
\$Pgname C(31)  
\$Pgmdesc C(30)  
\$GuRemove N(1)

---

**Transaction Information**

Name SOFT07 Id: 9  
 Folder Created 2005-03-10 13:45:26  
 Description Observações Updated 2005-03-31 16:57:04  
 Associated to Style Padrao : Padrao  
 Generators  
 Default - Visual FoxPro

**Structure**

sofcod\* \* N(6) Código:  
 sofnom C(25) Nome:  
 sodtecobs L(2000) Observações aspectos técnicos:

Directly Associated Tables for each level  
 SOFT02

**Form**

**Rules/Events**

```
// Rules
Form( sofcod );

// Events
```

**Properties**

**Variables**

```
#Today D(8)
#Time C(8)
#Mode C(3)
#Fgname C(31)
#Fgmdesc C(30)
#GxRemove N(1)
```




**Transaction Information**

Name titulari Id: 12  
 Folder Created 2005-03-10 14:52:44  
 Description Titularidade Updated 2005-03-10 16:07:42  
 Associated to Style Padrao : Padrao  
 Generators  
 Default - Visual FoxPro

**Structure**

coltit\* \* C(20) Titularidade máxima:  
 Directly Associated Tables for each level  
 titulari

**Form**



**Rules/Events**

```
// Rules

// Events
```

**Properties**

**Variables**

```
$Today D(8)
$Time C(8)
$Mode C(3)
$Pgname C(31)
$Pgmdesc C(30)
$GxRemove N(1)
```

**Work Panel Information**

Name valsem1 Id: 8  
 Folder Created 2005-03-10 15:22:06  
 Description valsem1 Updated 2005-03-10 16:11:16  
 Associated to Style padwp : Padrão WP  
 Generators  
 (\*) - Visual FoxPro (Default)

**Form**



**Rules/Events/Conditions**

```
// Rules
parm(%colcod, %valido):

// Events
Event Enter
call(%valido, %colcod, %scolsen, %valido)
Return
EndEvent // Enter

// Conditions
```

**Properties**

**Variables**

```
%Today D(8)
%Time C(8)
%Fgmname C(21)
%Fgmdesc C(20)
%scolsen C(6)
%valido C(1)
%colcod N(6)
```

---

### Procedure Information

---

Name	valsen	Id:	1
Folder		Created	2005-03-10 15:19:02
Description	valsen	Updated	2005-03-10 15:26:36

Generators  
(\*) - Visual FoxPro (Default)

---

### Form

---

```
svalido = 'N'  
for each  
  where colcod = scolcod  
  defined by colcep  
    if colsen = %colsen  
      svalido = 'S'  
    endif  
  endfor
```

---

### Rules/Subroutine/Conditions

---

```
// Rules  
parm(%colcod,%colsen,%valido);  
  
// Subroutines  
  
// Conditions
```

---

### Properties

---

### Variables

---

```
%Today D(8)  
%Time C(8)  
%Page N(6)  
%Line N(6)  
%Output C(3)  
%Pgmname C(31)  
%Pgmdesc C(30)  
svalido C(1)  
scolsen C(6)  
scolcod N(6)
```

---



**Lógica**

Transaction area Status			
Name	<a href="#">area</a>		
Description	Área de Conhecimento		
Status	<b>Generation is required</b>		
Environment			
Environment	Visual FoxPro		
Spec. Version	7_5_5-016		
Form Class	Graphic		
Program Name	Tarea		
Parameters			
Levels			
Level AREA			
READ <a href="#">AREA</a> WHERE <a href="#">AREA,arenom=arenom</a>  Insert into <a href="#">AREA</a> Attributes to update : <a href="#">arenom</a> Update on <a href="#">AREA</a> Delete from <a href="#">AREA</a>  Referential integrity controls on delete: * <a href="#">PU01 ( arenom )</a>			
Prompts			
Table	Program	In Parameters	Out Pai
<a href="#">AREA</a>	<a href="#">sx00CO</a>		<a href="#">arenom</a>
Transaction Colabor Status			
Name	<a href="#">Colabor</a>		
Description	Cadastro Colaboradores		
Status	<b>Generation is required</b>		
Environment			
Environment	Visual FoxPro		
Spec. Version	7_5_5-016		
Form Class	Graphic		
Program Name	TColabor		
Parameters			
Levels			
Level COLABOR			
READ <a href="#">COLABOR</a> WHERE <a href="#">COLABOR.colcod=colcod</a> <a href="#">colnome,colrua,colbai,colcid,colcep,coluf,colemail,colfone,coltit,colsen,colsex,colprof,collocra,colinfo</a>  READ <a href="#">TITULARI</a> WHERE <a href="#">TITULARI.coltit=COLABOR.coltit</a>  ErrorRule( 'Campo Sexo: fora da faixa' ) if NOT(colsex='S'.OR.colsex='M') ErrorRule( 'Confirmação de senha inválida!' ) if colsen<>&Colsen  Insert into <a href="#">COLABOR</a> Attributes to update : <a href="#">colcod,colnome,colrua,colbai,colcid,colcep,coluf,colemail,colfone,coltit,colsen,colsex,colprof,collocra,colinfo</a> Update on <a href="#">COLABOR</a> Attributes to update : <a href="#">colnome,colrua,colbai,colcid,colcep,coluf,colemail,colfone,coltit,colsen,colsex,colprof,collocra,colinfo</a> Delete from <a href="#">COLABOR</a>  Referential integrity controls on delete: * <a href="#">PU01 ( colcod )</a>			
Prompts			
Table	Program	In Parameters	Out Pai
<a href="#">COLABOR</a>	<a href="#">sx0010</a>		<a href="#">colcod</a>
Dynamic Combos			
Name	Table	Descriptions	Sorted
coltit	<a href="#">TITULARI</a>	coltit	Y
Work Panel CPU01 Status			
Name	<a href="#">CPU01</a>		
Description	Consulta Plano de Uso		
Status	<b>Generation is required</b>		
Environment			
Environment	Visual FoxPro		
Spec. Version	7_5_5-016		
Form Class	Graphic		
Program Name	WCPU01		
Parameters			
Events			
Event Enter CALL( <a href="#">CPU02</a> ,placod,sofcod,colcod)			
End Event			
For Each PU01 (Line: 1)			

Index: IPU01  
 Order: [placod](#)  
 Navigation filters:  
 Start from:  
 = FirstRecord  
 Loop while:  
 = NotEndOfTable  
 Constraints:  
 = colnome.LIKE.&Colnome  
 = sofnom.LIKE.&Sofnom

[IPU01 \( placod \)](#)  
[SOFT02 \( sofcod \)](#)  
[COLABOR \( colcod \)](#)

Work Panel CPU02 Status	
Name	<a href="#">CPU02</a>
Description	Plano de Uso
Status	<b>Generation is required</b>
Environment	
Environment	Visual FoxPro
Spec. Version	7_5_5-016
Form Class	Graphic
Program Name	WCPU02
Parameters	<a href="#">placod,sofcod,colcod</a>
Events	
Event 'prepara'	CALL( <a href="#">CPU03</a> ,placod)
End Event	

For First PUI01 (Line: 1)	
Index: IPU01	
Order: <a href="#">placod</a>	
Navigation filters:	
Start from:	= placod=placod
Loop while:	= placod=placod
Constraints:	
	= sofcod=sofcod
	= colcod=colcod
<a href="#">IPU01 ( placod )</a>	
<a href="#">SOFT02 ( sofcod )</a>	
<a href="#">COLABOR ( colcod )</a>	

Work Panel CPU03 Status	
Name	<a href="#">CPU03</a>
Description	Preparação
Status	<b>Generation is required</b>
Environment	
Environment	Visual FoxPro
Spec. Version	7_5_5-016
Form Class	Graphic
Program Name	WCPU03
Parameters	<a href="#">placod</a>
For Each PU02A1 (Line: 1)	



Index: IPU02A1	
Order: <a href="#">placod</a>	
Navigation filters:	
Start from:	= placod=placod
Loop while:	= placod=placod
<a href="#">PU02A1 ( placod, plapordem )</a>	
<a href="#">IPU01 ( placod )</a>	
<a href="#">SOFT02 ( sofcod )</a>	
<a href="#">COLABOR ( colcod )</a>	

Transaction FX Status	
Name	<a href="#">FX</a>
Description	Faixa Etária
Status	<b>Generation is required</b>
Environment	
Environment	Visual FoxPro
Spec. Version	7_5_5-016
Form Class	Graphic
Program Name	TFX
Parameters	

Levels




Level FX			
READ <a href="#">FX</a>			
WHERE			
<a href="#">FX.serie=serie</a>			
Insert into <a href="#">FX</a>			
Attributes to update : <a href="#">serie</a>			
Update on <a href="#">FX</a>			
Delete from <a href="#">FX</a>			
Referential integrity controls on delete:			
* <a href="#">PU01</a> ( <a href="#">serie</a> )			
Prompta			
Table	Program	In Parameters	Out Pai
<a href="#">FX</a>	<a href="#">Gx00BQ</a>		<a href="#">serie</a>
Menu Bar geral Status			
Name	<a href="#">Bgeral</a>		
Description	Geral		
Status	<b>Generation is required</b>		
Environment			
Environment	Visual FoxPro		
Spec. Version	7_5_5-016		
Form Class	HTML		
Program Name	BGeneral		
Parameters			
Menu Bar			
Sair Gx_file			
&Sair Gx_exit			
Tabelas Id_tabelas			
Titularidade Id_ttularidade			
Mídia Id_mdia			
Colaboradores Id_colaboradores			
Licenciamento Id_licenciamento			
Faixa Etária Fx			
Área de Conhecimento Area			
Softwares Id_softwares			
Cadastro Sof01			
Plano de Uso Id_plano_de_uso			
Cadastro Pu01			
Consulta Cpu01			
Events			
Event Menubar.Id_colaboradores			
CALL <a href="#">Colabor</a>			
End Event			
Event Menubar.Id_licenciamento			
CALL <a href="#">licenci</a>			
End Event			
Event Menubar.Id_mdia			
CALL <a href="#">mdia</a>			
End Event			
Event Menubar.Id_ttularidade			
CALL <a href="#">titulari</a>			
End Event			
Event Menubar.Sof01			
CALL <a href="#">SOFT01</a>			
End Event			
Event Menubar.Pu01			
CALL <a href="#">PU01</a>			
End Event			
Event Menubar.Fx			
CALL <a href="#">FX</a>			
End Event			
Event Menubar.Area			
CALL <a href="#">area</a>			
End Event			
Event Menubar.Cpu01			
CALL <a href="#">CPU01</a>			
End Event			
Work Panel geral Status			
Name	<a href="#">Bgeral</a>		
Description	Geral		
Status	<b>Generation is required</b>		
Main	Yes		
Environment			
Environment	Visual FoxPro		






Spec. Version	 7_5_5-016
Form Class	Graphic
Program Name	Wgeral
Parameters	
<b>Work Panel Gx0010 Status</b>	
Name	 Gx0010
Description	Lista de Seleção COLABOR
Status	<b>Generation is required</b>
<b>Environment</b>	
Environment	 Visual FoxPro
Spec. Version	 7_5_5-016
Form Class	Graphic
Program Name	WGx0010
Parameters	{out} &V1
<b>For Each COLABOR (Line: 1)</b>	
Index: ICOLABOR	
Order: <a href="#">colcod</a>	
Navigation filters:	
Start from:	
< colcod>=&C1	
Loop while:	
< NotEndOfTable	
Constraints:	
< colnome.LIKE.&C2	
< colrua.LIKE.&C3	
< colbai.LIKE.&C4	
< colcid.LIKE.&C5	
< colcep.LIKE.&C6	
< coluf.LIKE.&C7	
 COLABOR ( <a href="#">colcod</a> )	
<b>Work Panel Gx0030 Status</b>	
Name	 Gx0030
Description	Lista de Seleção SOFT02
Status	<b>Generation is required</b>
<b>Environment</b>	
Environment	 Visual FoxPro
Spec. Version	 7_5_5-016
Form Class	Graphic
Program Name	WGx0030
Parameters	{out} &V18
<b>For Each PU01 (Line: 1)</b>	
Index: IPU012	
Order: <a href="#">sofcod</a>	
Navigation filters:	
Start from:	
< sofcod>=&C18	
Loop while:	
< NotEndOfTable	
Constraints:	
< sofnom.LIKE.&C19	
< sofversao.LIKE.&C21	
< colcod>=&C1	
< sofemp.LIKE.&C23	
< sofedr.LIKE.&C24	
< sofedb.LIKE.&C25	
 PU01 ( <a href="#">placod</a> )	
 SOFT02 ( <a href="#">sofcod</a> )	
<b>Work Panel Gx0040 Status</b>	
Name	 Gx0040
Description	Lista de Seleção LICENCI
Status	<b>Generation is required</b>
<b>Environment</b>	
Environment	 Visual FoxPro
Spec. Version	 7_5_5-016
Form Class	Graphic
Program Name	WGx0040
Parameters	{out} &V38
<b>For Each LICENCI (Line: 1)</b>	
Index: ILICENCI	
Order: <a href="#">licnom</a>	
Navigation filters:	
Start from:	
< FirstRecord	
Loop while:	
< NotEndOfTable	
Constraints:	

#: licnom.LIKE.&C38




 LICENCI ( [licnom](#) )

Work Panel Gx0050 Status	
Name	 <a href="#">Gx0050</a>
Description	Lista de Seleção MIDIA
Status	<b>Generation is required</b>
Environment	
Environment	 Visual FoxPro
Spec. Version	 7_5_5-016
Form Class	Graphic
Program Name	WGx0050
Parameters	[out] &V37



For Each MIDIA (Line: 1)	
Index:	IMIDIA
Order:	<a href="#">midnom</a>
Navigation filters:	
Start from:	
#: FirstRecord	
Loop while:	
#: NotEndOfTable	
Constraints:	
#: midnom.LIKE.&C37	
 MIDIA ( <a href="#">midnom</a> )	

Work Panel Gx0060 Status	
Name	 <a href="#">Gx0060</a>
Description	Lista de Seleção TITULARI
Status	<b>Generation is required</b>
Environment	
Environment	 Visual FoxPro
Spec. Version	 7_5_5-016
Form Class	Graphic
Program Name	WGx0060
Parameters	[out] &V9

For Each TITULARI (Line: 1)	
Index:	ITITULARI
Order:	<a href="#">coltit</a>
Navigation filters:	
Start from:	
#: FirstRecord	
Loop while:	
#: NotEndOfTable	
Constraints:	
#: coltit.LIKE.&C9	
 TITULARI ( <a href="#">coltit</a> )	




Work Panel Gx0070 Status	
Name	 <a href="#">Gx0070</a>
Description	Lista de Seleção PU01
Status	<b>Generation is required</b>
Environment	
Environment	 Visual FoxPro
Spec. Version	 7_5_5-016
Form Class	Graphic
Program Name	WGx0070
Parameters	[out] &V67

For Each PU01 (Line: 1)	
Index:	IPU01
Order:	<a href="#">placod</a>
Navigation filters:	
Start from:	
#: FirstRecord	
Loop while:	
#: NotEndOfTable	
Constraints:	
#: arenom.LIKE.&C69	
#: serie.LIKE.&C75	
 PU01 ( <a href="#">placod</a> )	




Work Panel Gx0081 Status	
Name	 <a href="#">Gx0081</a>
Description	Lista de Seleção PU02A1
Status	<b>Generation is required</b>
Environment	
Environment	 Visual FoxPro

Spec. Version  7\_5\_5-016  
 Form Class *Graphic*  
 Program Name *WGx0081*  
 Parameters *[in] placod, [out] &V72*




For Each PU02A1 (Line: 1)  
 Index: IPU02A1  
 Order: [placod](#) , [plapordem](#)  
 Navigation filters:  
 Start from:  
 # placod=placod  
 # plapordem>=&C72  
 Loop while:  
 # placod=placod  
 Constraints:  
 # plapordem>=&C72  
 # plapredes.LIKE.&C73  
 # plaprehrs>=&C74  
 [PU02A1 \( placod, plapordem \)](#)

Work Panel Gx0091 Status  
 [Ex0091](#)  
 Name *Lista de Selecao PU03*  
 Description  
 Status **Generation is required**  
 Environment  
 Environment  Visual FoxPro  
 Spec. Version  7\_5\_5-016  
 Form Class *Graphic*  
 Program Name *WGx0091*  
 Parameters *[in] placod, [out] &V78*

For Each PU03 (Line: 1)  
 Index: IPU03  
 Order: [placod](#) , [usoordem](#)  
 Navigation filters:  
 Start from:  
 # placod=placod  
 # usoordem>=&C78  
 Loop while:  
 # placod=placod  
 Constraints:  
 # usoordem>=&C78  
 # usodes.LIKE.&C79  
 # usohrs>=&C80  
 [PU03 \( placod, usoordem \)](#)

Work Panel Gx00A1 Status  
 [Ex00A1](#)  
 Name *Lista de Selecao PU04*  
 Description  
 Status **Generation is required**  
 Environment  
 Environment  Visual FoxPro  
 Spec. Version  7\_5\_5-016  
 Form Class *Graphic*  
 Program Name *WGx00A1*  
 Parameters *[in] placod, [out] &V83*





For Each PU04 (Line: 1)  
 Index: IPU04  
 Order: [placod](#) , [aaluordem](#)  
 Navigation filters:  
 Start from:  
 # placod=placod  
 # aaluordem>=&C83  
 Loop while:  
 # placod=placod  
 Constraints:  
 # aaluordem>=&C83  
 # aaludes.LIKE.&C84  
 # aaluhrs>=&C85  
 [PU04 \( placod, aaluordem \)](#)

Work Panel Gx00B0 Status  
 [Ex00B0](#)  
 Name *Lista de Selecao FX*  
 Description  
 Status **Generation is required**  
 Environment  
 Environment  Visual FoxPro  
 Spec. Version  7\_5\_5-016  
 Form Class *Graphic*  
 Program Name *WGx00B0*

Parameters		[out] &V75	
For Each FX (Line: 1)			
Index: IFX			
Order: <a href="#">serie</a>			
Navigation filters:			
Start from:			
FirstRecord			
Loop while:			
NotEndOfTable			
Constraints:			
serie.LIKE.&C75			
<a href="#">FX ( serie )</a>			
Work Panel Gx00C0 Status			
Name	<a href="#">Gx00C0</a>		
Description	Lista de Seleção AREA		
Status	<b>Generation is required</b>		
Environment			
Environment	Visual FoxPro		
Spec. Version	7_5_5-016		
Form Class	Graphic		
Program Name	WGx00C0		
Parameters	[out] &V69		
For Each AREA (Line: 1)			
Index: IAREA			
Order: <a href="#">arenom</a>			
Navigation filters:			
Start from:			
FirstRecord			
Loop while:			
NotEndOfTable			
Constraints:			
arenom.LIKE.&C69			
<a href="#">AREA ( arenom )</a>			
Transaction licenci Status			
Name	<a href="#">licenci</a>		
Description	Licenciamento		
Status	<b>Generation is required</b>		
Environment			
Environment	Visual FoxPro		
Spec. Version	7_5_5-016		
Form Class	Graphic		
Program Name	Tlicenci		
Parameters			
Levels			
Level LICENCI			
READ <a href="#">LICENCI</a>			
WHERE <a href="#">LICENCI,licnom=licnom</a>			
Insert into <a href="#">LICENCI</a>			
Attributes to update : <a href="#">licnom</a>			
Update on <a href="#">LICENCI</a>			
Delete from <a href="#">LICENCI</a>			
Referential Integrity controls on delete:			
<a href="#">SOFT02 ( licnom )</a>			
Prompts			
Table	Program	In Parameters	Out Pa
<a href="#">LICENCI</a>	<a href="#">Gx0040</a>		<a href="#">licnom</a>
Transaction LT001 Status			
Name	<a href="#">LT001</a>		
Description	Lista Planos de Utilização		
Status	<b>Generation is required</b>		
Environment			
Environment	Visual FoxPro		
Spec. Version	7_5_5-016		
Form Class	Graphic		
Program Name	TLT001		
Parameters			
Levels			
Level PU01			
READ <a href="#">PU01</a>			
WHERE <a href="#">PU01,placod=placod</a>			

INTO [plabj](#)  
 Insert into [PU01](#)  
 Attributes to update : [placod,plabj](#)  
 Update on [PU01](#)  
 Attributes to update : [plabj](#)  
 Delete from [PU01](#)





Referential integrity controls on delete:  
 at [PU04 \( placod \)](#)  
 at [PU03 \( placod \)](#)  
 at [PU02A1 \( placod \)](#)

Table	Program	In Parameters	Out Pai
<a href="#">PU01</a>	 <a href="#">Gx0070</a>		<a href="#">placod</a>
Transaction midia status			
Name	 <a href="#">midia</a>		
Description	Midia		
Status	<b>Generation is required</b>		
Main	Yes		
Environment			
Environment	 Visual FoxPro		
Spec. Version	 7_5_5-016		
Form Class	Graphic		
Program Name	Tmidia		
Parameters			
Levels			
Level MIDIA			

READ [MIDIA](#)  
 WHERE  
     [MIDIA.midnom=midnom](#)

Insert into [MIDIA](#)  
 Attributes to update : [midnom](#)  
 Update on [MIDIA](#)  
 Delete from [MIDIA](#)

Referential integrity controls on delete:  
 at [SOFT02 \( midnom \)](#)

Table	Program	In Parameters	Out Pai
<a href="#">MIDIA</a>	 <a href="#">Gx0050</a>		<a href="#">midnom</a>
Transaction PU01 Status			
Name	 <a href="#">PU01</a>		
Description	Plano de Utilização		
Status	<b>Generation is required</b>		
Environment			
Environment	 Visual FoxPro		
Spec. Version	 7_5_5-016		
Form Class	Graphic		
Program Name	TPU01		
Parameters			
Levels			
Level PU01			

Gx\_date = today()  
 pladta = &Gx\_date;  
 READ [PU01](#)  
 WHERE  
     [PU01.placod=placod](#)  
     INTO [colcod,sofcod,pladta,plares,planom](#)  
 READ [COLABOR](#)  
 WHERE  
     [COLABOR.colcod=PU01.colcod](#)  
     INTO [colnome](#)  
 READ [SOFT02](#)  
 WHERE  
     [SOFT02.sofcod=PU01.sofcod](#)  
     INTO [sofnom](#)  
 Insert into [PU01](#)  
 Attributes to update : [placod,colcod,sofcod,pladta,plares,planom](#)  
 Update on [PU01](#)  
 Attributes to update : [colcod,sofcod,pladta,plares,planom](#)  
 Delete from [PU01](#)

Referential integrity controls on delete:  
 at [PU04 \( placod \)](#)  
 at [PU03 \( placod \)](#)  
 at [PU02A1 \( placod \)](#)

Prompt			
<b>Table</b>	<b>Program</b>	<b>In Parameters</b>	<b>Out Parameters</b>
<a href="#">COLABOR</a>	wbuscol		<a href="#">colcod</a>
<a href="#">SOFT02</a>	6x0030		<a href="#">sofcod</a>
<a href="#">PU01</a>	6x0070		<a href="#">placod</a>
Transaction PU02 Status			
Name	<a href="#">PU02</a>		
Description	Plano de Utilização-Preparação		
Status	Generation is required		
Environment			
Environment	Visual FoxPro		
Spec. Version	7_5_5-016		
Form Class	Graphic		
Program Name	TPU02		
Parameters	<a href="#">placod</a>		

```

Levels
Level PU01
READ PU01
WHERE
    PU01.placod=placod
INTO colcod,sofcod,arenom,pladta,plaobj,plaprebs,serie
READ COLABOR
WHERE
    COLABOR.colcod=PU01.colcod
INTO colnome
READ SOFT02
WHERE
    SOFT02.sofcod=PU01.sofcod
INTO sofnom
READ PU01
WHERE
    PU01.placod=placod
INTO colcod,sofcod,arenom,pladta,plaobj,plaprebs,serie
READ AREA
WHERE
    AREA.arenom=PU01.arenom
READ FX
WHERE
    FX.serie=PU01.serie
Insert into PU01
Attributes to update : placod,colcod,sofcod,arenom,pladta,plaobj,plaprebs,serie
Update on PU01
Attributes to update : colcod,sofcod,arenom,pladta,plaobj,plaprebs,serie
Delete from PU01

Referential integrity controls on delete:
< PU04 ( placod )
< PU03 ( placod )
    
```

```

Level PU02A1
READ PU02A1
WHERE
    PU02A1.placod=placod
    PU02A1.plapordem=plapordem
INTO plapredes,plaprehrs
Insert into PU02A1
Attributes to update : placod,plapordem,plapredes,plaprehrs
Update on PU02A1
Attributes to update : plapredes,plaprehrs
Delete from PU02A1
    
```

Prompt			
<b>Table</b>	<b>Program</b>	<b>In Parameters</b>	<b>Out Parameters</b>
<a href="#">PU02A1</a>	6x0081	<a href="#">placod</a>	<a href="#">plapordem</a>

Dynamic Combos			
<b>Name</b>	<b>Table</b>	<b>Descriptions</b>	<b>Sorted</b>
serie	<a href="#">FX</a>	serie	Y
arenom	<a href="#">AREA</a>	arenom	Y

Transaction PU02A1 Status	
Name	<a href="#">PU02A1</a>
Description	Desenvolvimento Preparação
Status	Generation is required
Environment	
Environment	Visual FoxPro
Spec. Version	7_5_5-016
Form Class	Graphic

```

Program Name          TPU02A1
Parameters            placod,plapordem
-----
Levels
Level PU01
  READ PU01
  WHERE
    PU01.placod=placod
  INTO colcod,sofcod,pladta
  READ COLABOR
  WHERE
    COLABOR.colcod=PU01.colcod
  INTO colnome
  READ SOFT02
  WHERE
    SOFT02.sofcod=PU01.sofcod
  INTO sofnom
  READ PU01
  WHERE
    PU01.placod=placod
  INTO colcod,sofcod,pladta

Insert into PU01
  Attributes to update : placod,colcod,sofcod,pladta
Update on PU01
  Attributes to update : colcod,sofcod,pladta
Delete from PU01

Referential integrity controls on delete:
+ PU04 ( placod )
+ PU03 ( placod )
-----
Level PU02A1
  READ PU02A1
  WHERE
    PU02A1.placod=placod
    PU02A1.plapordem=plapordem
  INTO plapredes,plapreati,plaprehrs
  READ PU02A1
  WHERE
    PU02A1.placod=placod
    PU02A1.plapordem=plapordem
  INTO plapredes,plapreati,plaprehrs

Insert into PU02A1
  Attributes to update : placod,plapordem,plapredes,plapreati,plaprehrs
Update on PU02A1
  Attributes to update : plapredes,plapreati,plaprehrs
Delete from PU02A1

```

```

Transaction PU03 status
Name          PU03
Description   Plano de Utilização-Aplicação
Status        Generation is required
-----
Environment
Environment   Visual FoxPro
Spec. Version 7_5_5-016
Form Class    Graphic
Program Name  TPU03
Parameters    placod,colcod,sofcod
-----
Levels

```

```

Level PU01
  READ PU01
  WHERE
    PU01.placod=placod
  INTO colcod,sofcod,usoobs,pladta
  READ COLABOR
  WHERE
    COLABOR.colcod=PU01.colcod
  INTO colnome
  READ SOFT02
  WHERE
    SOFT02.sofcod=PU01.sofcod
  INTO sofnom
  READ PU01
  WHERE
    PU01.placod=placod
  INTO colcod,sofcod,usoobs,pladta

Insert into PU01
  Attributes to update : placod,colcod,sofcod,usoobs,pladta
Update on PU01
  Attributes to update : colcod,sofcod,usoobs,pladta
Delete from PU01

```

Referential integrity controls on delete:


← [PU04 \( placod \)](#)  
 ← [PU02A1 \( placod \)](#)

Level PU03


```

READ PU03
WHERE
    PU03.placod=placod
    PU03.usoordem=usoordem
INTO usodes,usohrs
    
```



Insert into [PU03](#)  
 Attributes to update : [placod](#),[usoordem](#),[usodes](#),[usohrs](#)  
 Update on [PU03](#)  
 Attributes to update : [usodes](#),[usohrs](#)  
 Delete from [PU03](#)

Table	Program	In Parameters	Out Parameters
<a href="#">PU03</a>	 <a href="#">Fox0091</a>	<a href="#">placod</a>	<a href="#">usoorde</a>

Transaction PU03A1 Status

Name	 <a href="#">PU03A1</a>
Description	Desenvolvimento uso
Status	<b>Generation is required</b>

Environment

Environment	 Visual FoxPro
Spec. Version	 7_5_5-016
Form Class	Graphic
Program Name	TPU03A1
Parameters	<a href="#">placod</a> , <a href="#">usoordem</a>

Levels

Level PU01

```

READ PU01
WHERE
    PU01.placod=placod
INTO colcod,sofcod
READ COLABOR
WHERE
    COLABOR.colcod=PU01.colcod
INTO colnome
READ SOFT02
WHERE
    SOFT02.sofcod=PU01.sofcod
INTO sofnom
READ PU01
WHERE
    PU01.placod=placod
INTO colcod,sofcod
    
```

Insert into [PU01](#)  
 Attributes to update : [placod](#),[colcod](#),[sofcod](#)  
 Update on [PU01](#)  
 Attributes to update : [colcod](#),[sofcod](#)  
 Delete from [PU01](#)

Referential integrity controls on delete:

← [PU04 \( placod \)](#)  
 ← [PU02A1 \( placod \)](#)


Level PU03

```


READ PU03
WHERE
    PU03.placod=placod
    PU03.usoordem=usoordem
INTO usodes,usoati,usohrs
READ PU03
WHERE
    PU03.placod=placod
    PU03.usoordem=usoordem
INTO usodes,usoati,usohrs
    
```

Insert into [PU03](#)  
 Attributes to update : [placod](#),[usoordem](#),[usodes](#),[usoati](#),[usohrs](#)  
 Update on [PU03](#)  
 Attributes to update : [usodes](#),[usoati](#),[usohrs](#)  
 Delete from [PU03](#)

Transaction PU04 Status

Name	 <a href="#">PU04</a>
Description	Avaliação dos Alunos
Status	<b>Generation is required</b>

Environment

Environment	 Visual FoxPro
-------------	---



Spec. Version  7\_5\_5-016  
 Form Class *Graphic*  
 Program Name *TPU04*  
 Parameters *placod,colcod,sofcod*

Levels  
 Level PU01

```

READ PU01
WHERE
    PU01.placod=placod
INTO colcod,sofcod,aaluobs
READ COLABOR
WHERE
    COLABOR.colcod=PU01.colcod
INTO colnome
READ SOFT02
WHERE
    SOFT02.sofcod=PU01.sofcod
INTO sofnom
READ PU01
WHERE
    PU01.placod=placod
INTO colcod,sofcod,aaluobs
    
```

Insert into [PU01](#)  
 Attributes to update : [placod,colcod,sofcod,aaluobs](#)  
 Update on [PU01](#)  
 Attributes to update : [colcod,sofcod,aaluobs](#)  
 Delete from [PU01](#)

Referential integrity controls on delete:  
 = [PU03 \( placod \)](#)  
 = [PU02A1 \( placod \)](#)





---

Level PU04

```

READ PU04
WHERE
    PU04.placod=placod
    PU04.aaluordem=aaluordem
INTO aaludes,aaluhrs
    
```

Insert into [PU04](#)  
 Attributes to update : [placod,aaluordem,aaludes,aaluhrs](#)  
 Update on [PU04](#)  
 Attributes to update : [aaludes,aaluhrs](#)  
 Delete from [PU04](#)

Prompt	Program	In Parameters	Out Pa
<b>Table</b> PU04	 <a href="#">px00A1</a>	<a href="#">placod</a>	<a href="#">aaluord</a>
Transaction PU04A1 Status			
Name	 <a href="#">PU04A1</a>		
Description	<i>Desenv. Avaliação Alunos</i>		
Status	<i>Generation is required</i>		
<b>Environment</b>			
Environment	 Visual FoxPro		
Spec. Version	 7_5_5-016		
Form Class	<i>Graphic</i>		
Program Name	<i>TPU04A1</i>		
Parameters	<i>placod,aaluordem</i>		

Levels  
 Level PU01

```

READ PU01
WHERE
    PU01.placod=placod
INTO colcod,sofcod
READ COLABOR
WHERE
    COLABOR.colcod=PU01.colcod
INTO colnome
READ SOFT02
WHERE
    SOFT02.sofcod=PU01.sofcod
INTO sofnom
READ PU01
WHERE
    PU01.placod=placod
INTO colcod,sofcod
    
```

Insert into [PU01](#)  
 Attributes to update : [placod,colcod,sofcod](#)  
 Update on [PU01](#)  
 Attributes to update : [colcod,sofcod](#)  
 Delete from [PU01](#)

Referential integrity controls on delete:

- « [PU03 \( placod \)](#)
- « [PU02A1 \( placod \)](#)

Level PU04

```

READ PU04
WHERE
    PU04.placod=placod
    PU04.aaluordem=aaluordem
INTO
    aaludes,aaluati,aaluhrs
READ PU04
WHERE
    PU04.placod=placod
    PU04.aaluordem=aaluordem
INTO
    aaludes,aaluati,aaluhrs
    
```

Insert into [PU04](#)  
 Attributes to update : [placod](#),[aaluordem](#),[aaludes](#),[aaluati](#),[aaluhrs](#)  
 Update on [PU04](#)  
 Attributes to update : [aaludes](#),[aaluati](#),[aaluhrs](#)  
 Delete from [PU04](#)

Transaction PU05 Status

Name [PU05](#)  
 Description *Avaliação Geral do Software*  
 Status **Generation is required**

Environment

Environment Visual FoxPro  
 Spec. Version 7\_5\_5-016  
 Form Class *Graphic*  
 Program Name *TPU05*  
 Parameters [placod](#)

Levels

Level PU01

```

READ PU01
WHERE
    PU01.placod=placod
INTO
    colcod,sofcod,agerobs
READ COLABOR
WHERE
    COLABOR.colcod=PU01.colcod
INTO
    colnome
READ SOFT02
WHERE
    SOFT02.sofcod=PU01.sofcod
INTO
    softnom
READ PU01
WHERE
    PU01.placod=placod
INTO
    colcod,sofcod,agerobs
    
```

Insert into [PU01](#)  
 Attributes to update : [placod](#),[colcod](#),[sofcod](#),[agerobs](#)  
 Update on [PU01](#)  
 Attributes to update : [colcod](#),[sofcod](#),[agerobs](#)  
 Delete from [PU01](#)

Referential integrity controls on delete:

- « [PU04 \( placod \)](#)
- « [PU03 \( placod \)](#)
- « [PU02A1 \( placod \)](#)

Work Panel Sel001 Status

Name [Sel001](#)  
 Description *Seleciona Área Conhecimento*  
 Status **Generation is required**

Environment

Environment Visual FoxPro  
 Spec. Version 7\_5\_5-016  
 Form Class *Graphic*  
 Program Name *WSel001*  
 Parameters

Events

Event Enter  
 CALL([Sel002](#) ,arenom)  
 End Event

For Each AREA (Line: 1)

Index: IAREA  
 Order: [arenom](#)  
 Navigation filters:  
 Start from:  
 « FirstRecord  
 Loop while:

NotEndOfTable

[AREA \( arenom \)](#)

---

Work Panel Sel002 Status

Name	<a href="#">Sel002</a>
Description	Seleção de Área de Conhecimento
Status	<b>Generation is required</b>

---

Environment

Environment	Visual FoxPro
Spec. Version	7_5_5-016
Form Class	Graphic
Program Name	Wsel002
Parameters	<a href="#">arenom</a>

---

For Each PU01 (Line: 1)

Index: IPU014  
 Order: [arenom](#)  
 Navigation filters:  
 Start from:  
 \* arenom=arenom  
 Loop while:  
 \* arenom=arenom

[PU01 \( placod \)](#)

---

Transaction SOFT01 Status

Name	<a href="#">SOFT01</a>
Description	Cadastro de Softwares
Status	<b>Generation is required</b>

---

Environment

Environment	Visual FoxPro
Spec. Version	7_5_5-016
Form Class	Graphic
Program Name	TSOFT01
Parameters	

---

Levels

Level SOFT02

```

READ SOFT02
WHERE
    INTO SOFT02,sofcod=sofcod
    INTO sofnom,sofversao

Insert into SOFT02
Attributes to update : sofcod,sofnom,sofversao
Update on SOFT02
Attributes to update : sofnom,sofversao
Delete from SOFT02

Referential integrity controls on delete:
* PU01 ( sofcod )
    
```

---

Prompt	Program	In Parameters	Out Pa
Table	<a href="#">SOFT02</a>		<a href="#">sofcod</a>

---

Transaction SOFT02 Status

Name	<a href="#">SOFT02</a>
Description	Produtor do Software
Status	<b>Generation is required</b>

---

Environment

Environment	Visual FoxPro
Spec. Version	7_5_5-016
Form Class	Graphic
Program Name	TSOFT02
Parameters	<a href="#">sofcod</a>

---

Levels




Level SOFT02

```

READ SOFT02
WHERE
    INTO SOFT02,sofcod=sofcod
    INTO sofnom,sofemp,sofedr,sofedb,sofedcj,sofenduf,sofedpa,sofedcep,soffone,sofemail,sofsite,sofvenda
READ SOFT02
WHERE
    INTO SOFT02,sofcod=sofcod
    INTO sofnom,sofemp,sofedr,sofedb,sofedcj,sofenduf,sofedpa,sofedcep,soffone,sofemail,sofsite,sofvenda

ErrorRule( 'Campo Venda pela Internet? fora da faixa' ) if NOT(sofvenda='S'.OR.sofvenda='N')
Insert into SOFT02
Attributes to update : sofcod,sofnom,sofemp,sofedr,sofedb,sofedcj,sofenduf,sofedpa,sofedcep,soffone,sofemail,sofsite,sofvenda
Update on SOFT02
Attributes to update : sofnom,sofemp,sofedr,sofedb,sofedcj,sofenduf,sofedpa,sofedcep,soffone,sofemail,sofsite,sofvenda
Delete from SOFT02
    
```

Referential integrity controls on delete:  
 at [PU01](#) ( [sofcod](#) )




Transaction SOFT03 Status	
Name	 <a href="#">SOFT03</a>
Description	Objetivo do software
Status	<b>Generation is required</b>
Environment	
Environment	 Visual FoxPro
Spec. Version	 7_5_5-016
Form Class	Graphic
Program Name	TSOFT03
Parameters	<a href="#">sofcod</a>
Levels	
Level SOFT02	

```

READ SOFT02
WHERE
    SOFT02.sofcod=sofcod
INTO sofnom,sofobi
READ SOFT02
WHERE
    SOFT02.sofcod=sofcod
INTO sofnom,sofobi

Insert into SOFT02
Attributes to update : sofcod,sofnom,sofobi
Update on SOFT02
Attributes to update : sofnom,sofobi
Delete from SOFT02
    
```

Referential integrity controls on delete:  
 at [PU01](#) ( [sofcod](#) )




Transaction SOFT04 Status	
Name	 <a href="#">SOFT04</a>
Description	Resumo do Software
Status	<b>Generation is required</b>
Environment	
Environment	 Visual FoxPro
Spec. Version	 7_5_5-016
Form Class	Graphic
Program Name	TSOFT04
Parameters	<a href="#">sofcod</a>
Levels	
Level SOFT02	

```

READ SOFT02
WHERE
    SOFT02.sofcod=sofcod
INTO sofnom,sofresumo
READ SOFT02
WHERE
    SOFT02.sofcod=sofcod
INTO sofnom,sofresumo

Insert into SOFT02
Attributes to update : sofcod,sofnom,sofresumo
Update on SOFT02
Attributes to update : sofnom,sofresumo
Delete from SOFT02
    
```

Referential integrity controls on delete:  
 at [PU01](#) ( [sofcod](#) )

Transaction SOFT05 Status	
Name	 <a href="#">SOFT05</a>
Description	Venda e Comercialização
Status	<b>Generation is required</b>
Environment	
Environment	 Visual FoxPro
Spec. Version	 7_5_5-016
Form Class	Graphic
Program Name	TSOFT05
Parameters	<a href="#">sofcod</a>
Levels	
Level SOFT02	

```

READ SOFT02
WHERE
    SOFT02.sofcod=sofcod
INTO sofnom,demnom,midnom,licnom,lictempo,sofpre,sofvenda,venobs
READ SOFT02
WHERE
    
```




```

SOFT02.sofcod=sofcod
INTO sofnom,demnom,midnom,licnom,lictempo,sofpre,sofvenda,venobs
ErrorRule( 'Campo Venda pela Internet? fora da faixa' ) if NOT(demnom='S'.OR.demnom='N')
READ MIDIA
WHERE MIDIA.midnom=SOFT02.midnom
READ LICENCI
WHERE LICENCI.licnom=SOFT02.licnom
ErrorRule( 'Campo Venda pela Internet? fora da faixa' ) if NOT(sofvenda='S'.OR.sofvenda='N')
Insert into SOFT02
Attributes to update : sofcod,sofnom,demnom,midnom,licnom,lictempo,sofpre,sofvenda,venobs
Update on SOFT02
Attributes to update : sofnom,demnom,midnom,licnom,lictempo,sofpre,sofvenda,venobs
Delete from SOFT02

Referential integrity controls on delete:
= PU01 \( sofcod \)

```

Dynamic Combos			
Name	Table	Descriptions	Sorted
midnom	<a href="#">MIDIA</a>	midnom	Y
licnom	<a href="#">LICENCI</a>	licnom	Y

Transaction <a href="#">SOFT06</a> Status	
Name	 <a href="#">SOFT06</a>
Description	Aspectos Técnicos
Status	<b>Generation is required</b>
Environment	
Environment	 Visual FoxPro
Spec. Version	 7_5_5-016
Form Class	Graphic
Program Name	<a href="#">TSOFT06</a>
Parameters	<a href="#">sofcod</a>




Levels	
Level <a href="#">SOFT02</a>	

```

READ SOFT02
WHERE SOFT02.sofcod=sofcod
INTO sofnom,sofred,sofarg,sofimp,sofint,sofintt,sofreg,sofinst,sofhelp,sofobji,sofexpo,sofmanu,sofsupor,sofxtco,sofxtad,sofsupfo,sof
READ SOFT02
WHERE SOFT02.sofcod=sofcod
INTO sofnom,sofred,sofarg,sofimp,sofint,sofintt,sofreg,sofinst,sofhelp,sofobji,sofexpo,sofmanu,sofsupor,sofxtco,sofxtad,sofsupfo,sof
Insert into SOFT02
Attributes to update : sofcod,sofnom,sofred,sofarg,sofimp,sofint,sofintt,sofreg,sofinst,sofhelp,sofobji,sofexpo,sofmanu,sofsupor,sofxtco,sofxtad,sofsupfo,sofponto,so
Update on SOFT02
Attributes to update : sofnom,sofred,sofarg,sofimp,sofint,sofintt,sofreg,sofinst,sofhelp,sofobji,sofexpo,sofmanu,sofsupor,sofxtco,sofxtad,sofsupfo,sofponto,sofalute,s
Delete from SOFT02

```

Referential integrity controls on delete:  
= [PU01 \( sofcod \)](#)

Transaction <a href="#">SOFT07</a> Status	
Name	 <a href="#">SOFT07</a>
Description	Observações
Status	<b>Generation is required</b>
Environment	
Environment	 Visual FoxPro
Spec. Version	 7_5_5-016
Form Class	Graphic
Program Name	<a href="#">TSOFT07</a>
Parameters	<a href="#">sofcod</a>




Levels	
Level <a href="#">SOFT02</a>	

```

READ SOFT02
WHERE SOFT02.sofcod=sofcod
INTO sofnom,sodtecobs
READ SOFT02
WHERE SOFT02.sofcod=sofcod
INTO sofnom,sodtecobs
Insert into SOFT02
Attributes to update : sofcod,sofnom,sodtecobs
Update on SOFT02
Attributes to update : sofnom,sodtecobs
Delete from SOFT02

```









Referential integrity controls on delete:  
 at [PU01 \( sofcod \)](#)

Transaction <a href="#">titulari</a> Status	
Name	 <a href="#">titulari</a>
Description	Titularidade
Status	<b>Generation is required</b>
Environment	
Environment	 Visual FoxPro
Spec. Version	 7_5_5-016
Form Class	Graphic
Program Name	Titulari
Parameters	
Levels	
Level TITULARI	

READ [TITULARI](#)  
 WHERE  
     [TITULARI.coltit=coltit](#)

Insert into [TITULARI](#)  
 Attributes to update : [coltit](#)  
 Update on [TITULARI](#)  
 Delete from [TITULARI](#)

Referential integrity controls on delete:  
 at [COLABOR \( coltit \)](#)

Prompta			
<b>Table</b>	<b>Program</b>	<b>In Parameters</b>	<b>Out Pai</b>
<a href="#">TITULARI</a>	 <a href="#">6x0060</a>		<a href="#">coltit</a>
Work Panel <a href="#">valsem1</a> Status			
Name	 <a href="#">valsem1</a>		
Description	valsem1		
Status	<b>Generation is required</b>		
Environment			
Environment	 Visual FoxPro		
Spec. Version	 7_5_5-016		
Form Class	Graphic		
Program Name	Wvalsem1		
Parameters	&Colcod,&Valido		
Events			
Event Enter	<a href="#">CALL(valsen ,&amp;Colcod,&amp;Colsen,&amp;Valido)</a>		
End Event			
Procedure <a href="#">valsem</a> Status			
Name	 <a href="#">valsem</a>		
Description	valsem		
Status	<b>Generation is required</b>		
Output Devices	None		
Environment			
Environment	 Visual FoxPro		
Spec. Version	 7_5_5-016		
Form Class	Graphic		
Program Name	Pvalsem		
Parameters	&Colcod,&Colsen,&Valido		
Levels			
For First COLABOR (Line: 2)			
Index:	ICOLABOR		
Order:	<a href="#">colcod</a>		
Navigation filters:			
Start from:	at colcod=&Colcod		
Loop while:	at colcod=&Colcod		
	 <a href="#">COLABOR ( colcod )</a>		

**Atributos**

Attribute aaluati										
Description	aaluati									
ID	86									
Type	L(3000)									
Cross References										
<input type="checkbox"/> Tables <table border="1"> <thead> <tr> <th>Name</th> <th>Description</th> </tr> </thead> <tbody> <tr> <td><a href="#">PU04</a></td> <td>PU04</td> </tr> </tbody> </table>		Name	Description	<a href="#">PU04</a>	PU04					
Name	Description									
<a href="#">PU04</a>	PU04									
<input type="checkbox"/> Transactions <table border="1"> <thead> <tr> <th>Name</th> <th>Description</th> <th>In</th> </tr> </thead> <tbody> <tr> <td><a href="#">PU04A1</a></td> <td>Desenv. Avaliação Alunos</td> <td>Structure , Form</td> </tr> </tbody> </table>		Name	Description	In	<a href="#">PU04A1</a>	Desenv. Avaliação Alunos	Structure , Form			
Name	Description	In								
<a href="#">PU04A1</a>	Desenv. Avaliação Alunos	Structure , Form								
Control Info										
Name	Value									
ForeColor	Window Text									
BackColor	Window Background									
CtrlType	Edit									
Attribute aludes										
Description	Descrição									
ID	84									
Type	C (40)									
Cross References										
<input type="checkbox"/> Tables <table border="1"> <thead> <tr> <th>Name</th> <th>Description</th> </tr> </thead> <tbody> <tr> <td><a href="#">PU04</a></td> <td>PU04</td> </tr> </tbody> </table>		Name	Description	<a href="#">PU04</a>	PU04					
Name	Description									
<a href="#">PU04</a>	PU04									
<input type="checkbox"/> Transactions <table border="1"> <thead> <tr> <th>Name</th> <th>Description</th> <th>In</th> </tr> </thead> <tbody> <tr> <td><a href="#">PU04</a></td> <td>Avaliação dos Alunos</td> <td>Structure , Form</td> </tr> <tr> <td><a href="#">PU04A1</a></td> <td>Desenv. Avaliação Alunos</td> <td>Structure , Form</td> </tr> </tbody> </table>		Name	Description	In	<a href="#">PU04</a>	Avaliação dos Alunos	Structure , Form	<a href="#">PU04A1</a>	Desenv. Avaliação Alunos	Structure , Form
Name	Description	In								
<a href="#">PU04</a>	Avaliação dos Alunos	Structure , Form								
<a href="#">PU04A1</a>	Desenv. Avaliação Alunos	Structure , Form								
<input type="checkbox"/> Prompts <table border="1"> <thead> <tr> <th>Name</th> <th>Description</th> <th>In</th> </tr> </thead> <tbody> <tr> <td><a href="#">Gx00A1</a></td> <td>Lista de Seleção PU04</td> <td>Conditions, Form</td> </tr> </tbody> </table>		Name	Description	In	<a href="#">Gx00A1</a>	Lista de Seleção PU04	Conditions, Form			
Name	Description	In								
<a href="#">Gx00A1</a>	Lista de Seleção PU04	Conditions, Form								
Control Info										
Name	Value									
ForeColor	Window Text									
BackColor	Window Background									
CtrlType	Edit									
Attribute aaluhrs										
Description	Tempo									
ID	85									
Type	T(0.5)									
Picture	99:99									
Cross References										
<input type="checkbox"/> Tables <table border="1"> <thead> <tr> <th>Name</th> <th>Description</th> </tr> </thead> <tbody> <tr> <td><a href="#">PU04</a></td> <td>PU04</td> </tr> </tbody> </table>		Name	Description	<a href="#">PU04</a>	PU04					
Name	Description									
<a href="#">PU04</a>	PU04									
<input type="checkbox"/> Transactions <table border="1"> <thead> <tr> <th>Name</th> <th>Description</th> <th>In</th> </tr> </thead> <tbody> <tr> <td><a href="#">PU04</a></td> <td>Avaliação dos Alunos</td> <td>Structure , Form</td> </tr> <tr> <td><a href="#">PU04A1</a></td> <td>Desenv. Avaliação Alunos</td> <td>Structure , Form</td> </tr> </tbody> </table>		Name	Description	In	<a href="#">PU04</a>	Avaliação dos Alunos	Structure , Form	<a href="#">PU04A1</a>	Desenv. Avaliação Alunos	Structure , Form
Name	Description	In								
<a href="#">PU04</a>	Avaliação dos Alunos	Structure , Form								
<a href="#">PU04A1</a>	Desenv. Avaliação Alunos	Structure , Form								
<input type="checkbox"/> Prompts <table border="1"> <thead> <tr> <th>Name</th> <th>Description</th> <th>In</th> </tr> </thead> <tbody> <tr> <td><a href="#">Gx00A1</a></td> <td>Lista de Seleção PU04</td> <td>Conditions, Form</td> </tr> </tbody> </table>		Name	Description	In	<a href="#">Gx00A1</a>	Lista de Seleção PU04	Conditions, Form			
Name	Description	In								
<a href="#">Gx00A1</a>	Lista de Seleção PU04	Conditions, Form								
Control Info										
Name	Value									
ForeColor	Window Text									
BackColor	Window Background									
CtrlType	Edit									
Attribute aaluobs										
Description	avaliação Observação aluno									
ID	82									



Type	L(3000)										
Cross References											
<input type="checkbox"/> Tables <table border="1"> <thead> <tr> <th>Name</th> <th>Description</th> </tr> </thead> <tbody> <tr> <td><a href="#">PU01</a></td> <td>PU01</td> </tr> </tbody> </table>			Name	Description	<a href="#">PU01</a>	PU01					
Name	Description										
<a href="#">PU01</a>	PU01										
<input type="checkbox"/> Transactions <table border="1"> <thead> <tr> <th>Name</th> <th>Description</th> <th>In</th> </tr> </thead> <tbody> <tr> <td><a href="#">PU04</a></td> <td>Avaliação dos Alunos</td> <td>Structure , Form</td> </tr> </tbody> </table>			Name	Description	In	<a href="#">PU04</a>	Avaliação dos Alunos	Structure , Form			
Name	Description	In									
<a href="#">PU04</a>	Avaliação dos Alunos	Structure , Form									
Control Info											
Name	Value										
ForeColor	Window Text										
BackColor	Window Background										
CtrlType	Edit										
Attribute aaluordem											
Description	Ord										
ID	83										
Type	N (2.0)										
Picture	29										
Cross References											
<input type="checkbox"/> Tables <table border="1"> <thead> <tr> <th>Name</th> <th>Description</th> </tr> </thead> <tbody> <tr> <td><a href="#">PU04</a></td> <td>PU04</td> </tr> </tbody> </table>			Name	Description	<a href="#">PU04</a>	PU04					
Name	Description										
<a href="#">PU04</a>	PU04										
<input type="checkbox"/> Transactions <table border="1"> <thead> <tr> <th>Name</th> <th>Description</th> <th>In</th> </tr> </thead> <tbody> <tr> <td><a href="#">PU04</a></td> <td>Avaliação dos Alunos</td> <td>Structure , Events , Form</td> </tr> <tr> <td><a href="#">PU04A1</a></td> <td>Desenv. Avaliação Alunos</td> <td>Structure , Rules , Form</td> </tr> </tbody> </table>			Name	Description	In	<a href="#">PU04</a>	Avaliação dos Alunos	Structure , Events , Form	<a href="#">PU04A1</a>	Desenv. Avaliação Alunos	Structure , Rules , Form
Name	Description	In									
<a href="#">PU04</a>	Avaliação dos Alunos	Structure , Events , Form									
<a href="#">PU04A1</a>	Desenv. Avaliação Alunos	Structure , Rules , Form									
<input type="checkbox"/> Prompts <table border="1"> <thead> <tr> <th>Name</th> <th>Description</th> <th>In</th> </tr> </thead> <tbody> <tr> <td><a href="#">Gx00A1</a></td> <td>Lista de Seleção PU04</td> <td>Rules, Events, Conditions, Form</td> </tr> </tbody> </table>			Name	Description	In	<a href="#">Gx00A1</a>	Lista de Seleção PU04	Rules, Events, Conditions, Form			
Name	Description	In									
<a href="#">Gx00A1</a>	Lista de Seleção PU04	Rules, Events, Conditions, Form									
Control Info											
Name	Value										
ForeColor	Window Text										
BackColor	Window Background										
CtrlType	Edit										
Attribute agerobs											
Description	agerobs										
ID	87										
Type	L(4000)										
Cross References											
<input type="checkbox"/> Tables <table border="1"> <thead> <tr> <th>Name</th> <th>Description</th> </tr> </thead> <tbody> <tr> <td><a href="#">PU01</a></td> <td>PU01</td> </tr> </tbody> </table>			Name	Description	<a href="#">PU01</a>	PU01					
Name	Description										
<a href="#">PU01</a>	PU01										
<input type="checkbox"/> Transactions <table border="1"> <thead> <tr> <th>Name</th> <th>Description</th> <th>In</th> </tr> </thead> <tbody> <tr> <td><a href="#">PU05</a></td> <td>Avaliação Geral do Software</td> <td>Structure , Form</td> </tr> </tbody> </table>			Name	Description	In	<a href="#">PU05</a>	Avaliação Geral do Software	Structure , Form			
Name	Description	In									
<a href="#">PU05</a>	Avaliação Geral do Software	Structure , Form									
Control Info											
Name	Value										
ForeColor	Window Text										
BackColor	Window Background										
CtrlType	Edit										
Attribute arenom											
Description	Área Conhecimento										
ID	69										
Type	C (20)										
Domain	<a href="#">nome20</a>										
Cross References											
<input type="checkbox"/> Tables <table border="1"> <thead> <tr> <th>Name</th> <th>Description</th> </tr> </thead> <tbody> <tr> <td><a href="#">area</a></td> <td>area</td> </tr> </tbody> </table>			Name	Description	<a href="#">area</a>	area					
Name	Description										
<a href="#">area</a>	area										

<a href="#">PU01</a>		PU01
☐ Transactions		
<b>Name</b>	<b>Description</b>	<b>In</b>
<a href="#">PU02</a>	Plano de Utilização-Preparação	Structure , Form
<a href="#">area</a>	Área de Conhecimento	Structure , Form
☐ Work Panels		
<b>Name</b>	<b>Description</b>	<b>In</b>
<a href="#">Sel002</a>	Seleção de Área de Conheciment	Rules
<a href="#">Sel001</a>	Seleciona Área Conhecimento	Events, Form
☐ Prompts		
<b>Name</b>	<b>Description</b>	<b>In</b>
<a href="#">Gx0070</a>	Lista de Seleção PU01	Conditions, Form
<a href="#">Gx00C0</a>	Lista de Seleção AREA	Rules, Events, Conditions, Form
Control Info		
<b>Name</b>	<b>Value</b>	
ForeColor	Window Text	
BackColor	Window Background	
CtrlType	Edit	
Attribute ciatec		
Description	Classificação quanto ao tipo:	
ID	42	
Type	C (15)	
Warnings/Errors		
Warning: attribute is not in any table.		
Control Info		
<b>Name</b>	<b>Value</b>	
ForeColor	Window Text	
BackColor	Window Background	
CtrlType	Edit	
Domain cod6		
Description	cod6	
ID	11	
Type	N (6.0)	
Picture	ZZZZZ9	
Cross Referencas		
Attributes		
<b>Name</b>	<b>Description</b>	<b>In</b>
<a href="#">colCod</a>	Código:	
<a href="#">placod</a>	Código:	
Control Info		
<b>Name</b>	<b>Value</b>	
ForeColor	Window Text	
BackColor	Window Background	
CtrlType	Edit	
Attribute colbal		
Description	Bairro:	
ID	4	
Type	C (20)	
Domain	<a href="#">nome20</a>	
Cross References		
☐ Tables		
<b>Name</b>	<b>Description</b>	
<a href="#">Colabor</a>	Colabor	
☐ Transactions		
<b>Name</b>	<b>Description</b>	<b>In</b>
<a href="#">Colabor</a>	Cadastro Colaboradores	Structure , Form
☐ Prompts		
<b>Name</b>	<b>Description</b>	<b>In</b>
<a href="#">Gx0010</a>	Lista de Seleção COLABOR	Conditions, Form
Control Info		
<b>Name</b>	<b>Value</b>	

ForeColor	Window Text						
BackColor	Window Background						
CtrlType	Edit						
Attribute colcap							
Description	CEP:						
ID	6						
Type	C (8)						
Cross References							
<input type="checkbox"/> Tables <table border="1"> <thead> <tr> <th>Name</th> <th>Description</th> </tr> </thead> <tbody> <tr> <td><a href="#">Colabor</a></td> <td>Colabor</td> </tr> </tbody> </table>		Name	Description	<a href="#">Colabor</a>	Colabor		
Name	Description						
<a href="#">Colabor</a>	Colabor						
<input type="checkbox"/> Transactions <table border="1"> <thead> <tr> <th>Name</th> <th>Description</th> <th>In</th> </tr> </thead> <tbody> <tr> <td><a href="#">Colabor</a></td> <td>Cadastro Colaboradores</td> <td>Structure , Form</td> </tr> </tbody> </table>		Name	Description	In	<a href="#">Colabor</a>	Cadastro Colaboradores	Structure , Form
Name	Description	In					
<a href="#">Colabor</a>	Cadastro Colaboradores	Structure , Form					
<input type="checkbox"/> Procedures <table border="1"> <thead> <tr> <th>Name</th> <th>Description</th> <th>In</th> </tr> </thead> <tbody> <tr> <td><a href="#">valsen</a></td> <td>valsen</td> <td>Source</td> </tr> </tbody> </table>		Name	Description	In	<a href="#">valsen</a>	valsen	Source
Name	Description	In					
<a href="#">valsen</a>	valsen	Source					
<input type="checkbox"/> Prompts <table border="1"> <thead> <tr> <th>Name</th> <th>Description</th> <th>In</th> </tr> </thead> <tbody> <tr> <td><a href="#">Gx0010</a></td> <td>Lista de Seleção COLABOR</td> <td>Conditions</td> </tr> </tbody> </table>		Name	Description	In	<a href="#">Gx0010</a>	Lista de Seleção COLABOR	Conditions
Name	Description	In					
<a href="#">Gx0010</a>	Lista de Seleção COLABOR	Conditions					
Control Info							
Name	Value						
ForeColor	Window Text						
BackColor	Window Background						
CtrlType	Edit						
Attribute colcid							
Description	Cidade:						
ID	5						
Type	C (20)						
Domain	<a href="#">nome20</a>						
Cross References							
<input type="checkbox"/> Tables <table border="1"> <thead> <tr> <th>Name</th> <th>Description</th> </tr> </thead> <tbody> <tr> <td><a href="#">Colabor</a></td> <td>Colabor</td> </tr> </tbody> </table>		Name	Description	<a href="#">Colabor</a>	Colabor		
Name	Description						
<a href="#">Colabor</a>	Colabor						
<input type="checkbox"/> Transactions <table border="1"> <thead> <tr> <th>Name</th> <th>Description</th> <th>In</th> </tr> </thead> <tbody> <tr> <td><a href="#">Colabor</a></td> <td>Cadastro Colaboradores</td> <td>Structure , Form</td> </tr> </tbody> </table>		Name	Description	In	<a href="#">Colabor</a>	Cadastro Colaboradores	Structure , Form
Name	Description	In					
<a href="#">Colabor</a>	Cadastro Colaboradores	Structure , Form					
<input type="checkbox"/> Prompts <table border="1"> <thead> <tr> <th>Name</th> <th>Description</th> <th>In</th> </tr> </thead> <tbody> <tr> <td><a href="#">Gx0010</a></td> <td>Lista de Seleção COLABOR</td> <td>Conditions</td> </tr> </tbody> </table>		Name	Description	In	<a href="#">Gx0010</a>	Lista de Seleção COLABOR	Conditions
Name	Description	In					
<a href="#">Gx0010</a>	Lista de Seleção COLABOR	Conditions					
Control Info							
Name	Value						
ForeColor	Window Text						
BackColor	Window Background						
CtrlType	Edit						
Attribute colcod							
Description	Código:						
ID	1						
Type	N (6.0)						
Picture	ZZZZZ9						
Domain	<a href="#">cod6</a>						
Cross References							
<input type="checkbox"/> Tables <table border="1"> <thead> <tr> <th>Name</th> <th>Description</th> </tr> </thead> <tbody> <tr> <td><a href="#">Colabor</a></td> <td>Colabor</td> </tr> <tr> <td><a href="#">PU01</a></td> <td>PU01</td> </tr> </tbody> </table>		Name	Description	<a href="#">Colabor</a>	Colabor	<a href="#">PU01</a>	PU01
Name	Description						
<a href="#">Colabor</a>	Colabor						
<a href="#">PU01</a>	PU01						
<input type="checkbox"/> Transactions <table border="1"> <thead> <tr> <th>Name</th> <th>Description</th> <th>In</th> </tr> </thead> <tbody> <tr> <td><a href="#">Colabor</a></td> <td>Cadastro Colaboradores</td> <td>Structure , Form</td> </tr> </tbody> </table>		Name	Description	In	<a href="#">Colabor</a>	Cadastro Colaboradores	Structure , Form
Name	Description	In					
<a href="#">Colabor</a>	Cadastro Colaboradores	Structure , Form					

<a href="#">PU01</a>	Plano de Utilização	Structure , Rules , Events , Form
<a href="#">PU02</a>	Plano de Utilização-Preparação	Structure , Form
<a href="#">PU02A1</a>	Desenvolvimento Preparação	Structure , Form
<a href="#">PU03</a>	Plano de Utilização-Aplicação	Structure , Rules , Form
<a href="#">PU03A1</a>	Desenvolvimento uso	Structure , Form
<a href="#">PU04</a>	Avaliação dos Alunos	Structure , Rules , Form
<a href="#">PU04A1</a>	Desenv. Avaliação Alunos	Structure , Form
<a href="#">PU05</a>	Avaliação Geral do Software	Structure , Form
<b>Procedures</b>		
<b>Name</b>	<b>Description</b>	<b>In</b>
<a href="#">valsen</a>	valsen	Source
<b>Work Panels</b>		
<b>Name</b>	<b>Description</b>	<b>In</b>
<a href="#">CPU01</a>	Consulta Plano de Uso	Events, Form
<a href="#">CPU02</a>	Plano de Uso	Rules, Form
<a href="#">CPU03</a>	Preparação	Form
<b>Prompts</b>		
<b>Name</b>	<b>Description</b>	<b>In</b>
<a href="#">Gx0010</a>	Lista de Seleção COLABOR	Rules, Events, Conditions, Form
<a href="#">Gx0030</a>	Lista de Seleção SOFT02	Conditions, Form
<b>Control Info</b>		
<b>Name</b>	<b>Value</b>	
ForeColor	Window Text	
BackColor	Window Background	
CtrlType	Edit	
<b>Attribute colemail</b>		
Description	E-mail:	
ID	8	
Type	C (30)	
<b>Cross References</b>		
<b>Tables</b>		
<b>Name</b>	<b>Description</b>	
<a href="#">Colabor</a>	Colabor	
<b>Transactions</b>		
<b>Name</b>	<b>Description</b>	<b>In</b>
<a href="#">Colabor</a>	Cadastro Colaboradores	Structure , Form
<b>Control Info</b>		
<b>Name</b>	<b>Value</b>	
ForeColor	Window Text	
BackColor	Window Background	
CtrlType	Edit	
<b>Attribute colfone</b>		
Description	Fone:	
ID	17	
Type	C (14)	
Picture	(99) 9999 9999	
<b>Cross References</b>		
<b>Tables</b>		
<b>Name</b>	<b>Description</b>	
<a href="#">Colabor</a>	Colabor	
<b>Transactions</b>		
<b>Name</b>	<b>Description</b>	<b>In</b>
<a href="#">Colabor</a>	Cadastro Colaboradores	Structure , Form
<b>Control Info</b>		
<b>Name</b>	<b>Value</b>	
ForeColor	Window Text	
BackColor	Window Background	
CtrlType	Edit	
<b>Properties</b>		
<b>Name</b>	<b>Value</b>	
Picture	(99) 9999 9999	
<b>Attribute colInfo</b>		

Description	Informações complementares	
ID	16	
Type	L(160)	
Cross References		
<input type="checkbox"/> <b>Tables</b>		
<b>Name</b>	<b>Description</b>	
<a href="#">Colabor</a>	Colabor	
<input type="checkbox"/> <b>Transactions</b>		
<b>Name</b>	<b>Description</b>	<b>In</b>
<a href="#">Colabor</a>	Cadastro Colaboradores	Structure , Form
Control Info		
<b>Name</b>	<b>Value</b>	
ForeColor	Window Text	
BackColor	Window Background	
CtrlType	Edit	
Attribute collectra		
Description	Local de Trabalho:	
ID	15	
Type	C (30)	
Cross References		
<input type="checkbox"/> <b>Tables</b>		
<b>Name</b>	<b>Description</b>	
<a href="#">Colabor</a>	Colabor	
<input type="checkbox"/> <b>Transactions</b>		
<b>Name</b>	<b>Description</b>	<b>In</b>
<a href="#">Colabor</a>	Cadastro Colaboradores	Structure , Form
Control Info		
<b>Name</b>	<b>Value</b>	
ForeColor	Window Text	
BackColor	Window Background	
CtrlType	Edit	
Attribute colnome		
Description	Nome:	
ID	2	
Type	C (35)	
Cross References		
<input type="checkbox"/> <b>Tables</b>		
<b>Name</b>	<b>Description</b>	
<a href="#">Colabor</a>	Colabor	
<input type="checkbox"/> <b>Transactions</b>		
<b>Name</b>	<b>Description</b>	<b>In</b>
<a href="#">Colabor</a>	Cadastro Colaboradores	Structure , Form
<a href="#">PU01</a>	Plano de Utilização	Structure , Form
<a href="#">PU02</a>	Plano de Utilização-Preparação	Structure , Form
<a href="#">PU02A1</a>	Desenvolvimento Preparação	Structure , Form
<a href="#">PU03</a>	Plano de Utilização-Aplicação	Structure , Form
<a href="#">PU03A1</a>	Desenvolvimento uso	Structure , Form
<a href="#">PU04</a>	Avaliação dos Alunos	Structure , Form
<a href="#">PU04A1</a>	Desenv. Avaliação Alunos	Structure , Form
<a href="#">PU05</a>	Avaliação Geral do Software	Structure , Form
<input type="checkbox"/> <b>Work Panels</b>		
<b>Name</b>	<b>Description</b>	<b>In</b>
<a href="#">CPU01</a>	Consulta Plano de Uso	Conditions, Form
<a href="#">CPU02</a>	Plano de Uso	Form
<a href="#">CPU03</a>	Preparação	Form
<input type="checkbox"/> <b>Prompts</b>		
<b>Name</b>	<b>Description</b>	<b>In</b>
<a href="#">Gx0010</a>	Lista de Seleção COLABOR	Conditions, Form
Control Info		
<b>Name</b>	<b>Value</b>	
ForeColor	Window Text	
BackColor	Window Background	

CtrlType	Edit	
<b>Attribute colprof</b>		
Description	Profissão:	
ID	14	
Type	C (25)	
<b>Cross References</b>		
<input type="checkbox"/> <b>Tables</b>		
<b>Name</b>	<b>Description</b>	
<a href="#">Colabor</a>	Colabor	
<input type="checkbox"/> <b>Transactions</b>		
<b>Name</b>	<b>Description</b>	<b>In</b>
<a href="#">Colabor</a>	Cadastro Colaboradores	Structure , Form
<b>Control Info</b>		
<b>Name</b>	<b>Value</b>	
ForeColor	Window Text	
BackColor	Window Background	
CtrlType	Edit	
<b>Attribute colrua</b>		
Description	Rua:	
ID	3	
Type	C (30)	
<b>Cross References</b>		
<input type="checkbox"/> <b>Tables</b>		
<b>Name</b>	<b>Description</b>	
<a href="#">Colabor</a>	Colabor	
<input type="checkbox"/> <b>Transactions</b>		
<b>Name</b>	<b>Description</b>	<b>In</b>
<a href="#">Colabor</a>	Cadastro Colaboradores	Structure , Form
<input type="checkbox"/> <b>Prompts</b>		
<b>Name</b>	<b>Description</b>	<b>In</b>
<a href="#">Cx0010</a>	Lista de Seleção COLABOR	Conditions
<b>Control Info</b>		
<b>Name</b>	<b>Value</b>	
ForeColor	Window Text	
BackColor	Window Background	
CtrlType	Edit	
<b>Attribute colean</b>		
Description	Senha:	
ID	10	
Type	C (6)	
<b>Cross References</b>		
<input type="checkbox"/> <b>Tables</b>		
<b>Name</b>	<b>Description</b>	
<a href="#">Colabor</a>	Colabor	
<input type="checkbox"/> <b>Transactions</b>		
<b>Name</b>	<b>Description</b>	<b>In</b>
<a href="#">Colabor</a>	Cadastro Colaboradores	Structure , Rules , Form
<input type="checkbox"/> <b>Procedures</b>		
<b>Name</b>	<b>Description</b>	<b>In</b>
<a href="#">valsen</a>	valsen	Source
<b>Control Info</b>		
<b>Name</b>	<b>Value</b>	
ForeColor	Window Text	
BackColor	Window Background	
CtrlType	Edit	
<b>Attribute colesex</b>		
Description	Sexo:	
ID	13	
Type	C (1)	

Picture	'S' 'M'	
Value Range	'S' 'M'	
Cross References		
<input type="checkbox"/> <b>Tables</b>		
<b>Name</b>	<b>Description</b>	
<a href="#">Colabor</a>	Colabor	
<input type="checkbox"/> <b>Transactions</b>		
<b>Name</b>	<b>Description</b>	<b>In</b>
<a href="#">Colabor</a>	Cadastro Colaboradores	Structure , Form
Control Info		
<b>Name</b>	<b>Value</b>	
ForeColor	Window Text	
BackColor	Window Background	
CtrlType	Edit	
Properties		
<b>Name</b>	<b>Value</b>	
Picture	'S' 'M'	
Attribute coltit		
Description	Titularidade máxima:	
ID	9	
Type	C (20)	
Domain	<a href="#">nome20</a>	
Cross References		
<input type="checkbox"/> <b>Tables</b>		
<b>Name</b>	<b>Description</b>	
<a href="#">titulari</a>	titulari	
<a href="#">Colabor</a>	Colabor	
<input type="checkbox"/> <b>Transactions</b>		
<b>Name</b>	<b>Description</b>	<b>In</b>
<a href="#">Colabor</a>	Cadastro Colaboradores	Structure , Form
<a href="#">titulari</a>	Titularidade	Structure , Form
<input type="checkbox"/> <b>Prompts</b>		
<b>Name</b>	<b>Description</b>	<b>In</b>
<a href="#">Gx0060</a>	Lista de Seleção TITULARI	Rules, Events, Conditions, Form
Control Info		
<b>Name</b>	<b>Value</b>	
ForeColor	Window Text	
BackColor	Window Background	
CtrlType	Edit	
Attribute coluf		
Description	UF:	
ID	7	
Type	C (2)	
Picture	@!	
Cross References		
<input type="checkbox"/> <b>Tables</b>		
<b>Name</b>	<b>Description</b>	
<a href="#">Colabor</a>	Colabor	
<input type="checkbox"/> <b>Transactions</b>		
<b>Name</b>	<b>Description</b>	<b>In</b>
<a href="#">Colabor</a>	Cadastro Colaboradores	Structure , Form
<input type="checkbox"/> <b>Prompts</b>		
<b>Name</b>	<b>Description</b>	<b>In</b>
<a href="#">Gx0010</a>	Lista de Seleção COLABOR	Conditions, Form
Control Info		
<b>Name</b>	<b>Value</b>	
ForeColor	Window Text	
BackColor	Window Background	
CtrlType	Edit	
Domain data4		

Description	data4	
ID	88	
Type	D	
Picture	99/99/9999	
Cross References		
<b>Attributes</b>		
<b>Name</b>	<b>Description</b>	<b>In</b>
<a href="#">pladta</a>	pladta	
Control Info		
<b>Name</b>	<b>Value</b>	
ForeColor	Window Text	
BackColor	Window Background	
CtrlType	Edit	
Attribute demnom		
Description	Possui demonstrativo?	
ID	36	
Type	C (1)	
Picture	@!	
Domain	<a href="#">SD</a>	
Value Range	'S' 'N'	
Cross References		
<input type="checkbox"/> <b>Tables</b>		
<b>Name</b>	<b>Description</b>	
<a href="#">SOFT02</a>	SOFT02	
<input type="checkbox"/> <b>Transactions</b>		
<b>Name</b>	<b>Description</b>	<b>In</b>
<a href="#">SOFT05</a>	Venda e Comercialização	Structure , Form
Control Info		
<b>Name</b>	<b>Value</b>	
ForeColor	Window Text	
BackColor	Window Background	
CtrlType	Combo Box	
Options	Values	
'Sim'	S	
'Não'	N	
Attribute item		
Description	Licenciamento:	
ID	38	
Type	C (20)	
Domain	<a href="#">nome20</a>	
Cross References		
<input type="checkbox"/> <b>Tables</b>		
<b>Name</b>	<b>Description</b>	
<a href="#">licenci</a>	licenci	
<a href="#">SOFT02</a>	SOFT02	
<input type="checkbox"/> <b>Transactions</b>		
<b>Name</b>	<b>Description</b>	<b>In</b>
<a href="#">SOFT05</a>	Venda e Comercialização	Structure , Form
<a href="#">licenci</a>	Licenciamento	Structure , Form
<input type="checkbox"/> <b>Prompts</b>		
<b>Name</b>	<b>Description</b>	<b>In</b>
<a href="#">Gx0040</a>	Lista de Selecao LICENCI	Rules, Events, Conditions, Form
Control Info		
<b>Name</b>	<b>Value</b>	
ForeColor	Window Text	
BackColor	Window Background	
CtrlType	Edit	
Attribute itemtempo		
Description	Prazo:	
ID	39	
Type	C (15)	



Cross References		
<input type="checkbox"/> <b>Tables</b>		
<b>Name</b>	<b>Description</b>	
<a href="#">SOFT02</a>	SOFT02	
<input type="checkbox"/> <b>Transactions</b>		
<b>Name</b>	<b>Description</b>	<b>In</b>
<a href="#">SOFT05</a>	Venda e Comercialização	Structure , Form
Control Info		
<b>Name</b>	<b>Value</b>	
ForeColor	Window Text	
BackColor	Window Background	
CtrlType	Edit	
Attribute midnom		
<b>Description</b>	<i>Midia:</i>	
<b>ID</b>	37	
<b>Type</b>	C (10)	
Cross References		
<input type="checkbox"/> <b>Tables</b>		
<b>Name</b>	<b>Description</b>	
<a href="#">midia</a>	midia	
<a href="#">SOFT02</a>	SOFT02	
<input type="checkbox"/> <b>Transactions</b>		
<b>Name</b>	<b>Description</b>	<b>In</b>
<a href="#">SOFT05</a>	Venda e Comercialização	Structure , Form
<a href="#">midia</a>	Midia	Structure , Form
<input type="checkbox"/> <b>* Prompts</b>		
<b>Name</b>	<b>Description</b>	<b>In</b>
<a href="#">Gx0050</a>	Lista de Seleção MIDIA	Rules, Events, Conditions, Form
Control Info		
<b>Name</b>	<b>Value</b>	
ForeColor	Window Text	
BackColor	Window Background	
CtrlType	Edit	
Domain nome20		
<b>Description</b>	<i>nome20</i>	
<b>ID</b>	12	
<b>Type</b>	C (20)	
Cross References		
<b>Attributes</b>		
<b>Name</b>	<b>Description</b>	<b>In</b>
<a href="#">colbai</a>	Bairro:	
<a href="#">colcid</a>	Cidade:	
<a href="#">coltit</a>	Titularidade máxima:	
<a href="#">licnom</a>	Licenciamento:	
<a href="#">areanom</a>	Área Conhecimento	
Control Info		
<b>Name</b>	<b>Value</b>	
ForeColor	Window Text	
BackColor	Window Background	
CtrlType	Edit	
Domain nome40		
<b>Description</b>	<i>nome40</i>	
<b>ID</b>	64	
<b>Type</b>	C (40)	
Cross References		
<b>Attributes</b>		
<b>Name</b>	<b>Description</b>	<b>In</b>
<a href="#">sofemp</a>	Empresa:	
Control Info		
<b>Name</b>	<b>Value</b>	
ForeColor	Window Text	

BackColor	Window Background
CtrlType	Edit

---

Attribute placod	
Description	Código:
ID	67
Type	N (6.0)
Picture	ZZZZZ9
Domain	<a href="#">code</a>

---

Cross References																															
<input type="checkbox"/> <b>Tables</b>																															
<table border="1"> <thead> <tr> <th>Name</th> <th>Description</th> </tr> </thead> <tbody> <tr> <td><a href="#">PU01</a></td> <td>PU01</td> </tr> <tr> <td><a href="#">PU02A1</a></td> <td>PU02A1</td> </tr> <tr> <td><a href="#">PU03</a></td> <td>PU03</td> </tr> <tr> <td><a href="#">PU04</a></td> <td>PU04</td> </tr> </tbody> </table>		Name	Description	<a href="#">PU01</a>	PU01	<a href="#">PU02A1</a>	PU02A1	<a href="#">PU03</a>	PU03	<a href="#">PU04</a>	PU04																				
Name	Description																														
<a href="#">PU01</a>	PU01																														
<a href="#">PU02A1</a>	PU02A1																														
<a href="#">PU03</a>	PU03																														
<a href="#">PU04</a>	PU04																														
<input type="checkbox"/> <b>Transactions</b>																															
<table border="1"> <thead> <tr> <th>Name</th> <th>Description</th> <th>In</th> </tr> </thead> <tbody> <tr> <td><a href="#">PU01</a></td> <td>Plano de Utilização</td> <td>Structure , Events , Form</td> </tr> <tr> <td><a href="#">PU02</a></td> <td>Plano de Utilização-Preparação</td> <td>Structure , Rules , Events , Form</td> </tr> <tr> <td><a href="#">PU02A1</a></td> <td>Desenvolvimento Preparação</td> <td>Structure , Rules , Form</td> </tr> <tr> <td><a href="#">PU03</a></td> <td>Plano de Utilização-Aplicação</td> <td>Structure , Rules , Events , Form</td> </tr> <tr> <td><a href="#">PU03A1</a></td> <td>Desenvolvimento uso</td> <td>Structure , Rules , Form</td> </tr> <tr> <td><a href="#">PU04</a></td> <td>Avaliação dos Alunos</td> <td>Structure , Rules , Events , Form</td> </tr> <tr> <td><a href="#">PU04A1</a></td> <td>Desenv. Avaliação Alunos</td> <td>Structure , Rules , Form</td> </tr> <tr> <td><a href="#">PU05</a></td> <td>Avaliação Geral do Software</td> <td>Structure , Rules , Form</td> </tr> <tr> <td><a href="#">LT001</a></td> <td>Lista Planos de Utilização</td> <td>Structure , Form</td> </tr> </tbody> </table>		Name	Description	In	<a href="#">PU01</a>	Plano de Utilização	Structure , Events , Form	<a href="#">PU02</a>	Plano de Utilização-Preparação	Structure , Rules , Events , Form	<a href="#">PU02A1</a>	Desenvolvimento Preparação	Structure , Rules , Form	<a href="#">PU03</a>	Plano de Utilização-Aplicação	Structure , Rules , Events , Form	<a href="#">PU03A1</a>	Desenvolvimento uso	Structure , Rules , Form	<a href="#">PU04</a>	Avaliação dos Alunos	Structure , Rules , Events , Form	<a href="#">PU04A1</a>	Desenv. Avaliação Alunos	Structure , Rules , Form	<a href="#">PU05</a>	Avaliação Geral do Software	Structure , Rules , Form	<a href="#">LT001</a>	Lista Planos de Utilização	Structure , Form
Name	Description	In																													
<a href="#">PU01</a>	Plano de Utilização	Structure , Events , Form																													
<a href="#">PU02</a>	Plano de Utilização-Preparação	Structure , Rules , Events , Form																													
<a href="#">PU02A1</a>	Desenvolvimento Preparação	Structure , Rules , Form																													
<a href="#">PU03</a>	Plano de Utilização-Aplicação	Structure , Rules , Events , Form																													
<a href="#">PU03A1</a>	Desenvolvimento uso	Structure , Rules , Form																													
<a href="#">PU04</a>	Avaliação dos Alunos	Structure , Rules , Events , Form																													
<a href="#">PU04A1</a>	Desenv. Avaliação Alunos	Structure , Rules , Form																													
<a href="#">PU05</a>	Avaliação Geral do Software	Structure , Rules , Form																													
<a href="#">LT001</a>	Lista Planos de Utilização	Structure , Form																													
<input type="checkbox"/> <b>Work Panels</b>																															
<table border="1"> <thead> <tr> <th>Name</th> <th>Description</th> <th>In</th> </tr> </thead> <tbody> <tr> <td><a href="#">CPU01</a></td> <td>Consulta Plano de Uso</td> <td>Rules, Events, Form</td> </tr> <tr> <td><a href="#">CPU02</a></td> <td>Plano de Uso</td> <td>Rules, Events, Form</td> </tr> <tr> <td><a href="#">CPU01</a></td> <td>Preparação</td> <td>Rules, Form</td> </tr> <tr> <td><a href="#">Sel002</a></td> <td>Seleção de Área de Conhecimento</td> <td>Form</td> </tr> </tbody> </table>		Name	Description	In	<a href="#">CPU01</a>	Consulta Plano de Uso	Rules, Events, Form	<a href="#">CPU02</a>	Plano de Uso	Rules, Events, Form	<a href="#">CPU01</a>	Preparação	Rules, Form	<a href="#">Sel002</a>	Seleção de Área de Conhecimento	Form															
Name	Description	In																													
<a href="#">CPU01</a>	Consulta Plano de Uso	Rules, Events, Form																													
<a href="#">CPU02</a>	Plano de Uso	Rules, Events, Form																													
<a href="#">CPU01</a>	Preparação	Rules, Form																													
<a href="#">Sel002</a>	Seleção de Área de Conhecimento	Form																													
<input type="checkbox"/> <b>Prompts</b>																															
<table border="1"> <thead> <tr> <th>Name</th> <th>Description</th> <th>In</th> </tr> </thead> <tbody> <tr> <td><a href="#">Gx0081</a></td> <td>Lista de Seleção PU02A1</td> <td>Rules, Form</td> </tr> <tr> <td><a href="#">Gx0091</a></td> <td>Lista de Seleção PU03</td> <td>Rules, Form</td> </tr> <tr> <td><a href="#">Gx00A1</a></td> <td>Lista de Seleção PU04</td> <td>Rules, Form</td> </tr> <tr> <td><a href="#">Gx0070</a></td> <td>Lista de Seleção PU01</td> <td>Rules, Events, Form</td> </tr> </tbody> </table>		Name	Description	In	<a href="#">Gx0081</a>	Lista de Seleção PU02A1	Rules, Form	<a href="#">Gx0091</a>	Lista de Seleção PU03	Rules, Form	<a href="#">Gx00A1</a>	Lista de Seleção PU04	Rules, Form	<a href="#">Gx0070</a>	Lista de Seleção PU01	Rules, Events, Form															
Name	Description	In																													
<a href="#">Gx0081</a>	Lista de Seleção PU02A1	Rules, Form																													
<a href="#">Gx0091</a>	Lista de Seleção PU03	Rules, Form																													
<a href="#">Gx00A1</a>	Lista de Seleção PU04	Rules, Form																													
<a href="#">Gx0070</a>	Lista de Seleção PU01	Rules, Events, Form																													

---

Control Info	
Name	Value
ForeColor	Window Text
BackColor	Window Background
CtrlType	Edit

---

Attribute pladta	
Description	pladta
ID	68
Type	D
Picture	99/99/9999
Domain	<a href="#">data4</a>

---

Cross References																
<input type="checkbox"/> <b>Tables</b>																
<table border="1"> <thead> <tr> <th>Name</th> <th>Description</th> </tr> </thead> <tbody> <tr> <td><a href="#">PU01</a></td> <td>PU01</td> </tr> </tbody> </table>		Name	Description	<a href="#">PU01</a>	PU01											
Name	Description															
<a href="#">PU01</a>	PU01															
<input type="checkbox"/> <b>Transactions</b>																
<table border="1"> <thead> <tr> <th>Name</th> <th>Description</th> <th>In</th> </tr> </thead> <tbody> <tr> <td><a href="#">PU01</a></td> <td>Plano de Utilização</td> <td>Structure , Rules , Form</td> </tr> <tr> <td><a href="#">PU02</a></td> <td>Plano de Utilização-Preparação</td> <td>Structure , Form</td> </tr> <tr> <td><a href="#">PU02A1</a></td> <td>Desenvolvimento Preparação</td> <td>Structure , Form</td> </tr> <tr> <td><a href="#">PU03</a></td> <td>Plano de Utilização-Aplicação</td> <td>Structure , Form</td> </tr> </tbody> </table>		Name	Description	In	<a href="#">PU01</a>	Plano de Utilização	Structure , Rules , Form	<a href="#">PU02</a>	Plano de Utilização-Preparação	Structure , Form	<a href="#">PU02A1</a>	Desenvolvimento Preparação	Structure , Form	<a href="#">PU03</a>	Plano de Utilização-Aplicação	Structure , Form
Name	Description	In														
<a href="#">PU01</a>	Plano de Utilização	Structure , Rules , Form														
<a href="#">PU02</a>	Plano de Utilização-Preparação	Structure , Form														
<a href="#">PU02A1</a>	Desenvolvimento Preparação	Structure , Form														
<a href="#">PU03</a>	Plano de Utilização-Aplicação	Structure , Form														
<input type="checkbox"/> <b>Work Panels</b>																
<table border="1"> <thead> <tr> <th>Name</th> <th>Description</th> <th>In</th> </tr> </thead> <tbody> <tr> <td><a href="#">CPU02</a></td> <td>Plano de Uso</td> <td>Form</td> </tr> </tbody> </table>		Name	Description	In	<a href="#">CPU02</a>	Plano de Uso	Form									
Name	Description	In														
<a href="#">CPU02</a>	Plano de Uso	Form														

---

Control Info	
Name	Value
ForeColor	Window Text

BackColor	Window Background									
CtrlType	Edit									
Attribute planom										
Description	planom									
ID	90									
Type	C (60)									
Cross References										
<input type="checkbox"/> Tables <table border="1"> <thead> <tr> <th>Name</th> <th>Description</th> </tr> </thead> <tbody> <tr> <td><a href="#">PU01</a></td> <td>PU01</td> </tr> </tbody> </table>		Name	Description	<a href="#">PU01</a>	PU01					
Name	Description									
<a href="#">PU01</a>	PU01									
<input type="checkbox"/> Transactions <table border="1"> <thead> <tr> <th>Name</th> <th>Description</th> <th>In</th> </tr> </thead> <tbody> <tr> <td><a href="#">PU01</a></td> <td>Plano de Utilização</td> <td>Structure , Form</td> </tr> </tbody> </table>		Name	Description	In	<a href="#">PU01</a>	Plano de Utilização	Structure , Form			
Name	Description	In								
<a href="#">PU01</a>	Plano de Utilização	Structure , Form								
<input type="checkbox"/> Work Panels <table border="1"> <thead> <tr> <th>Name</th> <th>Description</th> <th>In</th> </tr> </thead> <tbody> <tr> <td><a href="#">Sel002</a></td> <td>Seleção de Área de Conhecimento</td> <td>Form</td> </tr> </tbody> </table>		Name	Description	In	<a href="#">Sel002</a>	Seleção de Área de Conhecimento	Form			
Name	Description	In								
<a href="#">Sel002</a>	Seleção de Área de Conhecimento	Form								
Control Info										
Name	Value									
ForeColor	Window Text									
BackColor	Window Background									
CtrlType	Edit									
Attribute plaobj										
Description	Objetivo:									
ID	70									
Type	L(3000)									
Cross References										
<input type="checkbox"/> Tables <table border="1"> <thead> <tr> <th>Name</th> <th>Description</th> </tr> </thead> <tbody> <tr> <td><a href="#">PU01</a></td> <td>PU01</td> </tr> </tbody> </table>		Name	Description	<a href="#">PU01</a>	PU01					
Name	Description									
<a href="#">PU01</a>	PU01									
<input type="checkbox"/> Transactions <table border="1"> <thead> <tr> <th>Name</th> <th>Description</th> <th>In</th> </tr> </thead> <tbody> <tr> <td><a href="#">PU02</a></td> <td>Plano de Utilização-Preparação</td> <td>Structure , Form</td> </tr> <tr> <td><a href="#">LT001</a></td> <td>Lista Planos de Utilização</td> <td>Structure , Form</td> </tr> </tbody> </table>		Name	Description	In	<a href="#">PU02</a>	Plano de Utilização-Preparação	Structure , Form	<a href="#">LT001</a>	Lista Planos de Utilização	Structure , Form
Name	Description	In								
<a href="#">PU02</a>	Plano de Utilização-Preparação	Structure , Form								
<a href="#">LT001</a>	Lista Planos de Utilização	Structure , Form								
<input type="checkbox"/> Work Panels <table border="1"> <thead> <tr> <th>Name</th> <th>Description</th> <th>In</th> </tr> </thead> <tbody> <tr> <td><a href="#">CPU03</a></td> <td>Preparação</td> <td>Form</td> </tr> </tbody> </table>		Name	Description	In	<a href="#">CPU03</a>	Preparação	Form			
Name	Description	In								
<a href="#">CPU03</a>	Preparação	Form								
Control Info										
Name	Value									
ForeColor	Window Text									
BackColor	Window Background									
CtrlType	Edit									
Attribute plapordem										
Description	Ord									
ID	72									
Type	N (2.0)									
Picture	Z9									
Cross References										
<input type="checkbox"/> Tables <table border="1"> <thead> <tr> <th>Name</th> <th>Description</th> </tr> </thead> <tbody> <tr> <td><a href="#">PU02A1</a></td> <td>PU02A1</td> </tr> </tbody> </table>		Name	Description	<a href="#">PU02A1</a>	PU02A1					
Name	Description									
<a href="#">PU02A1</a>	PU02A1									
<input type="checkbox"/> Transactions <table border="1"> <thead> <tr> <th>Name</th> <th>Description</th> <th>In</th> </tr> </thead> <tbody> <tr> <td><a href="#">PU02</a></td> <td>Plano de Utilização-Preparação</td> <td>Structure , Events , Form</td> </tr> <tr> <td><a href="#">PU02A1</a></td> <td>Desenvolvimento Preparação</td> <td>Structure , Rules , Form</td> </tr> </tbody> </table>		Name	Description	In	<a href="#">PU02</a>	Plano de Utilização-Preparação	Structure , Events , Form	<a href="#">PU02A1</a>	Desenvolvimento Preparação	Structure , Rules , Form
Name	Description	In								
<a href="#">PU02</a>	Plano de Utilização-Preparação	Structure , Events , Form								
<a href="#">PU02A1</a>	Desenvolvimento Preparação	Structure , Rules , Form								
<input type="checkbox"/> Work Panels <table border="1"> <thead> <tr> <th>Name</th> <th>Description</th> <th>In</th> </tr> </thead> <tbody> <tr> <td><a href="#">CPU03</a></td> <td>Preparação</td> <td>Form</td> </tr> </tbody> </table>		Name	Description	In	<a href="#">CPU03</a>	Preparação	Form			
Name	Description	In								
<a href="#">CPU03</a>	Preparação	Form								
<input type="checkbox"/> Prompts <table border="1"> <thead> <tr> <th>Name</th> <th>Description</th> </tr> </thead> <tbody> </tbody> </table>		Name	Description							
Name	Description									

Name	Description	In
<a href="#">Gx0081</a>	Lista de Seleção PU02A1	Rules, Events, Conditions, Form
Control Info		
<b>Name</b>	<b>Value</b>	
ForeColor	Window Text	
BackColor	Window Background	
CtrlType	Edit	
Attribute piapreati		
Description	Atividade:	
ID	76	
Type	L(1000)	
Cross References		
<input type="checkbox"/> Tables		
<b>Name</b>	<b>Description</b>	
<a href="#">PU02A1</a>	PU02A1	
<input type="checkbox"/> Transactions		
<b>Name</b>	<b>Description</b>	<b>In</b>
<a href="#">PU02A1</a>	Desenvolvimento Preparação	Structure , Form
<input type="checkbox"/> Work Panels		
<b>Name</b>	<b>Description</b>	<b>In</b>
<a href="#">CPU03</a>	Preparação	Form
Control Info		
<b>Name</b>	<b>Value</b>	
ForeColor	Window Text	
BackColor	Window Background	
CtrlType	Edit	
Attribute piapredes		
Description	Descrição:	
ID	73	
Type	C (40)	
Cross References		
<input type="checkbox"/> Tables		
<b>Name</b>	<b>Description</b>	
<a href="#">PU02A1</a>	PU02A1	
<input type="checkbox"/> Transactions		
<b>Name</b>	<b>Description</b>	<b>In</b>
<a href="#">PU02</a>	Plano de Utilização-Preparação	Structure , Form
<a href="#">PU02A1</a>	Desenvolvimento Preparação	Structure , Form
<input type="checkbox"/> Work Panels		
<b>Name</b>	<b>Description</b>	<b>In</b>
<a href="#">CPU03</a>	Preparação	Form
<input type="checkbox"/> Prompts		
<b>Name</b>	<b>Description</b>	<b>In</b>
<a href="#">Gx0081</a>	Lista de Seleção PU02A1	Conditions, Form
Control Info		
<b>Name</b>	<b>Value</b>	
ForeColor	Window Text	
BackColor	Window Background	
CtrlType	Edit	
Attribute piaprehrs		
Description	HRS Preparação	
ID	74	
Type	T(0.5)	
Picture	99:99	
Cross References		
<input type="checkbox"/> Tables		
<b>Name</b>	<b>Description</b>	
<a href="#">PU02A1</a>	PU02A1	
<input type="checkbox"/> Transactions		

Name	Description	In
<a href="#">PU02</a>	Plano de Utilização-Preparação	Structure , Form
<a href="#">PU02A1</a>	Desenvolvimento Preparação	Structure , Form
<input type="checkbox"/> <b>Work Panels</b>		
Name	Description	In
<a href="#">CPU03</a>	Preparação	Form
<input type="checkbox"/> <b>* Prompts</b>		
Name	Description	In
<a href="#">Gx0081</a>	Lista de Selecao PU02A1	Conditions, Form
Control Info		
Name	Value	
ForeColor	Window Text	
BackColor	Window Background	
CtrlType	Edit	
Attribute piapreoba		
Description	Observações:	
ID	71	
Type	L(500)	
Cross References		
<input type="checkbox"/> <b>Tables</b>		
Name	Description	
<a href="#">PU01</a>	PU01	
<input type="checkbox"/> <b>Transactions</b>		
Name	Description	In
<a href="#">PU02</a>	Plano de Utilização-Preparação	Structure , Form
<input type="checkbox"/> <b>Work Panels</b>		
Name	Description	In
<a href="#">CPU03</a>	Preparação	Form
Control Info		
Name	Value	
ForeColor	Window Text	
BackColor	Window Background	
CtrlType	Edit	
Attribute plaree		
Description	Resumo:	
ID	89	
Type	C (200)	
Cross References		
<input type="checkbox"/> <b>Tables</b>		
Name	Description	
<a href="#">PU01</a>	PU01	
<input type="checkbox"/> <b>Transactions</b>		
Name	Description	In
<a href="#">PU01</a>	Plano de Utilização	Structure , Form
<input type="checkbox"/> <b>Work Panels</b>		
Name	Description	In
<a href="#">Sel002</a>	Seleção de Área de Conhecimento	Form
Control Info		
Name	Value	
ForeColor	Window Text	
BackColor	Window Background	
CtrlType	Edit	
Attribute serie		
Description	Faixa Etária	
ID	75	
Type	C (15)	
Cross References		
<input type="checkbox"/> <b>Tables</b>		

Name	Description	In
<a href="#">FX</a> <a href="#">PU01</a>	FX PU01	
[-] Transactions		
Name	Description	In
<a href="#">PU02</a> <a href="#">FX</a>	Plano de Utilização-Preparação Faixa Etária	Structure , Form Structure , Form
[-] Prompts		
Name	Description	In
<a href="#">Gx0070</a> <a href="#">Gx00B0</a>	Lista de Selecao PU01 Lista de Selecao FX	Conditions, Form Rules, Events, Conditions, Form
Control Info		
Name	Value	
ForeColor	Window Text	
BackColor	Window Background	
CtrlType	Edit	
Domain sn		
Description	sn	
ID	65	
Type	C (1)	
Picture	@!	
Cross References		
Attributes		
Name	Description	In
<a href="#">demnom</a>	Possui demonstrativo?	
<a href="#">sofred</a>	Trabalha em rede?	
<a href="#">sofarg</a>	Grava arquivos?	
<a href="#">sofimp</a>	Imprime?	
<a href="#">sofint</a>	Usa Internet?	
<a href="#">sofob1</a>	Importa figuras?	
Control Info		
Name	Value	
ForeColor	Window Text	
BackColor	Window Background	
CtrlType	Edit	
Attribute sodtecoba		
Description	Observações aspectos técnicos:	
ID	63	
Type	L(2000)	
Cross References		
[-] Tables		
Name	Description	
<a href="#">SOFT02</a>	SOFT02	
[-] Transactions		
Name	Description	In
<a href="#">SOFT07</a>	Observações	Structure , Form
Control Info		
Name	Value	
ForeColor	Window Text	
BackColor	Window Background	
CtrlType	Edit	
Attribute sofalre		
Description	Armazena respostas do aluno?	
ID	60	
Type	C (1)	
Cross References		
[-] Tables		
Name	Description	
<a href="#">SOFT02</a>	SOFT02	
[-] Transactions		

Name	Description	In						
<a href="#">SOFT06</a>	Aspectos Técnicos	Structure , Form						
Control Info								
<b>Name</b>	<b>Value</b>							
ForeColor	Window Text							
BackColor	Window Background							
CtrlType	Check Box							
Title: Armazena respostas do aluno?								
Checked value : 'S'								
Unchecked value: 'N'								
Attribute sofaluno								
Description	sofaluno							
ID	22							
Type	C (9)							
Warnings/Errors								
Warning: attribute is not in any table.								
Control Info								
<b>Name</b>	<b>Value</b>							
ForeColor	Window Text							
BackColor	Window Background							
CtrlType	Edit							
Attribute sofalute								
Description	Informa tempo de uso do aluno?							
ID	59							
Type	C (1)							
Cross References								
<input type="checkbox"/> Tables <table border="1"> <thead> <tr> <th>Name</th> <th>Description</th> </tr> </thead> <tbody> <tr> <td><a href="#">SOFT02</a></td> <td>SOFT02</td> </tr> </tbody> </table>			Name	Description	<a href="#">SOFT02</a>	SOFT02		
Name	Description							
<a href="#">SOFT02</a>	SOFT02							
<input type="checkbox"/> Transactions <table border="1"> <thead> <tr> <th>Name</th> <th>Description</th> <th>In</th> </tr> </thead> <tbody> <tr> <td><a href="#">SOFT06</a></td> <td>Aspectos Técnicos</td> <td>Structure , Form</td> </tr> </tbody> </table>			Name	Description	In	<a href="#">SOFT06</a>	Aspectos Técnicos	Structure , Form
Name	Description	In						
<a href="#">SOFT06</a>	Aspectos Técnicos	Structure , Form						
Control Info								
<b>Name</b>	<b>Value</b>							
ForeColor	Window Text							
BackColor	Window Background							
CtrlType	Check Box							
Title: Informa tempo de uso do aluno?								
Checked value : 'S'								
Unchecked value: 'N'								
Attribute sofanim								
Description	Possui animação?							
ID	61							
Type	C (1)							
Cross References								
<input type="checkbox"/> Tables <table border="1"> <thead> <tr> <th>Name</th> <th>Description</th> </tr> </thead> <tbody> <tr> <td><a href="#">SOFT02</a></td> <td>SOFT02</td> </tr> </tbody> </table>			Name	Description	<a href="#">SOFT02</a>	SOFT02		
Name	Description							
<a href="#">SOFT02</a>	SOFT02							
<input type="checkbox"/> Transactions <table border="1"> <thead> <tr> <th>Name</th> <th>Description</th> <th>In</th> </tr> </thead> <tbody> <tr> <td><a href="#">SOFT06</a></td> <td>Aspectos Técnicos</td> <td>Structure , Form</td> </tr> </tbody> </table>			Name	Description	In	<a href="#">SOFT06</a>	Aspectos Técnicos	Structure , Form
Name	Description	In						
<a href="#">SOFT06</a>	Aspectos Técnicos	Structure , Form						
Control Info								
<b>Name</b>	<b>Value</b>							
ForeColor	Window Text							
BackColor	Window Background							
CtrlType	Check Box							
Title: Possui animação?								

Checked value : 'S'

Unchecked value: 'N'

Attribute sofarg		
Description	Grava arquivos?	
ID	44	
Type	C (1)	
Picture	@!	
Domain	SR	
Cross References		
<input type="checkbox"/> <b>Tables</b>		
<b>Name</b>	<b>Description</b>	
<a href="#">SOFT02</a>	SOFT02	
<input type="checkbox"/> <b>Transactions</b>		
<b>Name</b>	<b>Description</b>	<b>In</b>
<a href="#">SOFT06</a>	Aspectos Técnicos	Structure , Form
Control Info		
<b>Name</b>	<b>Value</b>	
ForeColor	Window Text	
BackColor	Window Background	
CtrlType	Check Box	
Title: Grava arquivos?		
Checked value : 'S'		
Unchecked value: 'N'		

Attribute sofaut	
Description	Autor:
ID	20
Type	C (30)
Warnings/Errors	
Warning: attribute is not in any table.	
Control Info	
<b>Name</b>	<b>Value</b>
ForeColor	Window Text
BackColor	Window Background
CtrlType	Edit

Attribute sofcod		
Description	Código:	
ID	18	
Type	N (6,0)	
Picture	ZZZZZ9	
Cross References		
<input type="checkbox"/> <b>Tables</b>		
<b>Name</b>	<b>Description</b>	
<a href="#">SOFT02</a>	SOFT02	
<a href="#">PU01</a>	PU01	
<input type="checkbox"/> <b>Transactions</b>		
<b>Name</b>	<b>Description</b>	<b>In</b>
<a href="#">SOFT01</a>	Cadastro de Softwares	Structure , Events , Form
<a href="#">SOFT02</a>	Produtor do Software	Structure , Rules , Form
<a href="#">SOFT03</a>	Objetivo do software	Structure , Rules , Form
<a href="#">SOFT04</a>	Resumo do Software	Structure , Rules , Form
<a href="#">SOFT05</a>	Venda e Comercialização	Structure , Rules , Form
<a href="#">SOFT06</a>	Aspectos Técnicos	Structure , Rules , Form
<a href="#">SOFT07</a>	Observações	Structure , Rules , Form
<a href="#">PU01</a>	Plano de Utilização	Structure , Events , Form
<a href="#">PU02</a>	Plano de Utilização-Preparação	Structure , Form
<a href="#">PU02A1</a>	Desenvolvimento Preparação	Structure , Form
<a href="#">PU03</a>	Plano de Utilização-Aplicação	Structure , Rules , Form
<a href="#">PU03A1</a>	Desenvolvimento uso	Structure , Form
<a href="#">PU04</a>	Avaliação dos Alunos	Structure , Rules , Form
<a href="#">PU04A1</a>	Desenv. Avaliação Alunos	Structure , Form
<a href="#">PU05</a>	Avaliação Geral do Software	Structure , Form
<input type="checkbox"/> <b>Work Panels</b>		
<b>Name</b>	<b>Description</b>	<b>In</b>



<a href="#">CPU01</a>	Consulta Plano de Uso	Events, Form
<a href="#">CPU02</a>	Plano de Uso	Rules, Form
<a href="#">CPU03</a>	Preparação	Form
<input type="checkbox"/> <b>Prompts</b>		
<b>Name</b>	<b>Description</b>	<b>In</b>
<a href="#">Gx0030</a>	Lista de Seleção SOFT02	Rules, Events, Conditions, Form
<a href="#">Gx0070</a>	Lista de Seleção PU01	Form
Control Info		
<b>Name</b>	<b>Value</b>	
ForeColor	Window Text	
BackColor	Window Background	
CtrlType	Edit	
Attribute sofedb		
Description	<i>Bairro:</i>	
ID	25	
Type	C (20)	
Cross References		
<input type="checkbox"/> <b>Tables</b>		
<b>Name</b>	<b>Description</b>	
<a href="#">SOFT02</a>	SOFT02	
<input type="checkbox"/> <b>Transactions</b>		
<b>Name</b>	<b>Description</b>	<b>In</b>
<a href="#">SOFT02</a>	Produtor do Software	Structure , Form
<input type="checkbox"/> <b>Prompts</b>		
<b>Name</b>	<b>Description</b>	<b>In</b>
<a href="#">Gx0030</a>	Lista de Seleção SOFT02	Conditions
Control Info		
<b>Name</b>	<b>Value</b>	
ForeColor	Window Text	
BackColor	Window Background	
CtrlType	Edit	
Attribute sofedcep		
Description	<i>CEP:</i>	
ID	29	
Type	C (8)	
Cross References		
<input type="checkbox"/> <b>Tables</b>		
<b>Name</b>	<b>Description</b>	
<a href="#">SOFT02</a>	SOFT02	
<input type="checkbox"/> <b>Transactions</b>		
<b>Name</b>	<b>Description</b>	<b>In</b>
<a href="#">SOFT02</a>	Produtor do Software	Structure , Form
<input type="checkbox"/> <b>Prompts</b>		
<b>Name</b>	<b>Description</b>	<b>In</b>
<a href="#">Gx0030</a>	Lista de Seleção SOFT02	Form
Control Info		
<b>Name</b>	<b>Value</b>	
ForeColor	Window Text	
BackColor	Window Background	
CtrlType	Edit	
Attribute sofedci		
Description	<i>Cidade:</i>	
ID	26	
Type	C (20)	
Cross References		
<input type="checkbox"/> <b>Tables</b>		
<b>Name</b>	<b>Description</b>	
<a href="#">SOFT02</a>	SOFT02	
<input type="checkbox"/> <b>Transactions</b>		

Name	Description	In
<a href="#">SOFT02</a>	Produtor do Software	Structure , Form
Control Info		
Name	Value	
ForeColor	Window Text	
BackColor	Window Background	
CtrlType	Edit	
Attribute sofedpa		
Description	<i>País:</i>	
ID	28	
Type	C (15)	
Cross References		
<input type="checkbox"/> Tables		
Name	Description	
<a href="#">SOFT02</a>	SOFT02	
<input type="checkbox"/> Transactions		
Name	Description	In
<a href="#">SOFT02</a>	Produtor do Software	Structure , Form
Control Info		
Name	Value	
ForeColor	Window Text	
BackColor	Window Background	
CtrlType	Edit	
Attribute sofedr		
Description	<i>Endereço:</i>	
ID	24	
Type	C (35)	
Cross References		
<input type="checkbox"/> Tables		
Name	Description	
<a href="#">SOFT02</a>	SOFT02	
<input type="checkbox"/> Transactions		
Name	Description	In
<a href="#">SOFT02</a>	Produtor do Software	Structure , Form
<input type="checkbox"/> Prompts		
Name	Description	In
<a href="#">Gx0030</a>	Lista de Seleção SOFT02	Conditions
Control Info		
Name	Value	
ForeColor	Window Text	
BackColor	Window Background	
CtrlType	Edit	
Attribute sofemall		
Description	<i>E-mail:</i>	
ID	31	
Type	C (30)	
Cross References		
<input type="checkbox"/> Tables		
Name	Description	
<a href="#">SOFT02</a>	SOFT02	
<input type="checkbox"/> Transactions		
Name	Description	In
<a href="#">SOFT02</a>	Produtor do Software	Structure , Form
Control Info		
Name	Value	
ForeColor	Window Text	
BackColor	Window Background	
CtrlType	Edit	

Attribute sofemp							
Description	Empresa:						
ID	23						
Type	C (40)						
Domain	<a href="#">nome40</a>						
Cross References							
<input type="checkbox"/> Tables <table border="1"> <thead> <tr> <th>Name</th> <th>Description</th> </tr> </thead> <tbody> <tr> <td><a href="#">SOFT02</a></td> <td>SOFT02</td> </tr> </tbody> </table>		Name	Description	<a href="#">SOFT02</a>	SOFT02		
Name	Description						
<a href="#">SOFT02</a>	SOFT02						
<input type="checkbox"/> Transactions <table border="1"> <thead> <tr> <th>Name</th> <th>Description</th> <th>In</th> </tr> </thead> <tbody> <tr> <td><a href="#">SOFT02</a></td> <td>Produtor do Software</td> <td>Structure , Form</td> </tr> </tbody> </table>		Name	Description	In	<a href="#">SOFT02</a>	Produtor do Software	Structure , Form
Name	Description	In					
<a href="#">SOFT02</a>	Produtor do Software	Structure , Form					
<input type="checkbox"/> Prompts <table border="1"> <thead> <tr> <th>Name</th> <th>Description</th> <th>In</th> </tr> </thead> <tbody> <tr> <td><a href="#">Gx0030</a></td> <td>Lista de Selecao SOFT02</td> <td>Conditions</td> </tr> </tbody> </table>		Name	Description	In	<a href="#">Gx0030</a>	Lista de Selecao SOFT02	Conditions
Name	Description	In					
<a href="#">Gx0030</a>	Lista de Selecao SOFT02	Conditions					
Control Info							
Name	Value						
ForeColor	Window Text						
BackColor	Window Background						
CtrlType	Edit						
Attribute sofenduf							
Description	UF:						
ID	27						
Type	C (2)						
Picture	@!						
Cross References							
<input type="checkbox"/> Tables <table border="1"> <thead> <tr> <th>Name</th> <th>Description</th> </tr> </thead> <tbody> <tr> <td><a href="#">SOFT02</a></td> <td>SOFT02</td> </tr> </tbody> </table>		Name	Description	<a href="#">SOFT02</a>	SOFT02		
Name	Description						
<a href="#">SOFT02</a>	SOFT02						
<input type="checkbox"/> Transactions <table border="1"> <thead> <tr> <th>Name</th> <th>Description</th> <th>In</th> </tr> </thead> <tbody> <tr> <td><a href="#">SOFT02</a></td> <td>Produtor do Software</td> <td>Structure , Form</td> </tr> </tbody> </table>		Name	Description	In	<a href="#">SOFT02</a>	Produtor do Software	Structure , Form
Name	Description	In					
<a href="#">SOFT02</a>	Produtor do Software	Structure , Form					
<input type="checkbox"/> Prompts <table border="1"> <thead> <tr> <th>Name</th> <th>Description</th> <th>In</th> </tr> </thead> <tbody> <tr> <td><a href="#">Gx0030</a></td> <td>Lista de Selecao SOFT02</td> <td>Form</td> </tr> </tbody> </table>		Name	Description	In	<a href="#">Gx0030</a>	Lista de Selecao SOFT02	Form
Name	Description	In					
<a href="#">Gx0030</a>	Lista de Selecao SOFT02	Form					
Control Info							
Name	Value						
ForeColor	Window Text						
BackColor	Window Background						
CtrlType	Edit						
Properties							
Name	Value						
Picture	@!						
Attribute sofexpo							
Description	Exporta Figuras?						
ID	52						
Type	C (1)						
Cross References							
<input type="checkbox"/> Tables <table border="1"> <thead> <tr> <th>Name</th> <th>Description</th> </tr> </thead> <tbody> <tr> <td><a href="#">SOFT02</a></td> <td>SOFT02</td> </tr> </tbody> </table>		Name	Description	<a href="#">SOFT02</a>	SOFT02		
Name	Description						
<a href="#">SOFT02</a>	SOFT02						
<input type="checkbox"/> Transactions <table border="1"> <thead> <tr> <th>Name</th> <th>Description</th> <th>In</th> </tr> </thead> <tbody> <tr> <td><a href="#">SOFT06</a></td> <td>Aspectos Técnicos</td> <td>Structure , Form</td> </tr> </tbody> </table>		Name	Description	In	<a href="#">SOFT06</a>	Aspectos Técnicos	Structure , Form
Name	Description	In					
<a href="#">SOFT06</a>	Aspectos Técnicos	Structure , Form					
Control Info							
Name	Value						
ForeColor	Window Text						
BackColor	Window Background						
CtrlType	Check Box						
Title: Exporta Figuras?							

Checked value : 'S'

Unchecked value: 'N'

Attribute soffone	
Description	Fone:
ID	30
Type	C (14)
Picture	(99) 9999 9999

Cross Referencas							
<input type="checkbox"/> Tables <table border="1"> <thead> <tr> <th>Name</th> <th>Description</th> </tr> </thead> <tbody> <tr> <td><a href="#">SOFT02</a></td> <td>SOFT02</td> </tr> </tbody> </table>		Name	Description	<a href="#">SOFT02</a>	SOFT02		
Name	Description						
<a href="#">SOFT02</a>	SOFT02						
<input type="checkbox"/> Transactions <table border="1"> <thead> <tr> <th>Name</th> <th>Description</th> <th>In</th> </tr> </thead> <tbody> <tr> <td><a href="#">SOFT02</a></td> <td>Produtor do Software</td> <td>Structure , Form</td> </tr> </tbody> </table>		Name	Description	In	<a href="#">SOFT02</a>	Produtor do Software	Structure , Form
Name	Description	In					
<a href="#">SOFT02</a>	Produtor do Software	Structure , Form					

Control Info	
Name	Value
ForeColor	Window Text
BackColor	Window Background
CtrlType	Edit

Properties	
Name	Value
Picture	(99) 9999 9999

Attribute soffhelp	
Description	Possui Help?
ID	50
Type	C (1)

Cross Referencas							
<input type="checkbox"/> Tables <table border="1"> <thead> <tr> <th>Name</th> <th>Description</th> </tr> </thead> <tbody> <tr> <td><a href="#">SOFT02</a></td> <td>SOFT02</td> </tr> </tbody> </table>		Name	Description	<a href="#">SOFT02</a>	SOFT02		
Name	Description						
<a href="#">SOFT02</a>	SOFT02						
<input type="checkbox"/> Transactions <table border="1"> <thead> <tr> <th>Name</th> <th>Description</th> <th>In</th> </tr> </thead> <tbody> <tr> <td><a href="#">SOFT06</a></td> <td>Aspectos Técnicos</td> <td>Structure , Form</td> </tr> </tbody> </table>		Name	Description	In	<a href="#">SOFT06</a>	Aspectos Técnicos	Structure , Form
Name	Description	In					
<a href="#">SOFT06</a>	Aspectos Técnicos	Structure , Form					

Control Info	
Name	Value
ForeColor	Window Text
BackColor	Window Background
CtrlType	Check Box
Title:	Possui Help?
Checked value	: 'S'
Unchecked value:	'N'

Attribute soffmp	
Description	Imprime?
ID	45
Type	C (1)
Picture	@!
Domain	SN

Cross Referencas							
<input type="checkbox"/> Tables <table border="1"> <thead> <tr> <th>Name</th> <th>Description</th> </tr> </thead> <tbody> <tr> <td><a href="#">SOFT02</a></td> <td>SOFT02</td> </tr> </tbody> </table>		Name	Description	<a href="#">SOFT02</a>	SOFT02		
Name	Description						
<a href="#">SOFT02</a>	SOFT02						
<input type="checkbox"/> Transactions <table border="1"> <thead> <tr> <th>Name</th> <th>Description</th> <th>In</th> </tr> </thead> <tbody> <tr> <td><a href="#">SOFT06</a></td> <td>Aspectos Técnicos</td> <td>Structure , Form</td> </tr> </tbody> </table>		Name	Description	In	<a href="#">SOFT06</a>	Aspectos Técnicos	Structure , Form
Name	Description	In					
<a href="#">SOFT06</a>	Aspectos Técnicos	Structure , Form					

Control Info	
Name	Value
ForeColor	Window Text
BackColor	Window Background

CtrlType                    Check Box  
 Title: Imprime?  
 Checked value : 'S'  
 Unchecked value: 'N'

Attributes sofint	
Description	Instalação fácil?
ID	49
Type	C (1)

Cross References

Tables

Name	Description
<a href="#">SOFT02</a>	SOFT02

Transactions

Name	Description	In
<a href="#">SOFT06</a>	Aspectos Técnicos	Structure , Form

Control Info

Name	Value
ForeColor	Window Text
BackColor	Window Background
CtrlType	Check Box
Title: Instalação fácil?	
Checked value : 'S'	
Unchecked value: 'N'	

Attributes sofint	
Description	Usa Internet?
ID	46
Type	C (1)
Picture	@!
Domain	so

Cross References

Tables

Name	Description
<a href="#">SOFT02</a>	SOFT02

Transactions

Name	Description	In
<a href="#">SOFT06</a>	Aspectos Técnicos	Structure , Form

Control Info

Name	Value
ForeColor	Window Text
BackColor	Window Background
CtrlType	Check Box
Title: Usa Internet?	
Checked value : 'S'	
Unchecked value: 'N'	

Attributes sofint	
Description	Instruções claras?
ID	47
Type	C (1)

Cross References

Tables

Name	Description
<a href="#">SOFT02</a>	SOFT02

Transactions

Name	Description	In
<a href="#">SOFT06</a>	Aspectos Técnicos	Structure , Form

Control Info

Name	Value
ForeColor	Window Text
BackColor	Window Background
CtrlType	Check Box
Title: Instruções claras?	
Checked value : 'S'	
Unchecked value: 'N'	

Attribute sofmanu	
Description	Possui manual?
ID	53
Type	C (1)

Cross Referencias							
<input type="checkbox"/> Tables							
<table border="1"> <thead> <tr> <th>Name</th> <th>Description</th> </tr> </thead> <tbody> <tr> <td><a href="#">SOFT02</a></td> <td>SOFT02</td> </tr> </tbody> </table>		Name	Description	<a href="#">SOFT02</a>	SOFT02		
Name	Description						
<a href="#">SOFT02</a>	SOFT02						
<input type="checkbox"/> Transactions							
<table border="1"> <thead> <tr> <th>Name</th> <th>Description</th> <th>In</th> </tr> </thead> <tbody> <tr> <td><a href="#">SOFT06</a></td> <td>Aspectos Técnicos</td> <td>Structure , Form</td> </tr> </tbody> </table>		Name	Description	In	<a href="#">SOFT06</a>	Aspectos Técnicos	Structure , Form
Name	Description	In					
<a href="#">SOFT06</a>	Aspectos Técnicos	Structure , Form					

Control Info	
Name	Value
ForeColor	Window Text
BackColor	Window Background
CtrlType	Check Box
Title: Possui manual?	
Checked value : 'S'	
Unchecked value: 'N'	

Attribute sofnom	
Description	Nome:
ID	19
Type	C (25)

Cross Referencias																																																	
<input type="checkbox"/> Tables																																																	
<table border="1"> <thead> <tr> <th>Name</th> <th>Description</th> </tr> </thead> <tbody> <tr> <td><a href="#">SOFT02</a></td> <td>SOFT02</td> </tr> </tbody> </table>		Name	Description	<a href="#">SOFT02</a>	SOFT02																																												
Name	Description																																																
<a href="#">SOFT02</a>	SOFT02																																																
<input type="checkbox"/> Transactions																																																	
<table border="1"> <thead> <tr> <th>Name</th> <th>Description</th> <th>In</th> </tr> </thead> <tbody> <tr> <td><a href="#">SOFT01</a></td> <td>Cadastro de Softwares</td> <td>Structure , Form</td> </tr> <tr> <td><a href="#">SOFT02</a></td> <td>Produtor do Software</td> <td>Structure , Form</td> </tr> <tr> <td><a href="#">SOFT03</a></td> <td>Objetivo do software</td> <td>Structure , Form</td> </tr> <tr> <td><a href="#">SOFT04</a></td> <td>Resumo do Software</td> <td>Structure , Form</td> </tr> <tr> <td><a href="#">SOFT05</a></td> <td>Venda e Comercialização</td> <td>Structure , Form</td> </tr> <tr> <td><a href="#">SOFT06</a></td> <td>Aspectos Técnicos</td> <td>Structure , Form</td> </tr> <tr> <td><a href="#">SOFT07</a></td> <td>Observações</td> <td>Structure , Form</td> </tr> <tr> <td><a href="#">PU01</a></td> <td>Plano de Utilização</td> <td>Structure , Form</td> </tr> <tr> <td><a href="#">PU02</a></td> <td>Plano de Utilização-Preparação</td> <td>Structure , Form</td> </tr> <tr> <td><a href="#">PU02A1</a></td> <td>Desenvolvimento Preparação</td> <td>Structure , Form</td> </tr> <tr> <td><a href="#">PU03</a></td> <td>Plano de Utilização-Aplicação</td> <td>Structure , Form</td> </tr> <tr> <td><a href="#">PU03A1</a></td> <td>Desenvolvimento uso</td> <td>Structure , Form</td> </tr> <tr> <td><a href="#">PU04</a></td> <td>Avaliação dos Alunos</td> <td>Structure , Form</td> </tr> <tr> <td><a href="#">PU04A1</a></td> <td>Desenv. Avaliação Alunos</td> <td>Structure , Form</td> </tr> <tr> <td><a href="#">PU05</a></td> <td>Avaliação Geral do Software</td> <td>Structure , Form</td> </tr> </tbody> </table>		Name	Description	In	<a href="#">SOFT01</a>	Cadastro de Softwares	Structure , Form	<a href="#">SOFT02</a>	Produtor do Software	Structure , Form	<a href="#">SOFT03</a>	Objetivo do software	Structure , Form	<a href="#">SOFT04</a>	Resumo do Software	Structure , Form	<a href="#">SOFT05</a>	Venda e Comercialização	Structure , Form	<a href="#">SOFT06</a>	Aspectos Técnicos	Structure , Form	<a href="#">SOFT07</a>	Observações	Structure , Form	<a href="#">PU01</a>	Plano de Utilização	Structure , Form	<a href="#">PU02</a>	Plano de Utilização-Preparação	Structure , Form	<a href="#">PU02A1</a>	Desenvolvimento Preparação	Structure , Form	<a href="#">PU03</a>	Plano de Utilização-Aplicação	Structure , Form	<a href="#">PU03A1</a>	Desenvolvimento uso	Structure , Form	<a href="#">PU04</a>	Avaliação dos Alunos	Structure , Form	<a href="#">PU04A1</a>	Desenv. Avaliação Alunos	Structure , Form	<a href="#">PU05</a>	Avaliação Geral do Software	Structure , Form
Name	Description	In																																															
<a href="#">SOFT01</a>	Cadastro de Softwares	Structure , Form																																															
<a href="#">SOFT02</a>	Produtor do Software	Structure , Form																																															
<a href="#">SOFT03</a>	Objetivo do software	Structure , Form																																															
<a href="#">SOFT04</a>	Resumo do Software	Structure , Form																																															
<a href="#">SOFT05</a>	Venda e Comercialização	Structure , Form																																															
<a href="#">SOFT06</a>	Aspectos Técnicos	Structure , Form																																															
<a href="#">SOFT07</a>	Observações	Structure , Form																																															
<a href="#">PU01</a>	Plano de Utilização	Structure , Form																																															
<a href="#">PU02</a>	Plano de Utilização-Preparação	Structure , Form																																															
<a href="#">PU02A1</a>	Desenvolvimento Preparação	Structure , Form																																															
<a href="#">PU03</a>	Plano de Utilização-Aplicação	Structure , Form																																															
<a href="#">PU03A1</a>	Desenvolvimento uso	Structure , Form																																															
<a href="#">PU04</a>	Avaliação dos Alunos	Structure , Form																																															
<a href="#">PU04A1</a>	Desenv. Avaliação Alunos	Structure , Form																																															
<a href="#">PU05</a>	Avaliação Geral do Software	Structure , Form																																															
<input type="checkbox"/> Work Panels																																																	
<table border="1"> <thead> <tr> <th>Name</th> <th>Description</th> <th>In</th> </tr> </thead> <tbody> <tr> <td><a href="#">CPU01</a></td> <td>Consulta Plano de Uso</td> <td>Conditions, Form</td> </tr> <tr> <td><a href="#">CPU02</a></td> <td>Plano de Uso</td> <td>Form</td> </tr> <tr> <td><a href="#">CPU03</a></td> <td>Preparação</td> <td>Form</td> </tr> </tbody> </table>		Name	Description	In	<a href="#">CPU01</a>	Consulta Plano de Uso	Conditions, Form	<a href="#">CPU02</a>	Plano de Uso	Form	<a href="#">CPU03</a>	Preparação	Form																																				
Name	Description	In																																															
<a href="#">CPU01</a>	Consulta Plano de Uso	Conditions, Form																																															
<a href="#">CPU02</a>	Plano de Uso	Form																																															
<a href="#">CPU03</a>	Preparação	Form																																															
<input type="checkbox"/> Prompts																																																	
<table border="1"> <thead> <tr> <th>Name</th> <th>Description</th> <th>In</th> </tr> </thead> <tbody> <tr> <td><a href="#">Gx0030</a></td> <td>Lista de Seleção SOFT02</td> <td>Conditions, Form</td> </tr> </tbody> </table>		Name	Description	In	<a href="#">Gx0030</a>	Lista de Seleção SOFT02	Conditions, Form																																										
Name	Description	In																																															
<a href="#">Gx0030</a>	Lista de Seleção SOFT02	Conditions, Form																																															

Control Info	
Name	Value

ForeColor	Window Text						
BackColor	Window Background						
CtrlType	Edit						
[Attribute sofob]							
Description	Objetivo:						
ID	34						
Type	L(2000)						
Cross References							
<input type="checkbox"/> Tables <table border="1"> <thead> <tr> <th>Name</th> <th>Description</th> </tr> </thead> <tbody> <tr> <td><a href="#">SOFT02</a></td> <td>SOFT02</td> </tr> </tbody> </table>		Name	Description	<a href="#">SOFT02</a>	SOFT02		
Name	Description						
<a href="#">SOFT02</a>	SOFT02						
<input type="checkbox"/> Transactions <table border="1"> <thead> <tr> <th>Name</th> <th>Description</th> <th>In</th> </tr> </thead> <tbody> <tr> <td><a href="#">SOFT03</a></td> <td>Objetivo do software</td> <td>Structure , Form</td> </tr> </tbody> </table>		Name	Description	In	<a href="#">SOFT03</a>	Objetivo do software	Structure , Form
Name	Description	In					
<a href="#">SOFT03</a>	Objetivo do software	Structure , Form					
Control Info							
Name	Value						
ForeColor	Window Text						
BackColor	Window Background						
CtrlType	Edit						
[Attribute sofobje]							
Description	Importa figuras?						
ID	51						
Type	C (1)						
Warnings/Errors							
Warning: attribute is not in any table.							
Control Info							
Name	Value						
ForeColor	Window Text						
BackColor	Window Background						
CtrlType	Check Box						
Title:	Importa figuras?						
Checked value :	'S'						
Unchecked value:	'N'						
[Attribute sofobj]							
Description	Importa figuras?						
ID	66						
Type	C (1)						
Picture	@!						
Domain	SN						
Cross References							
<input type="checkbox"/> Tables <table border="1"> <thead> <tr> <th>Name</th> <th>Description</th> </tr> </thead> <tbody> <tr> <td><a href="#">SOFT02</a></td> <td>SOFT02</td> </tr> </tbody> </table>		Name	Description	<a href="#">SOFT02</a>	SOFT02		
Name	Description						
<a href="#">SOFT02</a>	SOFT02						
<input type="checkbox"/> Transactions <table border="1"> <thead> <tr> <th>Name</th> <th>Description</th> <th>In</th> </tr> </thead> <tbody> <tr> <td><a href="#">SOFT06</a></td> <td>Aspectos Técnicos</td> <td>Structure , Form</td> </tr> </tbody> </table>		Name	Description	In	<a href="#">SOFT06</a>	Aspectos Técnicos	Structure , Form
Name	Description	In					
<a href="#">SOFT06</a>	Aspectos Técnicos	Structure , Form					
Control Info							
Name	Value						
ForeColor	Window Text						
BackColor	Window Background						
CtrlType	Edit						
[Attribute sofpono]							
Description	Informa pontuação do aluno?						
ID	58						
Type	C (1)						
Cross References							
<input type="checkbox"/> Tables <table border="1"> <thead> <tr> <th>Name</th> <th>Description</th> </tr> </thead> <tbody> <tr> <td><a href="#">SOFT02</a></td> <td>SOFT02</td> </tr> </tbody> </table>		Name	Description	<a href="#">SOFT02</a>	SOFT02		
Name	Description						
<a href="#">SOFT02</a>	SOFT02						

<input type="checkbox"/> <b>Transactions</b>		
<b>Name</b>	<b>Description</b>	<b>In</b>
<a href="#">SOFT06</a>	Aspectos Técnicos	Structure , Form
Control Info		
<b>Name</b>	<b>Value</b>	
ForeColor	Window Text	
BackColor	Window Background	
CtrlType	Check Box	
Title: Informa pontuação do aluno?		
Checked value : 'S'		
Unchecked value: 'N'		
Attribute softpre		
Description	Preço:	
ID	40	
Type	N (9,2)	
Picture	ZZZZZ9,99	
Cross References		
<input type="checkbox"/> <b>Tables</b>		
<b>Name</b>	<b>Description</b>	
<a href="#">SOFT02</a>	SOFT02	
<input type="checkbox"/> <b>Transactions</b>		
<b>Name</b>	<b>Description</b>	<b>In</b>
<a href="#">SOFT05</a>	Venda e Comercialização	Structure , Form
Control Info		
<b>Name</b>	<b>Value</b>	
ForeColor	Window Text	
BackColor	Window Background	
CtrlType	Edit	
Attribute softred		
Description	Trabalha em rede?	
ID	43	
Type	C (1)	
Picture	@!	
Domain	sn	
Cross References		
<input type="checkbox"/> <b>Tables</b>		
<b>Name</b>	<b>Description</b>	
<a href="#">SOFT02</a>	SOFT02	
<input type="checkbox"/> <b>Transactions</b>		
<b>Name</b>	<b>Description</b>	<b>In</b>
<a href="#">SOFT06</a>	Aspectos Técnicos	Structure , Form
Control Info		
<b>Name</b>	<b>Value</b>	
ForeColor	Window Text	
BackColor	Window Background	
CtrlType	Check Box	
Title: Trabalha em rede?		
Checked value : 'S'		
Unchecked value: 'N'		
Attribute softreg		
Description	Informa requisitos Soft/Hard?	
ID	48	
Type	C (1)	
Cross References		
<input type="checkbox"/> <b>Tables</b>		
<b>Name</b>	<b>Description</b>	
<a href="#">SOFT02</a>	SOFT02	



<input type="checkbox"/> <b>Transactions</b>		
<b>Name</b>	<b>Description</b>	<b>In</b>
<a href="#">SOFT06</a>	Aspectos Técnicos	Structure , Form
Control Info		
<b>Name</b>	<b>Value</b>	
ForeColor	Window Text	
BackColor	Window Background	
CtrlType	Check Box	
Title: Informa requisitos Soft/Hard?		
Checked value : 'S'		
Unchecked value: 'N'		
Attribute softresumo		
Description	Resumo	
ID	35	
Type	L(2000)	
Cross References		
<input type="checkbox"/> <b>Tables</b>		
<b>Name</b>	<b>Description</b>	
<a href="#">SOFT02</a>	SOFT02	
<input type="checkbox"/> <b>Transactions</b>		
<b>Name</b>	<b>Description</b>	<b>In</b>
<a href="#">SOFT04</a>	Resumo do Software	Structure , Form
Control Info		
<b>Name</b>	<b>Value</b>	
ForeColor	Window Text	
BackColor	Window Background	
CtrlType	Edit	
Attribute softfeite		
Description	Site:	
ID	32	
Type	C (30)	
Cross References		
<input type="checkbox"/> <b>Tables</b>		
<b>Name</b>	<b>Description</b>	
<a href="#">SOFT02</a>	SOFT02	
<input type="checkbox"/> <b>Transactions</b>		
<b>Name</b>	<b>Description</b>	<b>In</b>
<a href="#">SOFT02</a>	Produtor do Software	Structure , Form
Control Info		
<b>Name</b>	<b>Value</b>	
ForeColor	Window Text	
BackColor	Window Background	
CtrlType	Edit	
Attribute softsom		
Description	Possui som?	
ID	62	
Type	C (1)	
Cross References		
<input type="checkbox"/> <b>Tables</b>		
<b>Name</b>	<b>Description</b>	
<a href="#">SOFT02</a>	SOFT02	
<input type="checkbox"/> <b>Transactions</b>		
<b>Name</b>	<b>Description</b>	<b>In</b>
<a href="#">SOFT06</a>	Aspectos Técnicos	Structure , Form
Control Info		
<b>Name</b>	<b>Value</b>	
ForeColor	Window Text	

BackColor	Window Background
CtrlType	Check Box
Title:	Possui som?
Checked value	: 'S'
Unchecked value:	'N'

---

Attribute softupto	
Description	Possui suporte por fone?
ID	57
Type	C (1)

---

Cross References		
<input type="checkbox"/> Tables		
<b>Name</b>	<b>Description</b>	
<a href="#">SOFT02</a>	SOFT02	
<input type="checkbox"/> Transactions		
<b>Name</b>	<b>Description</b>	<b>In</b>
<a href="#">SOFT06</a>	Aspectos Técnicos	Structure , Form

---

Control Info	
<b>Name</b>	<b>Value</b>
ForeColor	Window Text
BackColor	Window Background
CtrlType	Check Box
Title:	Possui suporte por fone?
Checked value	: 'S'
Unchecked value:	'N'

---

Attribute softsupor	
Description	Possui suporte na Internet?
ID	54
Type	C (1)

---

Cross References		
<input type="checkbox"/> Tables		
<b>Name</b>	<b>Description</b>	
<a href="#">SOFT02</a>	SOFT02	
<input type="checkbox"/> Transactions		
<b>Name</b>	<b>Description</b>	<b>In</b>
<a href="#">SOFT06</a>	Aspectos Técnicos	Structure , Form

---

Control Info	
<b>Name</b>	<b>Value</b>
ForeColor	Window Text
BackColor	Window Background
CtrlType	Check Box
Title:	Possui suporte na Internet?
Checked value	: 'S'
Unchecked value:	'N'

---

Attribute softxtad	
Description	Texto adequado?
ID	56
Type	C (1)

---

Cross References		
<input type="checkbox"/> Tables		
<b>Name</b>	<b>Description</b>	
<a href="#">SOFT02</a>	SOFT02	
<input type="checkbox"/> Transactions		
<b>Name</b>	<b>Description</b>	<b>In</b>
<a href="#">SOFT06</a>	Aspectos Técnicos	Structure , Form

---

Control Info	
--------------	--

Name	Value
ForeColor	Window Text
BackColor	Window Background
CtrlType	Check Box
Title: Texto adequado?	
Checked value : 'S'	
Unchecked value: 'N'	

---

Attribute softxco	
Description	Texto correto?
ID	55
Type	C (1)

---

Cross References							
<input type="checkbox"/> Tables							
<table border="1"> <thead> <tr> <th>Name</th> <th>Description</th> </tr> </thead> <tbody> <tr> <td><a href="#">SOFT02</a></td> <td>SOFT02</td> </tr> </tbody> </table>		Name	Description	<a href="#">SOFT02</a>	SOFT02		
Name	Description						
<a href="#">SOFT02</a>	SOFT02						
<input type="checkbox"/> Transactions							
<table border="1"> <thead> <tr> <th>Name</th> <th>Description</th> <th>In</th> </tr> </thead> <tbody> <tr> <td><a href="#">SOFT06</a></td> <td>Aspectos Técnicos</td> <td>Structure , Form</td> </tr> </tbody> </table>		Name	Description	In	<a href="#">SOFT06</a>	Aspectos Técnicos	Structure , Form
Name	Description	In					
<a href="#">SOFT06</a>	Aspectos Técnicos	Structure , Form					

---

Control Info															
<table border="1"> <thead> <tr> <th>Name</th> <th>Value</th> </tr> </thead> <tbody> <tr> <td>ForeColor</td> <td>Window Text</td> </tr> <tr> <td>BackColor</td> <td>Window Background</td> </tr> <tr> <td>CtrlType</td> <td>Check Box</td> </tr> <tr> <td colspan="2">Title: Texto correto?</td> </tr> <tr> <td colspan="2">Checked value : 'S'</td> </tr> <tr> <td colspan="2">Unchecked value: 'N'</td> </tr> </tbody> </table>		Name	Value	ForeColor	Window Text	BackColor	Window Background	CtrlType	Check Box	Title: Texto correto?		Checked value : 'S'		Unchecked value: 'N'	
Name	Value														
ForeColor	Window Text														
BackColor	Window Background														
CtrlType	Check Box														
Title: Texto correto?															
Checked value : 'S'															
Unchecked value: 'N'															

---

Attribute softvenda	
Description	Venda pela Internet?
ID	33
Type	C (1)
Picture	@!
Value Range	'S' 'N'

---

Cross References										
<input type="checkbox"/> Tables										
<table border="1"> <thead> <tr> <th>Name</th> <th>Description</th> </tr> </thead> <tbody> <tr> <td><a href="#">SOFT02</a></td> <td>SOFT02</td> </tr> </tbody> </table>		Name	Description	<a href="#">SOFT02</a>	SOFT02					
Name	Description									
<a href="#">SOFT02</a>	SOFT02									
<input type="checkbox"/> Transactions										
<table border="1"> <thead> <tr> <th>Name</th> <th>Description</th> <th>In</th> </tr> </thead> <tbody> <tr> <td><a href="#">SOFT02</a></td> <td>Produtor do Software</td> <td>Structure , Form</td> </tr> <tr> <td><a href="#">SOFT05</a></td> <td>Venda e Comercialização</td> <td>Structure , Form</td> </tr> </tbody> </table>		Name	Description	In	<a href="#">SOFT02</a>	Produtor do Software	Structure , Form	<a href="#">SOFT05</a>	Venda e Comercialização	Structure , Form
Name	Description	In								
<a href="#">SOFT02</a>	Produtor do Software	Structure , Form								
<a href="#">SOFT05</a>	Venda e Comercialização	Structure , Form								

---

Control Info									
<table border="1"> <thead> <tr> <th>Name</th> <th>Value</th> </tr> </thead> <tbody> <tr> <td>ForeColor</td> <td>Window Text</td> </tr> <tr> <td>BackColor</td> <td>Window Background</td> </tr> <tr> <td>CtrlType</td> <td>Edit</td> </tr> </tbody> </table>		Name	Value	ForeColor	Window Text	BackColor	Window Background	CtrlType	Edit
Name	Value								
ForeColor	Window Text								
BackColor	Window Background								
CtrlType	Edit								

---

Properties	
Name	Value
Picture	@!

---

Attribute softversao	
Description	Versão
ID	21
Type	C (10)

---

Cross References					
<input type="checkbox"/> Tables					
<table border="1"> <thead> <tr> <th>Name</th> <th>Description</th> </tr> </thead> <tbody> <tr> <td><a href="#">SOFT02</a></td> <td>SOFT02</td> </tr> </tbody> </table>		Name	Description	<a href="#">SOFT02</a>	SOFT02
Name	Description				
<a href="#">SOFT02</a>	SOFT02				
<input type="checkbox"/> Transactions					

Name	Description	In
<a href="#">SOFT01</a>	Cadastro de Softwares	Structure , Form
<input type="checkbox"/> <b>Prompts</b>		
Name	Description	In
<a href="#">Gx0030</a>	Lista de Selecao SOFT02	Conditions, Form
Control Info		
Name	Value	
ForeColor	Window Text	
BackColor	Window Background	
CtrlType	Edit	
Attribute usoati		
Description	usoati	
ID	81	
Type	L(3000)	
Cross References		
<input type="checkbox"/> <b>Tables</b>		
Name	Description	
<a href="#">PU03</a>	PU03	
<input type="checkbox"/> <b>Transactions</b>		
Name	Description	In
<a href="#">PU03A1</a>	Desenvolvimento uso	Structure , Form
Control Info		
Name	Value	
ForeColor	Window Text	
BackColor	Window Background	
CtrlType	Edit	
Attribute usodes		
Description	Descrição	
ID	79	
Type	C (40)	
Cross References		
<input type="checkbox"/> <b>Tables</b>		
Name	Description	
<a href="#">PU03</a>	PU03	
<input type="checkbox"/> <b>Transactions</b>		
Name	Description	In
<a href="#">PU03</a>	Plano de Utilização-Aplicação	Structure , Form
<a href="#">PU03A1</a>	Desenvolvimento uso	Structure , Form
<input type="checkbox"/> <b>Prompts</b>		
Name	Description	In
<a href="#">Gx0091</a>	Lista de Selecao PU03	Conditions, Form
Control Info		
Name	Value	
ForeColor	Window Text	
BackColor	Window Background	
CtrlType	Edit	
Attribute usohrs		
Description	Uso Horas	
ID	80	
Type	T(0.5)	
Picture	99:99	
Cross References		
<input type="checkbox"/> <b>Tables</b>		
Name	Description	
<a href="#">PU03</a>	PU03	
<input type="checkbox"/> <b>Transactions</b>		
Name	Description	In
<a href="#">PU03</a>	Plano de Utilização-Aplicação	Structure , Form
<a href="#">PU03A1</a>	Desenvolvimento uso	Structure , Form

Name	Description	In
<a href="#">SOFT01</a>	Cadastro de Softwares	Structure , Form
<input type="checkbox"/> <b>Prompts</b>		
Name	Description	In
<a href="#">Gx0030</a>	Lista de Selecao SOFT02	Conditions, Form
Control Info		
Name	Value	
ForeColor	Window Text	
BackColor	Window Background	
CtrlType	Edit	
Attribute usoati		
Description	usoati	
ID	81	
Type	L(3000)	
Crosa Referencias		
<input type="checkbox"/> <b>Tables</b>		
Name	Description	
<a href="#">PU03</a>	PU03	
<input type="checkbox"/> <b>Transactions</b>		
Name	Description	In
<a href="#">PU03A1</a>	Desenvolvimento uso	Structure , Form
Control Info		
Name	Value	
ForeColor	Window Text	
BackColor	Window Background	
CtrlType	Edit	
Attribute usodee		
Description	Descrição	
ID	79	
Type	C (40)	
Crosa Referencias		
<input type="checkbox"/> <b>Tables</b>		
Name	Description	
<a href="#">PU03</a>	PU03	
<input type="checkbox"/> <b>Transactions</b>		
Name	Description	In
<a href="#">PU03</a>	Plano de Utilização-Aplicação	Structure , Form
<a href="#">PU03A1</a>	Desenvolvimento uso	Structure , Form
<input type="checkbox"/> <b>Prompts</b>		
Name	Description	In
<a href="#">Gx0091</a>	Lista de Selecao PU03	Conditions, Form
Control Info		
Name	Value	
ForeColor	Window Text	
BackColor	Window Background	
CtrlType	Edit	
Attribute usotrs		
Description	Uso Horas	
ID	80	
Type	T(0.5)	
Picture	99:99	
Crosa Referencias		
<input type="checkbox"/> <b>Tables</b>		
Name	Description	
<a href="#">PU03</a>	PU03	
<input type="checkbox"/> <b>Transactions</b>		
Name	Description	In
<a href="#">PU03</a>	Plano de Utilização-Aplicação	Structure , Form
<a href="#">PU03A1</a>	Desenvolvimento uso	Structure , Form
<input type="checkbox"/> <b>Prompts</b>		
Name	Value	
BackColor	Window Background	
CtrlType	Edit	

