


Anexo II

Documentação do sistema BISE versão final

DR



Tabelas

Table Colabor				
Name	Description	Type	Formula	Subtype of
ID	Colabor			
Table Structure				
colcod	Description	Type	Formula	Subtype of
colnome	Código:	N (6,0)		
colrua	Nome:	C (20)		
colbal	Rua:	C (30)		
colcid	Bairro:	C (20)		
colcep	Cidade:	C (20)		
coluf	CEP:	C (8)		
colemail	UF:	C (2)		
colfone	E-mail:	C (30)		
coltit	Fone:	C (14)		
colsen	Titularidade máxima:	C (20)		
colsex	Senha:	C (6)		
colprof	Sexo:	C (1)		
collectra	Profissão:	C (25)		
colinfo	Local de Trabalho:	C (30)		
collogin	Informações complementares	V(120)		
colpais	collogin	C (8)		
colnomi	Pais:	C (12)		
	Nome Inicial:	C (12)		

Table Conteudos				
Name	Description	Type	Formula	Subtype of
ID	Conteudos			
Table Structure				
Name	Description	Type	Formula	Subtype of
arecon	Conteúdo	C (14)		

Table Midia				
Name	Description	Type	Formula	Subtype of
ID	Midia			
Table Structure				
Name	Description	Type	Formula	Subtype of
midnom	Midia:	C (10)		

Table pj01				
Name	Description	Type	Formula	Subtype of
pjcod	Cód PJ	N (6,0)		
pjnom	Nome:	C (40)		
sofcod	Código:	N (6,0)		
pjres	Resumo	V(500)		
arecon	Conteúdo	C (14)		
pjfxi	Fx etária I	N (2,0)		
pjfxf	Fx etária F	N (2,0)		
pjhoras	Hrs/Sem	N (2,0)		
pjtempo	Semanas	N (2,0)		
pjnstot	Total hs	N (3,0)		
pjobj	Objetivo	V(1000)		
pjati	pjati	V(4000)		
pjava	Avaliação	V(2000)		
pjcolcod	pjcolcod	N (6,0)		

Table PJCI				
Name	Description	Type	Formula	Subtype of
pjcod	PJCI			
pjCcod	PJCI			
PJcdt		D		
PJCCol				
PJCColnom				
PJCCome				

Table SOFT02				
Name	Description	Type	Formula	Subtype of
pjcod	SOFT02			
sitnom	SOFT02			
ID	2			
Table Structure				
Name	Description	Type	Formula	Subtype of
sofcod	Código:	N (6,0)		
sitnom	Nome:	C (35)		
sofversao	Versão	C (10)		
demnom	Possui demonstrativo?	C (1)		
midnom	Mídia:	C (10)		
sofpre	Preço:	C (9)		
sitsite	Site:	C (35)		
sitdesc	Descrição:	V(1000)		
colcod	Código:	N (6,0)		
stav	Tipo	C (4)		

Table SOFTOC	
Name	SOFTOC
Description	SOFTOC
ID	8

Table Structure				
Name	Description	Type	Formula	Subtype of
sofcod	Código:	N (6.0)		
soccod	soCcod	N (5.0)		
socdt	Data:	D		
soccol	soCcol	N (6.0)		
soccolnom	soCcolnom	C (12)		
soccome	soCcome	V(500)		

Table titmax	
Name	titmax
Description	titmax
ID	5


Table Structure				
Name	Description	Type	Formula	Subtype of
coltit	Titularidade máxima:	C (20)		

Funções

Work Panel Information

Name	altpj	Id:	17
Folder		Created	2005-09-30 16:04:04
Description	Altera Projeto	Updated	2005-10-06 14:21:52
Generators			
Default - Visual FoxPro Client/Server			

Form



Rules/Events/Conditions

```

// Rules

parm( pjccolcod, &colnomi);
order(pjcnom);

// Events

Event Enter
  call(Tpj01 ,pjccod ,pjccolcod,&colnomi)
EndEvent

// Conditions

pjccod >= &C68;
pjcnom .LIKE. &C70;

```

Properties

Variables

```

&Today D(8)
&Time C(8)
&Pgname C(31)
&Pgmdesc C(30)
&C69 N(6)
&C70 C(40)
&C20 N(6)
&C72 C(14)
&C73 N(2)
&C74 N(2)
&C75 N(2)
&V69 N(6)
&colnombi C(12)

```

Procedure Information

Name	buscolaborador	Id:	5
Folder		Created	2005-10-04 09:22:50
Description	buscolaborador	Updated	2005-10-04 09:24:00
Generators			
	Default - Visual FoxPro Client/Server		

Form

```
for each (colcod)
defined by colrua
  &colcod = colcod
  exit
endfor
```

Rules/Subroutine/Conditions

```
// Rules
parm(&colcod);

// Subroutines

// Conditions
```

Properties

Variables

```
&Today D(8)
&Time C(8)
&Page N(6)
&Line N(6)
&Output C(3)
&Pgname C(31)
&Pgndesc C(30)
&sofcod N(6)
&soCcod N(5)
&colcod N(6)
```

Procedure Information

Name busnovpj	Id: 2
Folder	Created 2005-09-30 14:12:34
Description busnovpj	Updated 2005-09-30 14:13:20

Generators
Default - Visual FoxPro Client/Server

Form

```
for each (pjcod)
defined by pjfxi
  &pjcod = pjcod
  exit
endfor
```

Rules/Subroutine/Conditions

```
// Rules
parm(&pjcod);

// Subroutines

// Conditions
```

Properties

Variables

```
&Today D(8)
&Time C(8)
&Page N(6)
&Line N(6)
&Output C(3)
&Pgname C(31)
&Pgndesc C(30)
&sofcod N(6)
&pjcod N(6)
```

Procedure Information

Name busnovsoft	Id: 1
Folder	Created 2005-09-29 19:43:32
Description busnovsoft	Updated 2005-09-29 19:44:00
Generators	
	Default - Visual FoxPro Client/Server

Form

```
for each (sofcod)
defined by sofversao
  &sofcod = sofcod
  exit
endfor
```

Rules/Subroutine/Conditions

```
// Rules
parm(&sofcod);

// Subroutines

// Conditions
```

Properties

Variables

```
&Today D(8)
&Time C(8)
&Page N(6)
&Line N(6)
&Output C(3)
&Pgname C(31)
&Pgndesc C(30)
&sofcod N(6)
```

Procedure Information

Name busPJcom	Id: 6
Folder	Created 2005-10-04 09:42:14
Description busPJcom	Updated 2005-10-04 09:43:42
Generators	
	Default - Visual FoxPro Client/Server

Form

```
for each pjcod (pjCcod)
defined by PJCCOME
  &pjCcod = pjCcod
  exit
endfor
```

Rules/Subroutine/Conditions

```
// Rules
parm(pjcod, &pjCcod);

// Subroutines

// Conditions
```

Properties

Variables

```
&Today D(8)
&Time C(8)
&Page N(6)
&Line N(6)
&Output C(3)
&Pgname C(31)
&Pgndesc C(30)
&pjCcod N(5)
```

Procedure Information

Name busPJultcom	Id: 7
Folder	Created 2005-10-04 09:57:24
Description busPJultcom	Updated 2005-10-04 10:00:08
Generators	
Default - Visual FoxPro Client/Server	

Form

```
for each pjcod {pjCcod)
  where pjcod = &pjcod
  defined by PJCcodnom
    &pjCcod = pjCcod
    exit
  endfor
```

Rules/Subroutine/Conditions

```
// Rules
parm(&pjcod, &pjCcod);

// Subroutines

// Conditions
```

Properties

Variables

```
&Today D(8)
&Time C(8)
&Page N(6)
&Line N(6)
&Output C(3)
&Pgname C(31)
&Pgndesc C(30)
&pjCcod N(5)
&pjcod N(6)
```

Procedure Information

Name	bussocom	Id:	3
Folder		Created	2005-09-30 16:54:00
Description	bussocom	Updated	2005-09-30 17:37:22

Generators
Default - Visual FoxPro Client/Server

Form

```
for each sofcod (soCcod)
defined by soCcolnom
  &soCcod = soCcod
  exit
endfor
```

Rules/Subroutine/Conditions

```
// Rules
parm(sofcod, &soCcod);

// Subroutines

// Conditions
```

Properties

Variables

```
&Today D(8)
&Time C(8)
&Page N(6)
&Line N(6)
&Output C(3)
&Pgmname C(31)
&Pgmdesc C(30)
&sofcod N(6)
&soCcod N(5)
```

Procedure Information

Name busultcom	Id: 4
Folder	Created 2005-09-30 17:17:42
Description busultcom	Updated 2005-10-04 09:59:52
Generators	
Default - Visual FoxPro Client/Server	

Form

```
for each sofcod (soCcod)
where sofcod = &sofcod
defined by soCcolonm
&soCcod = soCcod
exit
endfor
```

Rules/Subroutine/Conditions

```
// Rules
parm(&sofcod, &soCcod);

// Subroutines

// Conditions
```

Properties

Variables

```
&Today D(8)
&Time C(8)
&Page N(6)
&Line N(6)
&Output C(3)
&Pgname C(31)
&Pgndesc C(30)
&sofcod N(6)
&soCcod N(5)
```

Transaction Information

Name Colabor Id: 1
 Folder Created 2005-09-29 15:53:24
 Description Cadastro Colaboradores Updated 2005-10-11 17:20:20
 Consolidated 2005-09-29 15:53:24

Associated to Style Padrao : Padrao

Generators Default - Visual FoxPro Client/Server

Structure

colcod*	*	N(6)	Código:
colnome		C(20)	Nome:
colnomi		C(12)	Nome Inicial:
colrua		C(30)	Rua:
colbai		C(20)	Bairro:
colcid		C(20)	Cidade:
colcep		C(8)	CEP:
coluf		C(2)	UF:
colpais		C(12)	País:
colemail		C(30)	E-mail:
colfone		C(14)	Fone:
coltit	*	C(20)	Titularidade máxima:
colsen		C(6)	Senha:
collogin		C(8)	collogin
colsex		C(1)	Sexo:
colprof		C(25)	Profissão:
collectra		C(30)	Local de Trabalho:
colinfo		V(120)	Informações complementares:

Directly Associated Tables for each level

Colabor

Form

Cadastro Colaboradores

Banco de Informações de Softwares Educacional

Código: colcod

Primeiro nome: colnomi Último nome: colnome

Rua: colrua Bairro: colbai

Cidade: colcid País: colpais CEP: colcep

E-mail: colemail Fone: colfone

Titularidade máxima: coltit Sexo: colsex

Profissão: colprof Local de trabalho: collectra

Informações complementares:
colinfo

Login: collogin Senha: colsen &colsen

Rules/Events

```
// Rules

parm(colcod);
Accept(&colsen);
Error('Confirmação de senha inválida!') IF colsen <> &colsen;

// Events
```

```
Event collogin.IsValid
&achou = 'N'
call( Pverlogin , collogin, &achou)
if &achou = 'S' .and. &Mode = 'INS'
    Msg( 'Login já usado' )
    collogin.Setfocus()
endif
EndEvent // collogin.IsValid
```

Properties

Variables

```
&Today  D(8)
&Time   C(8)
&Mode   C(3)
&Pgname  C(21)
&Pgndesc C(30)
&GrRemove N(1)
&colsen C(6)
&achou  C(1)
```

Transaction Information

Name	Conteudos	Id:	14
Folder		Created	2005-09-29 20:06:40
Description	Conteudos	Updated	2005-09-29 20:06:58

Associated to Style Padrão : Padrão

Generators
(*) - Visual FoxPro Client/Server (Default)


Structure

arecon*	*	C(14)	Conteúdo
---------	---	-------	----------

Directly Associated Tables for each level

Conteudos

Form



Rules/Events

```
// Rules
```

```
// Events
```

Properties

Variables

```
&Today D(8)
&Time C(8)
&Mode C(3)
&Pgname C(31)
&Pgndesc C(30)
&GrRemove N(1)
```

Work Panel Information	
Name ent01	Id: 1
Folder	Created 2005-09-29 16:44:24
Description Entrada	Updated 2005-10-04 09:47:08
Main Object	
Default - Visual FoxPro Client/Server	
Form	
<p>The screenshot shows a software application window titled 'Entrada'. The title bar also includes the text 'Banco de Informações dos Professores de Softwares Educacionais'. The main interface has a green header bar with the BISE logo. Below the header, there's a login section with fields for 'Login' (containing '&collogin') and 'Senha' (containing '&colsen'), and a 'Vai' button. To the left of the login fields is a vertical menu bar with several options: 'Esqueci minha senha', 'Bem vindo &colnomi', 'Cadastro-se', 'Altere cadastrar', 'Cadastro', 'Softwares', 'Sites', 'Projetos', 'Cursos a distância', 'Consulte', 'Softwares e Sites', 'Projetos', 'Cursos a distância', 'Altere', 'Softwares', 'Site', 'Projetos', 'Cursos a distância', 'Comenta', 'Softwares e Sites', 'Projetos', and 'Cursos a distância'. The 'Softwares' option is highlighted with a green box. On the right side of the screen, the text 'Texto introdução' is displayed. Below this text, there are two large rectangular boxes labeled 'CES' and 'UMINHO'.</p>	

Rules/Events/Conditions

```

// Rules
Color( 'X,X', &colsen);

// Events
Event 'cadastre-se'
call (Buscolaborador ,&colcod)
&colcod = &colcod + 1
call (TColabor,&colcod )
EndEvent // 'cadastre-se'

Event 'softwares'
&achou = 'X'
for each
where collogin = &collogin
if colsen <> &colsen
    &achou = 'N'
else
    &achou = 'S'
    &colcod = colcod
    &colnomi = colnomi
endif
endfor
Do case
Case &achou = 'X'
    Msg( 'Favor se identificar' )
Case &achou = 'N'
    Msg( 'Senha Inválida' )
Case &achou = 'S'
    call (Busnovsoft , &sofcod)
    &sofcod = &sofcod + 1
    call (TSOFT01 ,&sofcod, &colcod, &colnomi)
endcase

```

```

EndEvent // 'softwares'

Event 'Sites'
&achou = 'X'
for each
where collogin = &collogin
if colsen <> &colsen
  &achou = 'N'
else
  &achou = 'S'
  &colcod = colcod
  &colnomi = colnomi
endif
endfor
Do case
Case &achou = 'X'
  Msg( 'Favor se identificar' )
Case &achou = 'N'
  Msg( 'Senha Inválida' )
Case &achou = 'S'
call(Blusunovsoft , &sofcod)
&sofcod = &sofcod + 1
  call(TSITE01 , &sofcod, &colcod, &colnomi)
endcase
EndEvent // 'Sites'

Event 'projetos'
&achou = 'X'
for each
where collogin = &collogin
if colsen <> &colsen
  &achou = 'N'
else
  &achou = 'S'
  &colcod = colcod
  &colnomi = colnomi
endif
endfor
Do case
Case &achou = 'X'
  Msg( 'Favor se identificar' )
Case &achou = 'N'
  Msg( 'Senha Inválida' )
Case &achou = 'S'
call(Blusunovpj , &spjcod)
&spjcod = &spjcod + 1
  call(Tpj01 , &spjcod , &colcod, &colnomi)
endcase
EndEvent // 'projetos'

Event 'Cursos'
Msg( 'Futuro' )

EndEvent // 'Cursos'

Event 'esqueci'
call(WEsqueci)
EndEvent // 'esqueci'

Event 'Vai'
for each
where collogin = &collogin
if colsen <> &colsen
  Msg( 'Senha Inválida' )
else
  &colcod = colcod
  &colnomi = colnomi
endif
Refresh
endfor
EndEvent // 'Vai'

Event 'conSoftwares'
call(WSMC01)
EndEvent // 'conSoftwares'

Event 'pjc'
call(WpjC00 )
EndEvent // 'pjc'

Event 'edac'
EndEvent // 'edac'

Event 'altsa'
&achou = 'X'
for each
where collogin = &collogin
if colsen <> &colsen
  &achou = 'N'
else
  &achou = 'S'
  &colcod = colcod
  &colnomi = colnomi
endif
endfor
Do case
Case &achou = 'X'

```

```

    Msg( 'Favor se identificar' )
Case &achou = 'N'
    Msg( 'Senha Inválida' )
Case &achou = 'S'
    call(Wsoftalt , &colcod, &colnomi)
endcase
EndEvent // 'altss'

Event 'altoj'
&achou = 'X'
for each
where collogin = &collogin
    if colsen <> &colsen
        &achou = 'N'
    else
        &achou = 'S'
        &colcod = colcod
        &colnomi = colnomi
    endif
endfor
Do case
Case &achou = 'X'
    Msg( 'Favor se identificar' )
Case &achou = 'N'
    Msg( 'Senha Inválida' )
Case &achou = 'S'
    call(Waltpj , &colcod, &colnomi)
endcase
EndEvent // 'altoj'

Event 'altEAD'

EndEvent // 'altEAD'

Event 'cmtss'
&achou = 'X'
for each
where collogin = &collogin
    if colsen <> &colsen
        &achou = 'N'
    else
        &achou = 'S'
        &colcod = colcod
        &colnomi = colnomi
    endif
endfor
Do case
Case &achou = 'X'
    Msg( 'Favor se identificar' )
Case &achou = 'N'
    Msg( 'Senha Inválida' )
Case &achou = 'S'
    call(WsC00 , &colcod, &colnomi)
endcase
EndEvent // 'cmtss'

Event 'cmtpj'
&achou = 'X'
for each
where collogin = &collogin
    if colsen <> &colsen
        &achou = 'N'
    else
        &achou = 'S'
        &colcod = colcod
        &colnomi = colnomi
    endif
endfor
Do case
Case &achou = 'X'
    Msg( 'Favor se identificar' )
Case &achou = 'N'
    Msg( 'Senha Inválida' )
Case &achou = 'S'
    call(WPJ02 , &colcod, &colnomi)
endcase
EndEvent // 'cmtpj'
Event 'cmteda'

EndEvent // 'cmteda'

Event 'altsite'
&achou = 'X'
for each
where collogin = &collogin
    if colsen <> &colsen
        &achou = 'N'
    else
        &achou = 'S'
        &colcod = colcod
        &colnomi = colnomi
    endif
endfor
Do case
Case &achou = 'X'
    Msg( 'Favor se identificar' )
Case &achou = 'N'

```

```

    Msg( 'Senha Inválida' )
    Case &achou = 'S'
        call(Wsitetalt , &scolcod, &colnomi)
    endcase
EndEvent // 'altsite'

Event 'Altere cadastro'
&achou = 'X'
for each
where collogin = &collogin
    if colsen <> &colsen
        &achou = 'N'
    else
        &achou = 'S'
        &scolcod = colcod
        &colnomi = colnomi
    endif
endfor
Do case
Case &achou = 'X'
    Msg( 'Favor se identificar' )
Case &achou = 'N'
    Msg( 'Senha Inválida' )
Case &achou = 'S'
    call(TColabor,&scolcod )
endcase
EndEvent // 'Altere cadastro'

// Conditions

```

Properties

AUTOCENTER = Yes
 IsPrompt = 0
 IsMain = -1


Variables

&Today D(8)
 &Time C(8)
 &Pgname C(31)
 &Pgndesc C(30)
 &colsen C(6)
 &collogin C(8)
 &colnomi C(12)
 &achou C(1)
 &scolcod N(6)
 &scolcod N(6)
 &pjcod N(6)

Work Panel Information

Name	Esqueci	Id:	2
Folder		Created	2005-09-29 17:42:54
Description	Esqueci	Updated	2005-09-29 17:49:06
Generators	Default - Visual FoxPro Client/Server		

Form



The screenshot shows a Windows-style dialog box with a title bar 'Esqueci'. Inside, there are three text input fields: 'Informe seu login:' containing '&collogin', 'Seu e-mail:' containing '&colemail', and 'Sua senha:' containing '&colsen'. Below these fields is a red link 'Passar e-mail com login e senha'. At the bottom right is a 'Fechar' button.

Rules/Events/Conditions

```
// Rules
```

```
// Events
```

```
Event Enter
for each
where collogin = &collogin
    &colemail = colemail
    &colsen = colsen
endfor
EndEvent // Enter
```

```
// Conditions
```

Properties

Variables

```
&Today D(8)
&Time C(8)
&Pgmname C(31)
&Pgmdesc C(20)
&colemail C(30)
&colsen C(6)
&collogin C(8)
```


Work Panel Information

Name	Gw0010	Id:	3
Folder		Created	2005-09-29 17:52:30
Description	Lista de Seleção COLABOR	Updated	2005-09-29 20:48:54
Generators	(*),=Visual FoxPro Client/Server (Default)		

Prompt

Associated to table: 1 Colabor : Colabor

Form



Rules/Events/Conditions

```

// Rules
parm(out:sV1);
order(colcoed);

// Events
Event Enter
  sV1=colcoed
  return
EndEvent

// Conditions
colcoed >= sC1;
colname .LINE. <C1;
colrws .LINE. <C3;
colbal .LINE. <C4;
colwid .LINE. <C5;
colsep .LINE. <C6;
colst .LINE. <C7;

```

Properties

Variables

&Today D(8)
&Time C(8)
&Pgmname C(31)
&Pgmdesc C(30)
&C1 N(5)

&C2 C(20)
 &C3 C(30)
 &C4 C(20)
 &C5 C(20)
 &C6 C(8)
 &C7 C(2)
 &V1 N(6)

Work Panel Information

Name	Gx0020	Id:	4
Folder	Created 2005-09-29 17:52:30	Updated	2005-09-29 17:52:30
Generators	Default - Visual FoxPro Client/Server		

Prompt

Associated to table: 2 SOFT02 : SOFT02

Form

Rules/Events/Conditions

```
// Rules
parm(out:&V20);
order(sofcod);

// Events
Event Enter
    &V20=sofcod
    return
EndEvent

// Conditions
sofcod >= &C20;
sitnom .LIKE. &C21;
sofversao .LIKE. &C22;
dennom .LIKE. &C36;
midnom .LIKE. &C37;
sofpre >= &C40;
site .LIKE. &C65;
```

Properties

Variables

```

&Today D(8)
&Time C(8)
&Pgname C(21)
&Pgdesc C(30)
&C20 N(6)

&C21 C(35)
&C22 C(10)
&C36 C(1)
&C37 C(10)
&C40 C(9)
&C65 C(35)
&V20 N(6)

```

Work Panel Information

Name	Gx0030	Id:	5
Folder		Created	2005-09-29 17:52:30
Description	Lista de Seleção MIDIA		
Generators	(*) - Visual FoxPro Client/Server (Default)		

Prompt

Associated to table: 3 Midia : Midia

Form



Rules/Events/Conditions

```

// Rules
parm(out:&V37);
order(midnom);

// Events
Event Enter
  &V37=midnom
  return
EndEvent

// Conditions
midnom .LIKE. &C37;

```

Properties

Variables

```

&Today D(8)
&Time C(8)
&Pgname C(31)
&Pgndesc C(30)
&C37 C(10)
&V37 C(10)

```

Help

Documentation

```

&Pgname C(31)
&Pgndesc C(30)
&C37 C(10)
&V37 C(10)

```


Work Panel Information

Name	Gx0050	Id:	7
Folder	Created 2005-09-29 19:10:46		
Description	Lista de Seleção TITMAX		
Generators	Updated 2005-09-29 19:10:46		
(*) - Visual FoxPro Client/Server (Default)			

Prompt

Associated to table: 5 titmax : titmax

Form



Rules/Events/Conditions

```
// Rules
parm(out:&V10);
order(coltit);

// Events
Event Enter
  &V10=coltit
  return
EndEvent

// Conditions
coltit .LIKE. &C10;
```

Properties

Variables

```
&Today D(8)
&Time C(8)
&Pgname C(31)
&Pgndesc C(20)
&C10 C(20)
&V10 C(20)
```

Help

Documentation

```
&Pgname C(31)
&Pgndesc C(20)
&C10 C(20)
&V10 C(20)
```


Work Panel Information

Name	Gm0060	Id:	10
Folder		Created	2005-09-29 20:21:22
Description	Lista de Seleção PJ01	Updated	2005-09-29 20:21:22
Generators	(*) - Visual FoxPro Client/Server (Default)		

Prompt

Associated to table: 6 pj01 : pj01

Form



Rules/Events/Conditions

```
// Rules
parm(out:&V69);
order(pjcod);

// Events
Event Enter
  &V69=pjcod
  return
EndEvent

// Conditions
pjcod >= &C69;
pjnom .LIKE. &C70;
sofcod >= &C20;
arecon .LIKE. &C72;
pjfxi >= &C73;
pjffmf >= &C74;
pjhoras >= &C75;
```

Properties

Variables

&Today	D(8)
&Time	C(8)
&Fgname	C(31)
&Fgndesc	C(30)
&C69	N(6)
&C70	C(40)
&C20	N(6)
&C72	C(14)
&C73	N(2)
&C74	N(2)
&C75	N(2)
&V69	N(6)


Work Panel Information			
Name	Gx0070	Id:	11
Folder		Created	2005-09-29 20:21:22
Description	Lista de Seleção CONTEUDOS	Updated	2005-09-29 20:21:22

Generators
(*) - Visual FoxPro Client/Server (Default)

Prompt

Associated to table: 7 Conteudos : Conteudos

Form



Rules/Events/Conditions

```
// Rules
parm(out:&V72);
order(arecon);

// Events
Event Enter
  &V72=arecon
  return
EndEvent

// Conditions
arecon .LIKE. &C72;
```

Properties

Variables

```
&Today D(8)
&Time C(8)
&Pgname C(31)
&Pgndesc C(30)
&C72 C(14)
&V72 C(14)
```

Help

Documentation

```
&Pgname C(31)
&Pgndesc C(30)
&C72 C(14)
&V72 C(14)
```

Transaction Information		
Name	Midia	Id: 9
Folder		Created 2005-09-29 16:34:50
Description	Tabela de Midia	Updated 2005-09-29 16:35:06
Associated to Style Padrao : Padrao		
Generators (*) - Visual FoxPro Client/Server (Default)		

Structure		
midnom*	* C(10)	Midia:
Directly Associated Tables for each level		
Midia		

Form		
		

Rules/Events		
<pre>// Rules</pre> <pre>// Events</pre>		

Properties		
------------	--	--


Variables		
<code>&Today D(8) &Time C(8) &Mode C(3) &Pgname C(31) &Pgndesc C(20) &GxRemove N(1)</code>		

Transaction Style Information

Name Padrão	Id: 1
Folder	Created 2005-09-29 15:53:22
Description Padrão	Updated 2005-10-06 13:52:16
	Consolidated 2005-09-29 16:02:40

Structure

Form



Carrão

Rules/Events

```
// Rules
```

```
// Events
```

Properties

Variables

```
&Today D(8)
&Time C(8)
&Mode C(3)
&Pgname C(31)
&Pgndesc C(30)
&GrRemove N(1)
```

Transaction Information	
Name	pj01
Folder	
Description	Projeto de Uso
Associated to Style Padrao :	Padrao
Generators	Default - Visual FoxPro Client/Server

Structure	
pjcod*	* N(6) Cód PJ
pjnom	C(40) Nome:
sofcod	* N(6) Código:
sitnom	C(35) Nome:
pjres	V(500) Resumo
arecon	* C(14) Conteúdo
pjfxi	N(2) Fx etária I
pjfxf	N(2) Fx etária F
pjhora	N(2) Hrs/Sem
pjtempo	N(2) Semanas
pjhstot	N(3) Total hs
pjobj	V(1000) Objetivo
pjati	V(4000) pjati
pjava	V(2000) Avaliação
pjcolcod	N(6) pjcolcod

Directly Associated Tables for each level

pj01

Form	

Rules/Events	
// Rules	
parm(pjcod, pjcolcod, &colnomi);	Equal(pjhsot , pjhora * pjtempo);
// Events	

Properties	
------------	--


Variables	
&Time	C(8)
&Mode	C(3)
&Fgname	C(31)
&Fgdesc	C(30)
&GxRemove	N(1)
&colnomi	C(12)
&pjcod	N(6)

Work Panel Information

Name	pjC00	Id:	13
Folder		Created	2005-09-30 14:43:10
Description	Consulta Projeto	Updated	2005-09-30 14:54:48

Generators
Default - Visual FoxPro Client/Server

Form



Rules/Events/Conditions

```

// Rules
order(pjnom);

// Events
Event Enter
call(Wpjc01 , pjcod)
EndEvent

Event Start
&C74 = 99
EndEvent // Start

// Conditions

pjnom .LIKE. &C70;
arecon .LIKE. &C72;
pjfxi >= &C73 .and. pjfxf <= &C74;

```

Properties

Variables

&Today	D(8)
&Time	C(8)
&Pgname	C(21)
&Pgmdesc	C(30)
&C69	N(6)
&C70	C(25)
&C20	N(6)
&C72	C(14)
&C73	N(2)
&C74	N(2)
&C75	N(2)
&V69	N(6)

Work Panel Information

Name	pjc01	Id:	12
Folder	Consultas Projetos	Created	2005-09-30 14:40:42
Description	Consultas Projetos	Updated	2005-10-11 16:46:36
Generators	Default - Visual FoxPro Client/Server		

Form

Rules/Events/Conditions

```
// Rules
parm(pjcod);

// Events
Event 'Comentarios'
call(WPJJC03, pjcod)
EndEvent // 'Comentarios'

// Conditions
```

Properties

Variables

```
&Today D(8)
&Time C(8)
&Pgmname C(31)
&Pgmdesc C(30)
&colnomi C(12)
```

Help

Documentation

```
&Pgmdesc C(30)
&colnomi C(12)
```

Work Panel Information	
Name	PJC03
Folder	Created 2005-10-04 09:52:58
Description	Updated 2005-10-11 16:48:50

Generators
Default - Visual FoxPro Client/Server

Form

Rules/Events/Conditions

```
// Rules
parm(pjcod);

// Events
Event 'Proximo'
    &pjCcod = &pjCcod + 1
    Refresh
EndEvent // 'Proximo'

Event Start
    &pjCcod = 1
    EndEvent // 'Start'

Event 'anterior'
    &pjCcod = &pjCcod - 1
    if &pjCcod = 0
        &pjCcod = 1
    endif
    Refresh
EndEvent // 'anterior'

Event 'ultimo'
    call(PhusPJultcom ,pjcod, &pjCcod)
    Refresh
EndEvent // 'ultimo'

Event 'Primeiro'
    &pjCcod = 1
    Refresh
EndEvent // 'Primeiro'

// Conditions
pjCcod = &pjCcod;
```

Properties

```
EndEvent // 'anterior'

Event 'ultimo'
    call(PhusPJultcom ,pjcod, &pjCcod)
    Refresh
EndEvent // 'ultimo'

Event 'Primeiro'
    &pjCcod = 1
    Refresh
EndEvent // 'Primeiro'
```

```
// Conditions
pjCcod = &pjCcod;
```

Properties

Variables

```
&Today D(8)
&Time C(8)
&Ppname C(31)
&Pgndesc C(20)
&pjcod N(6)
&pjCcod N(5)
```

Transaction Information	
Name	PJC1
Folders	
Description	Comente Projeto
Associated to Style	Padrao : Padrao
Generators	Default - Visual FoxPro Client/Server

Structure	
pjcod*	* N(6) Cod PJ
pjnom	* C(40) Nome:
pjccod*	* N(5) pjccod
PJCdt	D(8) PJCdt
PJCCol	N(6) PJCCol
PJCColnom	C(12) PJCColnom
PJCCome	V(500) PJCCome

Directly Associated Tables for each level

pj01
(PJC1)

Form	

Rules/Events	
// Rules	
parm(pjcod, pjccod, PJCCol ,PJCColnom);	
Default(PJCdt , &Today);	
// Events	

Properties	
------------	--

Variables	
#Today	D(8)
#Time	C(8)
#Mode	C(3)
#Pymname	C(31)
#Pymdesc	C(20)
#GxRemove	N(1)
#valido	C(1)
#colcod	N(6)
#colnomi	C(12)
#sofcod	N(6)

Work Panel Information			
Name	PJC2	Id:	20
Folder		Created	2005-10-04 09:41:34
Description	Comente projeto	Updated	2005-10-04 09:46:50

Generators
Default - Visual FoxPro Client/Server

Form

Rules/Events/Conditions

```
// Rules
parm(&colcod,&colnomb);
order(pjnom);

// Events
Event Enter
call(FbusPJcom , pjcod, &pjCcod)
&pjCcod = &pjCcod + 1
call(TPJC1 ,pjcod, &pjCcod, &colcod, &colnomb)
EndEvent

// Conditions
```

pjnom LIKE. &C21;

Properties

Variables


```
&Today D(8)
&Time C(8)
&Fgname C(31)
&Fgndesc C(30)
&C20 N(6)
&C21 C(40)
&C22 C(10)
&C36 C(1)
&C37 C(10)
&C40 C(9)
&C65 C(35)
&V20 N(6)
&colcod N(6)
&colnomb C(12)
&soCcod N(5)
&pjCcod N(5)
```

Work Panel Information

Name	sitalt	Id:	15
Folder		Created	2005-09-30 15:57:50
Description	Altera Site	Updated	2005-09-30 17:24:32
Generators	(*) - Visual FoxPro Client/Server (Default)		

Form

Alterar Site



Rules/Events/Conditions

```
// Rules
parm( colcod, &colnomi);
order(sofcod);

// Events
Event Enter
  call(TSITE01 ,sofcod, colcod,&colnomi)
EndEvent

// Conditions
sofcod >= &C20;
sitnom .LIKE. &C21;
```

Properties**Variables**

```
&Today D(8)
&Time C(8)
&Pgname C(31)
&Pgndesc C(30)
&C20 N(6)
&C21 C(35)
&C22 C(10)
&C36 C(1)
&C37 C(10)
&C40 C(9)
&C65 C(35)
&V20 N(6)
&colnomi C(12)
```

Transaction Information

Name	SITE01	Id:	10
Folder		Created	2005-09-29 16:55:54
Description	Cadastro de Sites	Updated	2005-10-11 17:27:12

Associated to Style Padrao : Padrao

Generators
Default - Visual FoxPro Client/Server
(*) - Visual FoxPro Client/Server (Default)

Structure

sofcod*	*	N(6)	Código:
sitnom		C(35)	Nome:
sitsite		C(35)	Site:
sitdesc		V(1000)	Descrição:
demnom		C(1)	Possui demonstrativo?
colcod	*	N(6)	Código:
colnomb		C(12)	Nome Inicial:
stsaw		C(4)	Tipo

Directly Associated Tables for each level

SOFT02

Form



Rules/Events

```
// Rules
parm(sofcod, colcod,&colnomb;
Equal( stsaw, 'SITE' );
Equal( demnom, ' ' );
```

```
// Events
```

Properties

Variables

&Today	D(8)
&Time	C(8)
&Mode	C(3)
&Pgname	C(31)
&Pgndesc	C(30)
&GxRemove	N(1)
&Valido	C(1)
&colcod	N(6)
&colnomb	C(12)

Work Panel Information			
Name	sitetalt	Id:	16
Folder		Created	2005-09-30 16:59:46
Description	Altera Site	Updated	2005-10-11 17:33:36

Generators
Default - Visual FoxPro Client/Server

Form

Rules/Events/Conditions

```
// Rules
parm( colcod, &colnomb);
order(sofcod);

// Events
Event Enter
  call(TSITE01 ,sofcod, colcod,&colnomb)
EndEvent

// Conditions
sofcod >= &C20;
sitnom .LIKE. &C21;
stsw = 'SITE';
```

Properties

Variables

```
&Today D(8)
&Time C(9)
&Pgname C(31)
&Pgndesc C(30)
&C20 N(6)
&C21 C(35)
&C22 C(10)
&C26 C(1)
&C27 C(10)
&C40 C(9)
&C65 C(35)
&V20 N(6)
&colnomb C(12)
```

Transaction Information	
Name	PU04A1
Folder	Created 2005-03-28 13:51:40
Description Desenv. Avaliação Alunos	Updated 2005-12-15 16:18:32
	Consolidated 2005-03-28 13:51:42
Associated to Style Padrao : Padrao	
Generators	
	Default - Visual FoxPro
Structure	
placod*	* N(6) Código:
colcod	* N(6) Código:
colnome	C(35) Nome:
sofcod	* N(6) Código:
sofnom	C(25) Nome:
(aluordem*	* N(2) Ord:
aluades	C(40) Descrição:
aluauti	L(3000) aluauti
aluhrs)	T(0.5) Tempo
Directly Associated Tables for each level	
PU01	(PU04)
Form	
Rules/Events	
// Rules	
Parm(placod ,aluordem) ;	
// Events	
Properties	
Variables	
&Today D(8)	
&Time C(8)	
&Mode C(3)	
&Pgname C(31)	
&Pgndesc C(30)	
&GrRemove N(1)	

Work Panel Information

Name	soC03	Id:	19
Folder	Created 2005-09-30 17:05:28		
Description	Consulta comentários		
Generators	Updated 2005-09-30 17:34:40		
Default - Visual FoxPro Client/Server			

Form

Consulta comentários

Software/Site:

Colaborador:

Número:

Data:

Comentario
soccome

Rules/Events/Conditions

```
// Rules
parm(sofcod);

// Events
Event 'Proximo'
  &soCcod = &soCcod + 1
  Refresh
EndEvent // 'Proximo'

Event Start
  &soCcod = 1
EndEvent // Start

Event 'anterior'
  &soCcod = &soCcod - 1
  if &soCcod = 0
    &soCcod = 1
  endif
  Refresh
EndEvent // 'anterior'

Event 'ultimo'
  call(Phusultcom ,sofcod, &soCcod)
  Refresh
EndEvent // 'ultimo'

Event 'Primeiro'
  &soCcod = 1
  Refresh
EndEvent // 'Primeiro'

// Conditions
soCcod = &soCcod;
```

Properties

```
EndEvent // 'anterior'  
Event 'ultimo'  
    call(Phusultcom ,sofcod, &soCcod)  
    Refresh  
EndEvent // 'ultimo'  
  
Event 'Primeiro'  
    &soCcod = 1  
    Refresh  
EndEvent // 'Primeiro'  
  
// Conditions  
soCcod = &soCcod;
```

Properties

Variables

```
&Today D(8)  
&Time C(8)  
&Pymname C(31)  
&Pymdesc C(30)  
&soCcod N(5)
```

Transaction Information			
Name	SOFT01	Id:	2
Folder		Created	2005-09-29 16:02:40
Description	Cadastro de Softwares	Updated	2005-10-06 13:54:46
		Consolidated	2005-09-29 16:02:40

Associated to Style Padrão : Padrão

Generators
Default - Visual FoxPro Client/Server

Structure		
sofcod*	*	N(6) Código:
sitnom		C(35) Nome:
sofversao		C(10) Versão
demnom	*	C(1) Possui demonstrativo?
midnom	*	C(10) Midia:
sofpree		C(9) Preço:
sitsite		C(35) Site:
sitdesc		V(1000) Descrição:
colcod	*	N(6) Código:
colnombi		C(12) Nome Inicial:
stsw		C(4) Tipo

Directly Associated Tables for each level

SOFT02

Form

Rules/Events

```
// Rules
parm(sofcod, colcod,&colnombi);
Equal( stsw, 'SOFT' );

// Events
```

Properties

Variables

```
&Timez D(8)
&Time C(8)
&Mode C(3)
&Pgname C(31)
&Pgndesc C(20)
&GxRemove N(1)
&Valido C(1)
&colcod N(6)
&colnombi C(12)
&sofcod N(6)
```

Transaction Information

Name	SOFTOC	Id:	15
Folder	Created 2005-09-30 16:23:46		
Description	Comentário Soft/Site		
Associated to Style Padrão :	Padrão		
Generators	Default - Visual FoxPro Client/Server		

Structure

sofcod*	*	N(6)	Código:
sitnom	*	C(35)	Name:
(soCcod*	*	N(5)	soCcod
soCdt	*	D(8)	Data:
soCcol	*	N(6)	soCcol
soCcolnom	*	C(12)	soCcolnom
soCcome	V(500)	soCcome	


Directly Associated Tables for each level

```

SOFTO2
(SOFTOC)

```

Form



Rules/Events

```

// Rules
parm(sofcod, soCcod, soCcol ,soCcolnom);
Default( soCdt , &Today );

```

```
// Events
```

Properties**Variables**

```

&Today D(8)
&Time C(8)
&Mode C(3)
&Pgmname C(81)
&Pgmdesc C(80)

&GnRemove N(1)
&valido C(1)
&sofcod N(6)
&soCcolnom C(12)
&sofcod N(6)

```

Work Panel Information

Name softalt Id: 14
Folder Created 2005-09-30 15:11:26
Description Altera software Updated 2005-10-11 17:34:00

Generators
- Default - Visual FoxPro Client/Server

Form

Rules/Events/Conditions

```

// Rules

parm( colcod, &colnomi);
order(sofcod);

// Events

Event Enter
  call(TSOFT01 ,sofcod, colcod,&colnomi)
EndEvent

// Conditions

sofcod >= &C20;

```

Properties

Variables

```

&Today D(8)
&Time C(8)
&Pgname C(31)
&Pgndesc C(30)
&C20 N(6)
&C21 C(35)
&C22 C(10)
&C36 C(1)
&C37 C(10)
&C40 C(9)
&C65 C(35)
&V20 N(6)
&colnomb C(12)

```

Work Panel Information				
Name	SWC01	Id:	8	
Folder		Created	2005-09-29 19:15:28	
Description	Consulta Software e Sites	Updated	2005-09-30 14:39:28	

Generators
Default - Visual FoxPro Client/Server

Form

Rules/Events/Conditions

```
// Rules
order(sitnom);

// Events
Event Enter
  call(WSWc02 , sofcod)
EndEvent

// Conditions
sitnom .LIKE. &C21;
```

Properties

Variables

&Today	D(8)
&Time	C(8)
&Pgname	C(31)
&Pgndesc	C(30)
&C20	N(6)
&C21	C(35)
&C22	C(10)
&C36	C(1)
&C37	C(10)
&C40	C(9)
&C65	C(35)
&V20	N(6)

Work Panel Information			
Name	SWc02	Id:	9
Folder		Created	2005-09-29 19:21:30
Description	Consulta software 2	Updated	2005-09-30 17:12:00

Generators
Default - Visual FoxPro Client/Server

Form

Rules/Events/Conditions

```
// Rules
parm(sofcod);

// Events
Event 'comentarios'
call(Wsoc03 , sofcod)
EndEvent // 'comentarios'

// Conditions
```

Properties

Variables

```
&Today D(8)
&Time C(8)
&Pgname C(31)
&Pgndesc C(30)
&colnomi C(12)
```

Transaction Information	
Name	titmax
Folder	Id: 12
Description	Created 2005-09-29 19:10:12
	Updated 2005-09-29 19:10:22
Associated to Style Padrao	: Padrao
Generators	(*) - Visual FoxPro Client/Server (Default)

Structure	
coltit*	* C(20) Titularidade máxima:

Directly Associated Tables for each level

titmax

Form	
 <p>Banco de Informações de Softwares Educacional</p> <p>Carrão</p> <p>Titularidade máxima: coltit</p>	

Rules/Events	
<pre>// Rules</pre> <pre>// Events</pre>	

Properties	
------------	--

Variables	
<pre>&Today D(8) &Time C(8) &Mode C(3) &Pgname C(31) &Pgdesc C(30) &OnRemove N(1)</pre>	

Procedure Information

Name	verlogin	Id:	8
Folder		Created	2005-10-05 17:53:44
Description	verlogin	Updated	2005-10-05 17:54:56
Generators			
	Default - Visual FoxPro Client/Server		

Form

```
for each
where collogin = &collogin
  &achou = '3'
endfor
```

Rules/Subroutine/Conditions

```
// Rules
parm(&collogin,&achou);

// Subroutines

// Conditions
```

Properties

Variables

```
&Today D(8)
&Time C(8)
&Page N(6)
&Line N(6)
&Output C(3)
&Pgname C(31)
&Pgndesc C(20)
&collogin C(8)
&achou C(1)
```

Lógica

Work Panel <i>altpj Status</i>
Name altpj
Description Altera Projeto
Status Generation is required
Environment
Environment Visual FoxPro Client/Server
Spec. Version 7_5_5-016
Form Class Graphic
Program Name <i>Waltpj</i>
Parameters <i>pjcod</i> ,& <i>Colnom</i> /
Warnings
There is no index for order <i>pjcod</i> , <i>pynom</i> on table PJ01 , poor performance may be noticed
Events
Event Enter CALL(<i>pj01</i> , <i>pjcod</i> , <i>pjcod</i> ,& <i>Colnom</i>)
End Event
For Each PJ01 (Line: 1)
Order: <i>pjcod</i> , <i>pynom</i>
Navigation filters:
Start from:
<i>pjcod</i> = <i>pjcod</i>
Loop while:
<i>pjcod</i> = <i>pjcod</i>
Constraints:
<i>pjcod</i> =&C69
<i>pynom</i> .LIKE.&C70
PJ01 (<i>pjcod</i>)
SOFT02 (<i>softcod</i>)
Procedure <i>bucolaborador Status</i>
Name bucolaborador
Description <i>bucolaborador</i>
Status Generation is required
Output Devices None
Environment
Environment Visual FoxPro Client/Server
Spec. Version 7_5_5-016
Form Class Graphic
Program Name <i>Pbuscolaborador</i>
Parameters & <i>Colcod</i>
Levels
For Each COLABOR (Line: 1)
Index: ICOLABOR
Order: <i>colcod</i>
Navigation filters:
Start from:
FirstRecord
Loop while:
NotEndOfTable
COLABOR (<i>colcod</i>)
Procedure <i>busnovpj Status</i>
Name busnovpj
Description <i>busnovpj</i>
Status Generation is required
Output Devices None
Environment
Environment Visual FoxPro Client/Server
Spec. Version 7_5_5-016
Form Class Graphic
Program Name <i>Pbusnovpj</i>
Parameters & <i>Pjcod</i>
Levels
For Each PJ01 (Line: 1)
Index: IPJ01
Order: <i>pjcod</i>
Navigation filters:
Start from:
FirstRecord
Loop while:
NotEndOfTable
PJ01 (<i>pjcod</i>)
Procedure <i>busnovsoft Status</i>
Name busnovsoft
Description <i>busnovsoft</i>
Status Generation is required

Output Devices	None
Environment	
Environment	Visual FoxPro Client/Server
Spec. Version	7_5_5-016
Form Class	Graphic
Program Name	Pbusnovsoft
Parameters	&Sofcod
Levels	
For Each SOFT02 (Line: 1)	
Index:	SOFT02
Order:	sofcod
Navigation filters:	
Start from:	
FirstRecord	
Loop while:	
NotEndOfTable	
	 SOFT02 (sofcod)
Procedure busPJcom Status	
Name	busPJcom
Description	busPJcom
Status	Generation is required
Output Devices	None
Environment	
Environment	Visual FoxPro Client/Server
Spec. Version	7_5_5-016
Form Class	Graphic
Program Name	PbusPJcom
Parameters	pJcod,&pJccod
Levels	
For Each PJC1 (Line: 1)	
Index:	IPJC1
Order:	pJcod , pJccod
Navigation filters:	
Start from:	
pJcod=pJcod	
Loop while:	
pJcod=pJcod	
	 PJC1 (pJcod , pJccod)
Procedure busPJultcom Status	
Name	busPJultcom
Description	busPJultcom
Status	Generation is required
Output Devices	None
Environment	
Environment	Visual FoxPro Client/Server
Spec. Version	7_5_5-016
Form Class	Graphic
Program Name	PbusPJultcom
Parameters	&Pjcod,&Pjccod
Levels	
For Each PJC1 (Line: 1)	
Index:	IPJC1
Order:	pJcod , pJccod
Navigation filters:	
Start from:	
pJcod=&Pjcod	
Loop while:	
pJcod=&Pjcod	
	 PJC1 (pJcod , pJccod)
Procedure bussocom Status	
Name	bussocom
Description	bussocom
Status	Generation is required
Output Devices	None
Environment	
Environment	Visual FoxPro Client/Server
Spec. Version	7_5_5-016
Form Class	Graphic
Program Name	Pbussocom
Parameters	sofcod,&Soccod
Levels	
For Each SOFT0C (Line: 1)	

Index: ISOFTOC Order: sofcod , soCcod Navigation filters: Start from: * sofcod=&sofcod Loop while: * sofcod=&sofcod ISOFTOC (sofcod, soCcod)																																																
<table border="1"><tr><td>Procedure busultcom Status</td><td>busultcom</td></tr><tr><td>Name</td><td>busultcom</td></tr><tr><td>Description</td><td>busultcom</td></tr><tr><td>Status</td><td><i>Generation is required</i></td></tr><tr><td>Output Devices</td><td>None</td></tr><tr><td>Environment</td><td></td></tr><tr><td>Environment</td><td>Visual FoxPro Client/Server</td></tr><tr><td>Spec. Version</td><td>7.5_5-016</td></tr><tr><td>Form Class</td><td>Graphic</td></tr><tr><td>Program Name</td><td>Pbusultcom</td></tr><tr><td>Parameters</td><td>&Sofcod,&SoCcod</td></tr><tr><td>Levels</td><td></td></tr><tr><td>For Each SOFTOC (Line: 1)</td><td></td></tr><tr><td>Index: ISOFTOC Order: sofcod , soCcod Navigation filters: Start from: * sofcod=&Sofcod Loop while: * sofcod=&Sofcod ISOFTOC (sofcod, soCcod)</td><td></td></tr></table>	Procedure busultcom Status	busultcom	Name	busultcom	Description	busultcom	Status	<i>Generation is required</i>	Output Devices	None	Environment		Environment	Visual FoxPro Client/Server	Spec. Version	7.5_5-016	Form Class	Graphic	Program Name	Pbusultcom	Parameters	&Sofcod,&SoCcod	Levels		For Each SOFTOC (Line: 1)		Index: ISOFTOC Order: sofcod , soCcod Navigation filters: Start from: * sofcod=&Sofcod Loop while: * sofcod=&Sofcod ISOFTOC (sofcod, soCcod)																					
Procedure busultcom Status	busultcom																																															
Name	busultcom																																															
Description	busultcom																																															
Status	<i>Generation is required</i>																																															
Output Devices	None																																															
Environment																																																
Environment	Visual FoxPro Client/Server																																															
Spec. Version	7.5_5-016																																															
Form Class	Graphic																																															
Program Name	Pbusultcom																																															
Parameters	&Sofcod,&SoCcod																																															
Levels																																																
For Each SOFTOC (Line: 1)																																																
Index: ISOFTOC Order: sofcod , soCcod Navigation filters: Start from: * sofcod=&Sofcod Loop while: * sofcod=&Sofcod ISOFTOC (sofcod, soCcod)																																																
<table border="1"><tr><td>Transaction Colabor Status</td><td>Colabor</td></tr><tr><td>Name</td><td>Colabor</td></tr><tr><td>Description</td><td>Cadastro Colaboradores</td></tr><tr><td>Status</td><td><i>Generation is required</i></td></tr><tr><td>Environment</td><td></td></tr><tr><td>Environment</td><td>Visual FoxPro Client/Server</td></tr><tr><td>Spec. Version</td><td>7.5_5-016</td></tr><tr><td>Form Class</td><td>Graphic</td></tr><tr><td>Program Name</td><td>TColabor</td></tr><tr><td>Parameters</td><td>colcod</td></tr><tr><td>Levels</td><td></td></tr><tr><td>Level COLABOR</td><td></td></tr><tr><td>COLABOR (colcod)</td><td></td></tr><tr><td>TITMAX (coltit)</td><td></td></tr><tr><td>Insert into COLABOR</td><td></td></tr><tr><td> Attributes to update :</td><td></td></tr><tr><td> colcod,colnome,colnomy,colrua,colbai,colcid,colcep,coluf,colpais,colemail,colfone,coltit,colsen,colloqin,colsex,colprof,collectra,colinfo</td><td></td></tr><tr><td>Update on COLABOR</td><td></td></tr><tr><td> Attributes to update :</td><td></td></tr><tr><td> colnome,colnomy,colrua,colbai,colcid,colcep,coluf,colpais,colemail,colfone,coltit,colsen,colloqin,colsex,colprof,collectra,colinfo</td><td></td></tr><tr><td>Delete from COLABOR</td><td></td></tr><tr><td>Referential integrity controls on delete:</td><td></td></tr><tr><td> * SOFT02 (colcod)</td><td></td></tr></table>	Transaction Colabor Status	Colabor	Name	Colabor	Description	Cadastro Colaboradores	Status	<i>Generation is required</i>	Environment		Environment	Visual FoxPro Client/Server	Spec. Version	7.5_5-016	Form Class	Graphic	Program Name	TColabor	Parameters	colcod	Levels		Level COLABOR		COLABOR (colcod)		TITMAX (coltit)		Insert into COLABOR		Attributes to update :		colcod,colnome,colnomy,colrua,colbai,colcid,colcep,coluf,colpais,colemail,colfone,coltit,colsen,colloqin,colsex,colprof,collectra,colinfo		Update on COLABOR		Attributes to update :		colnome,colnomy,colrua,colbai,colcid,colcep,coluf,colpais,colemail,colfone,coltit,colsen,colloqin,colsex,colprof,collectra,colinfo		Delete from COLABOR		Referential integrity controls on delete:		* SOFT02 (colcod)			
Transaction Colabor Status	Colabor																																															
Name	Colabor																																															
Description	Cadastro Colaboradores																																															
Status	<i>Generation is required</i>																																															
Environment																																																
Environment	Visual FoxPro Client/Server																																															
Spec. Version	7.5_5-016																																															
Form Class	Graphic																																															
Program Name	TColabor																																															
Parameters	colcod																																															
Levels																																																
Level COLABOR																																																
COLABOR (colcod)																																																
TITMAX (coltit)																																																
Insert into COLABOR																																																
Attributes to update :																																																
colcod,colnome,colnomy,colrua,colbai,colcid,colcep,coluf,colpais,colemail,colfone,coltit,colsen,colloqin,colsex,colprof,collectra,colinfo																																																
Update on COLABOR																																																
Attributes to update :																																																
colnome,colnomy,colrua,colbai,colcid,colcep,coluf,colpais,colemail,colfone,coltit,colsen,colloqin,colsex,colprof,collectra,colinfo																																																
Delete from COLABOR																																																
Referential integrity controls on delete:																																																
* SOFT02 (colcod)																																																
<table border="1"><tr><td>Dynamic Combos</td><td></td></tr><tr><td>Name</td><td>Table</td><td>Descriptions</td><td>Sorted</td><td>Values</td></tr><tr><td>coltit</td><td>TITMAX</td><td>coltit</td><td>Y</td><td>coltit</td></tr><tr><td>Transaction Conteudos Status</td><td>Conteudos</td></tr><tr><td>Name</td><td>Conteudos</td></tr><tr><td>Description</td><td>Conteudos</td></tr><tr><td>Status</td><td><i>Generation is required</i></td></tr><tr><td>Environment</td><td></td></tr><tr><td>Environment</td><td>Visual FoxPro Client/Server</td></tr><tr><td>Spec. Version</td><td>7.5_5-016</td></tr><tr><td>Form Class</td><td>Graphic</td></tr><tr><td>Program Name</td><td>TConteudos</td></tr><tr><td>Parameters</td><td></td></tr><tr><td>Levels</td><td></td></tr><tr><td>Level CONTEUDOS</td><td></td></tr><tr><td>CONTEUDOS (arecon)</td><td></td></tr><tr><td>Insert into CONTEUDOS</td><td></td></tr><tr><td> Attributes to update :</td><td></td></tr><tr><td> arecon</td><td></td></tr><tr><td>Update on CONTEUDOS</td><td></td></tr><tr><td>Delete from CONTEUDOS</td><td></td></tr></table>	Dynamic Combos		Name	Table	Descriptions	Sorted	Values	coltit	TITMAX	coltit	Y	coltit	Transaction Conteudos Status	Conteudos	Name	Conteudos	Description	Conteudos	Status	<i>Generation is required</i>	Environment		Environment	Visual FoxPro Client/Server	Spec. Version	7.5_5-016	Form Class	Graphic	Program Name	TConteudos	Parameters		Levels		Level CONTEUDOS		CONTEUDOS (arecon)		Insert into CONTEUDOS		Attributes to update :		arecon		Update on CONTEUDOS		Delete from CONTEUDOS	
Dynamic Combos																																																
Name	Table	Descriptions	Sorted	Values																																												
coltit	TITMAX	coltit	Y	coltit																																												
Transaction Conteudos Status	Conteudos																																															
Name	Conteudos																																															
Description	Conteudos																																															
Status	<i>Generation is required</i>																																															
Environment																																																
Environment	Visual FoxPro Client/Server																																															
Spec. Version	7.5_5-016																																															
Form Class	Graphic																																															
Program Name	TConteudos																																															
Parameters																																																
Levels																																																
Level CONTEUDOS																																																
CONTEUDOS (arecon)																																																
Insert into CONTEUDOS																																																
Attributes to update :																																																
arecon																																																
Update on CONTEUDOS																																																
Delete from CONTEUDOS																																																

Referential integrity controls on delete: ↳ P101 (arecon)			
Prompts			
Table	Program	In Parameters	Out Parameters
CONTEUDOS	Gx0070		arecon
Work Panel ent01 Status	ent01		
Name	Entrada		
Status	<i>Generation is required</i>		
Main	Yes		
Environment			
Environment	Visual FoxPro Client/Server		
Spec. Version	7.5-5-016		
Form Class	Graphic		
Program Name	Went01		
Parameters			
Events			
Event: 'cadastre-se'			
CALL(buscolaborador ,&Colcod)			
CALL(Colabor ,&Colcod)			
End Event			
Event: 'softwares'			
CALL(busnovsoft ,&Sofcod)			
CALL(SOFT01 ,&Sofcod,&Colcod,&Colnomi)			
For Each COLABOR (Line: 9)			
Index: ICOLABOR			
Order: colcod			
Navigation filters:			
Start from:			
FirstRecord			
Loop while:			
NotEndOfTable			
Constraints:			
colligin=&Colligin			
COLABOR (colcod)			
End Event			
Event: 'sites'			
CALL(busnovsoft ,&Sofcod)			
CALL(SITE01 ,&Sofcod,&Colcod,&Colnomi)			
For Each COLABOR (Line: 33)			
Index: ICOLABOR			
Order: colcod			
Navigation filters:			
Start from:			
FirstRecord			
Loop while:			
NotEndOfTable			
Constraints:			
colligin=&Colligin			
COLABOR (colcod)			
End Event			
Event: 'projetos'			
CALL(busnovpt ,&Pjcod)			
CALL(P101 ,&Pjcod,&Colcod,&Colnomi)			
For Each COLABOR (Line: 57)			
Index: ICOLABOR			
Order: colcod			
Navigation filters:			
Start from:			
FirstRecord			
Loop while:			
NotEndOfTable			
Constraints:			
colligin=&Colligin			
COLABOR (colcod)			
End Event			
Event: 'esqued'			
CALL(Esqued)			
End Event			
Event: 'val'			
For Each COLABOR (Line: 89)			
Index: ICOLABOR			
Order: colcod			
Navigation filters:			
Start from:			
FirstRecord			

```

Loop while:
  < NotEndOfTable
  Constraints:
    < colligin=&Collogin
      COLABOR ( colcod )

End Event
Event 'consotwares'
  CALLSWC01
End Event
Event 'pjC'
  CALLpjC00
End Event
Event 'alts'
  CALLsoftalt ,&Colcod,&Colnomi)
For Each COLABOR (Line: 115)
Index: ICOLABOR
Order: colcod
Navigation filters:
Start from:
  < FirstRecord
Loop while:
  < NotEndOfTable
  Constraints:
    < colligin=&Collogin
      COLABOR ( colcod )

End Event
Event 'altpj'
  CALL(altpj ,&Colcod,&Colnomi)
For Each COLABOR (Line: 137)
Index: ICOLABOR
Order: colcod
Navigation filters:
Start from:
  < FirstRecord
Loop while:
  < NotEndOfTable
  Constraints:
    < colligin=&Collogin
      COLABOR ( colcod )

End Event
Event 'cmbs'
  CALL(cmbs00 ,&Colcod,&Colnomi)
For Each COLABOR (Line: 163)
Index: ICOLABOR
Order: colcod
Navigation filters:
Start from:
  < FirstRecord
Loop while:
  < NotEndOfTable
  Constraints:
    < colligin=&Collogin
      COLABOR ( colcod )

End Event
Event 'cmtp'
  CALL(PJC2 ,&Colcod,&Colnomi)
For Each COLABOR (Line: 186)
Index: ICOLABOR
Order: colcod
Navigation filters:
Start from:
  < FirstRecord
Loop while:
  < NotEndOfTable
  Constraints:
    < colligin=&Collogin
      COLABOR ( colcod )

End Event
Event 'altsite'
  CALL(sitetait ,&Colcod,&Colnomi)
For Each COLABOR (Line: 211)
Index: ICOLABOR
Order: colcod
Navigation filters:
Start from:
  < FirstRecord

```

Loop while:	
$\&$ NotEndOfTable	
Constraints:	
$\&$ collogin=&Collogin	
 COLABOR (colcod)	
End Event	
Event 'altere cadastro'	
CALL(Colabor ,&Colcod)	
For Each COLABOR (Line: 233)	
Index: ICOLABOR	
Order: colcod	
Navigation filters:	
Start from:	
$\&$ FirstRecord	
Loop while:	
$\&$ NotEndOfTable	
Constraints:	
$\&$ collogin=&Collogin	
 COLABOR (colcod)	
End Event	
Work Panel Esqueci Status	
Name	 Esqueci
Description	Esqueci
Status	<i>Generation is required</i>
Environment	
Environment	 Visual FoxPro Client/Server
Spec. Version	 7_5_5-016
Form Class	Graphic
Program Name	WEsqueci
Parameters	
Events	
Event Enter	
For Each COLABOR (Line: 2)	
Index: ICOLABOR	
Order: colcod	
Navigation filters:	
Start from:	
$\&$ FirstRecord	
Loop while:	
$\&$ NotEndOfTable	
Constraints:	
$\&$ collogin=&Collogin	
 COLABOR (colcod)	
End Event	
Work Panel Gx0010 Status	
Name	 Gx0010
Description	Lista de Seleção COLABOR
Status	<i>Generation is required</i>
Environment	
Environment	 Visual FoxPro Client/Server
Spec. Version	 7_5_5-016
Form Class	Graphic
Program Name	WGx0010
Parameters	{out} &V1
For Each COLABOR (Line: 1)	
Index: ICOLABOR	
Order: colcod	
Navigation filters:	
Start from:	
$\&$ colcod>=&C1	
Loop while:	
$\&$ NotEndOfTable	
Constraints:	
$\&$ colnome.LIKE.&C2	
$\&$ colrua.LIKE.&C3	
$\&$ colba.LIKE.&C4	
$\&$ colcid.LIKE.&C5	
$\&$ colcep.LIKE.&C6	
$\&$ coluf.LIKE.&C7	
 COLABOR (colcod)	
Work Panel Gx0020 Status	
Name	 Gx0020
Description	Lista de Seleção SOFT02
Status	<i>Generation is required</i>

Environment	
Environment	Visual FoxPro Client/Server
Spec. Version	7_5_5-016
Form Class	Graphic
Program Name	WGx0020
Parameters	{out} &V20
For Each \$OFT02 (Line: 1)	
Index:	ISOF02
Order:	sofcod
Navigation filters:	
Start from:	
»	sofcod>=&C20
Loop while:	
»	NotEndOfTable
Constraints:	
»	sitnom.LIKE.&C21
»	sofversao.LIKE.&C22
»	demonom.LIKE.&C36
»	midnom.LIKE.&C37
»	sofpre>=&C40
»	sitsite.LIKE.&C65
	\$OFT02 (sofcod)
Work Panel Gx0030 Status	
Name	Gx0030
Description	Lista de Seleção MIDIA
Status	Generation is required
Environment	
Environment	Visual FoxPro Client/Server
Spec. Version	7_5_5-016
Form Class	Graphic
Program Name	WGx0030
Parameters	{out} &V37
For Each MIDIA (Line: 1)	
Index:	IMIDIA
Order:	midnom
Navigation filters:	
Start from:	
»	FirstRecord
Loop while:	
»	NotEndOfTable
Constraints:	
»	midnom.LIKE.&C37
	MIDIA (midnom)
Work Panel Gx0050 Status	
Name	Gx0050
Description	Lista de Seleção TITMAX
Status	Generation is required
Environment	
Environment	Visual FoxPro Client/Server
Spec. Version	7_5_5-016
Form Class	Graphic
Program Name	WGx0050
Parameters	{out} &V10
For Each TITMAX (Line: 1)	
Index:	ITITMAX
Order:	coltit
Navigation filters:	
Start from:	
»	FirstRecord
Loop while:	
»	NotEndOfTable
Constraints:	
»	coltit.LIKE.&C10
	TITMAX (coltit)
Work Panel Gx0060 Status	
Name	Gx0060
Description	Lista de Seleção PJ01
Status	Generation is required
Environment	
Environment	Visual FoxPro Client/Server
Spec. Version	7_5_5-016
Form Class	Graphic
Program Name	WGx0060
Parameters	{out} &V69

For Each PJ01 (Line: 1) Index: IPJ01 Order: pjcod Navigation filters: Start from: ↳ pjcod>=&C69 Loop while: ↳ NotEndOfTable Constraints: ↳ pjnom.LIKE.&C70 ↳ sofcod>=&C20 ↳ arecon.LIKE.&C72 ↳ pjfx>=&C73 ↳ pjfx>=&C74 ↳ pjhoras>=&C75 PJ01 (pjcod)											
Work Panel Gx0070 Status Name Gx0070 Description <i>Lista de Seleção CONTEUDOS</i> Status <i>Generation is required</i>											
Environment Environment Visual FoxPro Client/Server Spec. Version 7_5_5-016 Form Class Graphic Program Name WGx0070 Parameters <i>[out] &V72</i>											
For Each CONTEUDOS (Line: 1) Index: ICONEUDOS Order: arecon Navigation filters: Start from: ↳ FirstRecord Loop while: ↳ NotEndOfTable Constraints: ↳ arecon.LIKE.&C72 CONTEUDOS (arecon)											
Transaction Midia Status Name Midia Description <i>Tabela de Midia</i> Status <i>Generation is required</i>											
Environment Environment Visual FoxPro Client/Server Spec. Version 7_5_5-016 Form Class Graphic Program Name TMidia Parameters											
Levels Level MIDIA											
MIDIA (midnom) Insert into MIDIA Attributes to update : midnom Update on MIDIA Delete from MIDIA											
Referential integrity controls on delete: ↳ SOFT02 (midnom)											
Prompts <table border="1"> <thead> <tr> <th>Table</th> <th>Program</th> <th>In Parameters</th> <th>Out Parameters</th> </tr> </thead> <tbody> <tr> <td>MIDIA</td> <td>Gx0030</td> <td></td> <td>midnom</td> </tr> </tbody> </table>				Table	Program	In Parameters	Out Parameters	MIDIA	Gx0030		midnom
Table	Program	In Parameters	Out Parameters								
MIDIA	Gx0030		midnom								
Transaction pj01 Status Name pj01 Description <i>Projeto de Uso</i> Status <i>Generation is required</i>											
Environment Environment Visual FoxPro Client/Server Spec. Version 7_5_5-016 Form Class Graphic Program Name Tpj01 Parameters <i>[pjcod, pjcod, &Colnom]</i>											
Levels Level PJ01											

PJ01 (pjcod)
 ↳ SOFT02 (sofcod)
 ↳ CONTEUDOS (arecon)

Insert into PJ01
 Attributes to update : pjcod,pjcolcod,pjhstot,pjnom,sofcod,pires,arecon,pjfxi,pjfxf,pjhoras,pitempo,pjobj,pjati,pjava.
 Update on PJ01
 Attributes to update : pjcolcod,pjhstot,pjnom,sofcod,pires,arecon,pjfxi,pjfxf,pjhoras,pitempo,pjobj,pjati,pjava.
 Delete from PJ01

Referential integrity controls on delete:
 ↳ PJ01 (pjcod)

Prompts	Table	Program	In Parameters	Out Parameters
	SOFTO2	Ex0020		sofcod
Dynamic Combos				
Name	Table	Descriptions	Sorted	Values
arecon	CONTEUDOS	arecon	Y	arecon
Work Panel pjC00 Status				
Name		pjC00		
Description		Consulta Projeto		
Status		Generation is required		
Environment				
Environment		Visual FoxPro Client/Server		
Spec. Version		7_5_5-016		
Form Class		Graphic		
Program Name		WpjC00		
Parameters				
Warnings				
↳ There is no index for order pjnom on table PJ01 , poor performance may be noticed				
Events				
Event Enter		CALL(pj01 ,pjcod)		
End Event				
For Each PJ01 (Line: 1)				
Order: pjnom				
Navigation filters:				
Start from:				
↳ FirstRecord				
Loop while:				
↳ NotEndOfFileTable				
Constraints:				
↳ pjnom.LIKE.&C70				
↳ arecon.LIKE.&C72				
↳ pjfxi>=&C73,AND.pjfxf<=&C74				
↳ PJ01 (pjcod)				
↳ SOFT02 (sofcod)				
Work Panel pjC01 status				
Name		pjC01		
Description		Consulta Projetos		
Status		Generation is required		
Environment				
Environment		Visual FoxPro Client/Server		
Spec. Version		7_5_5-016		
Form Class		Graphic		
Program Name		WpjC01		
Parameters		pjcod		
Events				
Event "comentarios"		CALL(PJC03 ,pjcod)		
End Event				
For First PJ01 (Line: 1)				
Index: IPJ01				
Order: pjcod				
Navigation filters:				
Start from:				
↳ pjcod=pjcod				
Loop while:				
↳ pjcod=pjcod				
↳ PJ01 (pjcod)				
↳ SOFT02 (sofcod)				
Dynamic Combos				
Name	Table	Descriptions	Sorted	Values
arecon	CONTEUDOS	arecon	Y	arecon
Work Panel PJC03 Status				
Name		PJC03		

Description	PJC03
Status	<i>Generation is required</i>
Environment	
Spec. Version	Visual FoxPro Client/Server 7_5_5-016
Form Class	Graphic
Program Name	WPJC03
Parameters	pjcod
Events	
Event 'ultimo'	CALL(busPJultcom ,pjcod,&Pjccod)
End Event	
For First PJC1 (Line: 1)	
Index:	IPJC1
Order:	pjcod
Navigation filters:	
Start from:	
pjcod=pjcod	
pjCcod=&Pjccod	
Loop while:	
pjcod=pjcod	
pjCcod=&Pjccod	
Constraints:	
pjCcod=&Pjccod	
PJ1 (pjcod, pjCcod)	
PJ01 (pjcod)	
Transaction PJC1 Status	
Name	PJ1
Description	Comente Projeto
Status	<i>Generation is required</i>
Environment	
Spec. Version	Visual FoxPro Client/Server 7_5_5-016
Form Class	Graphic
Program Name	TPJC1
Parameters	pjcod,pjCcod,PJCol,PJColnom
Levels	
Level PJ01	
PJ01 (pjcod)	
Insert into PJ01	
Attributes to update : pjcod, pinom	
Update on PJ01	
Attributes to update : pinom	
Delete from PJ01	
Level PJC1	
PJ1 (pjcod, pjCcod)	
Insert into PJ1	
Attributes to update : pjcod,pjCcod,PJCdt,PJCcol,PJCcolnom,PJCcome	
Update on PJ1	
Attributes to update : PJCdt,PJCcol,PJCcolnom,PJCcome	
Delete from PJ1	
Work Panel PJC2 Status	
Name	PJ2
Description	Comente projeto
Status	<i>Generation is required</i>
Environment	
Spec. Version	Visual FoxPro Client/Server 7_5_5-016
Form Class	Graphic
Program Name	WPJC2
Parameters	&Colcod,&Colnomi
Warnings	
There is no index for order pinom on table PJ01 , poor performance may be noticed	
Events	
Event Enter	
CALL(busPJcom ,pjcod,&Pjccod)	
CALL(PJ1 ,pjcod,&Pjccod,&Colcod,&Colnomi)	
End Event	
For Each PJ01 (Line: 1)	
Order: pinom	
Navigation filters:	
Start from:	

<pre> * FirstRecord Loop while: * NotEndOfTable Constraints: * pnom.LIKE.&C21 ■ P101 (sofcod) ■ ISOFT02 (sofcod) ■ COLABOR (colcod) </pre>																																																																																																																															
<table border="1"> <thead> <tr> <th colspan="2">Work Panel sitalt Status</th> </tr> </thead> <tbody> <tr> <td>Name</td><td>■ sitalt</td></tr> <tr> <td>Description</td><td>Altera Site</td></tr> <tr> <td>Status</td><td><i>Generation is required</i></td></tr> <tr> <td>Environment</td><td></td></tr> <tr> <td>Environment</td><td>Visual FoxPro Client/Server</td></tr> <tr> <td>Spec. Version</td><td>7_5_5-016</td></tr> <tr> <td>Form Class</td><td>Graphic</td></tr> <tr> <td>Program Name</td><td>Wsitalt</td></tr> <tr> <td>Parameters</td><td>colcod,&Colnomi</td></tr> <tr> <td>Events</td><td></td></tr> <tr> <td>Event Enter</td><td>CALL(SITE01,sofcod,colcod,&Colnomi)</td></tr> <tr> <td>End Event</td><td></td></tr> <tr> <td>For Each ISOFT02 (Line: 1)</td><td></td></tr> <tr> <td>Index: ISOFT02</td><td></td></tr> <tr> <td>Order: softcod</td><td></td></tr> <tr> <td>Navigation filters:</td><td></td></tr> <tr> <td>Start from:</td><td></td></tr> <tr> <td>* softcod=&C20</td><td></td></tr> <tr> <td>Loop while:</td><td></td></tr> <tr> <td>* NotEndOfTable</td><td></td></tr> <tr> <td>Constraints:</td><td></td></tr> <tr> <td>* colcod=colcod</td><td></td></tr> <tr> <td>* sitnom.LIKE.&C21</td><td></td></tr> <tr> <td>■ ISOFT02 (sofcod)</td><td></td></tr> <tr> <td>Transaction SITE01 Status</td><td></td></tr> <tr> <td>Name</td><td>■ SITE01</td></tr> <tr> <td>Description</td><td>Cadastro de Sites</td></tr> <tr> <td>Status</td><td><i>Generation is required</i></td></tr> <tr> <td>Environment</td><td></td></tr> <tr> <td>Environment</td><td>Visual FoxPro Client/Server</td></tr> <tr> <td>Spec. Version</td><td>7_5_5-016</td></tr> <tr> <td>Form Class</td><td>Graphic</td></tr> <tr> <td>Program Name</td><td>TSITE01</td></tr> <tr> <td>Parameters</td><td>sofcod,colcod,&Colnomi</td></tr> <tr> <td>Levels</td><td></td></tr> <tr> <td>Level ISOFT02</td><td></td></tr> <tr> <td>■ ISOFT02 (sofcod)</td><td></td></tr> <tr> <td>■ COLABOR (colcod)</td><td></td></tr> <tr> <td>Insert into ISOFT02</td><td></td></tr> <tr> <td>Attributes to update : softcod,colcod,stsw,demnom,sitnom,sitsite,sitdesc</td><td></td></tr> <tr> <td>Update on ISOFT02</td><td></td></tr> <tr> <td>Attributes to update : colcod,stsw,demnom,sitnom,sitsite,sitdesc</td><td></td></tr> <tr> <td>Delete from ISOFT02</td><td></td></tr> <tr> <td>Referential integrity controls on delete:</td><td></td></tr> <tr> <td>* P101 (sofcod)</td><td></td></tr> <tr> <td>* SOFTOC (sofcod)</td><td></td></tr> <tr> <td>Work Panel sitetalt Status</td><td></td></tr> <tr> <td>Name</td><td>■ sitetalt</td></tr> <tr> <td>Description</td><td>Altera Site</td></tr> <tr> <td>Status</td><td><i>Generation is required</i></td></tr> <tr> <td>Environment</td><td></td></tr> <tr> <td>Environment</td><td>Visual FoxPro Client/Server</td></tr> <tr> <td>Spec. Version</td><td>7_5_5-016</td></tr> <tr> <td>Form Class</td><td>Graphic</td></tr> <tr> <td>Program Name</td><td>Wsitetalt</td></tr> <tr> <td>Parameters</td><td>colcod,&Colnomi</td></tr> <tr> <td>Events</td><td></td></tr> <tr> <td>Event Enter</td><td>CALL(SITE01,sofcod,colcod,&Colnomi)</td></tr> <tr> <td>End Event</td><td></td></tr> <tr> <td>For Each ISOFT02 (Line: 1)</td><td></td></tr> <tr> <td>Index: ISOFT02</td><td></td></tr> <tr> <td>Order: softcod</td><td></td></tr> </tbody> </table>		Work Panel sitalt Status		Name	■ sitalt	Description	Altera Site	Status	<i>Generation is required</i>	Environment		Environment	Visual FoxPro Client/Server	Spec. Version	7_5_5-016	Form Class	Graphic	Program Name	Wsitalt	Parameters	colcod,&Colnomi	Events		Event Enter	CALL(SITE01,sofcod,colcod,&Colnomi)	End Event		For Each ISOFT02 (Line: 1)		Index: ISOFT02		Order: softcod		Navigation filters:		Start from:		* softcod=&C20		Loop while:		* NotEndOfTable		Constraints:		* colcod=colcod		* sitnom.LIKE.&C21		■ ISOFT02 (sofcod)		Transaction SITE01 Status		Name	■ SITE01	Description	Cadastro de Sites	Status	<i>Generation is required</i>	Environment		Environment	Visual FoxPro Client/Server	Spec. Version	7_5_5-016	Form Class	Graphic	Program Name	TSITE01	Parameters	sofcod,colcod,&Colnomi	Levels		Level ISOFT02		■ ISOFT02 (sofcod)		■ COLABOR (colcod)		Insert into ISOFT02		Attributes to update : softcod,colcod,stsw,demnom,sitnom,sitsite,sitdesc		Update on ISOFT02		Attributes to update : colcod,stsw,demnom,sitnom,sitsite,sitdesc		Delete from ISOFT02		Referential integrity controls on delete:		* P101 (sofcod)		* SOFTOC (sofcod)		Work Panel sitetalt Status		Name	■ sitetalt	Description	Altera Site	Status	<i>Generation is required</i>	Environment		Environment	Visual FoxPro Client/Server	Spec. Version	7_5_5-016	Form Class	Graphic	Program Name	Wsitetalt	Parameters	colcod,&Colnomi	Events		Event Enter	CALL(SITE01,sofcod,colcod,&Colnomi)	End Event		For Each ISOFT02 (Line: 1)		Index: ISOFT02		Order: softcod	
Work Panel sitalt Status																																																																																																																															
Name	■ sitalt																																																																																																																														
Description	Altera Site																																																																																																																														
Status	<i>Generation is required</i>																																																																																																																														
Environment																																																																																																																															
Environment	Visual FoxPro Client/Server																																																																																																																														
Spec. Version	7_5_5-016																																																																																																																														
Form Class	Graphic																																																																																																																														
Program Name	Wsitalt																																																																																																																														
Parameters	colcod,&Colnomi																																																																																																																														
Events																																																																																																																															
Event Enter	CALL(SITE01,sofcod,colcod,&Colnomi)																																																																																																																														
End Event																																																																																																																															
For Each ISOFT02 (Line: 1)																																																																																																																															
Index: ISOFT02																																																																																																																															
Order: softcod																																																																																																																															
Navigation filters:																																																																																																																															
Start from:																																																																																																																															
* softcod=&C20																																																																																																																															
Loop while:																																																																																																																															
* NotEndOfTable																																																																																																																															
Constraints:																																																																																																																															
* colcod=colcod																																																																																																																															
* sitnom.LIKE.&C21																																																																																																																															
■ ISOFT02 (sofcod)																																																																																																																															
Transaction SITE01 Status																																																																																																																															
Name	■ SITE01																																																																																																																														
Description	Cadastro de Sites																																																																																																																														
Status	<i>Generation is required</i>																																																																																																																														
Environment																																																																																																																															
Environment	Visual FoxPro Client/Server																																																																																																																														
Spec. Version	7_5_5-016																																																																																																																														
Form Class	Graphic																																																																																																																														
Program Name	TSITE01																																																																																																																														
Parameters	sofcod,colcod,&Colnomi																																																																																																																														
Levels																																																																																																																															
Level ISOFT02																																																																																																																															
■ ISOFT02 (sofcod)																																																																																																																															
■ COLABOR (colcod)																																																																																																																															
Insert into ISOFT02																																																																																																																															
Attributes to update : softcod,colcod,stsw,demnom,sitnom,sitsite,sitdesc																																																																																																																															
Update on ISOFT02																																																																																																																															
Attributes to update : colcod,stsw,demnom,sitnom,sitsite,sitdesc																																																																																																																															
Delete from ISOFT02																																																																																																																															
Referential integrity controls on delete:																																																																																																																															
* P101 (sofcod)																																																																																																																															
* SOFTOC (sofcod)																																																																																																																															
Work Panel sitetalt Status																																																																																																																															
Name	■ sitetalt																																																																																																																														
Description	Altera Site																																																																																																																														
Status	<i>Generation is required</i>																																																																																																																														
Environment																																																																																																																															
Environment	Visual FoxPro Client/Server																																																																																																																														
Spec. Version	7_5_5-016																																																																																																																														
Form Class	Graphic																																																																																																																														
Program Name	Wsitetalt																																																																																																																														
Parameters	colcod,&Colnomi																																																																																																																														
Events																																																																																																																															
Event Enter	CALL(SITE01,sofcod,colcod,&Colnomi)																																																																																																																														
End Event																																																																																																																															
For Each ISOFT02 (Line: 1)																																																																																																																															
Index: ISOFT02																																																																																																																															
Order: softcod																																																																																																																															

<p>Navigation filters:</p> <p>Start from: ↳ sofcod>=&C20</p> <p>Loop while: ↳ NotEndOfTable</p> <p>Constraints:</p> <ul style="list-style-type: none"> ↳ colcod=colcod ↳ sitnom.LIKE.&C21 ↳ stsw='SITE' <p> ↳ SOFT02 (sofcod)</p>																																																			
<table border="1"> <tr> <td>Work Panel</td> <td>soC00 Status</td> </tr> <tr> <td>Name</td> <td>soC00</td> </tr> <tr> <td>Description</td> <td>Comentário Software</td> </tr> <tr> <td>Status</td> <td><i>Generation is required</i></td> </tr> <tr> <td>Environment</td> <td></td> </tr> <tr> <td>Environment</td> <td>Visual FoxPro Client/Server</td> </tr> <tr> <td>Spec. Version</td> <td>7_5_5-016</td> </tr> <tr> <td>Form Class</td> <td>Graphic</td> </tr> <tr> <td>Program Name</td> <td>WssoC00</td> </tr> <tr> <td>Parameters</td> <td>&Colcod,&Colnomi</td> </tr> <tr> <td>Warnings</td> <td>There is no index for order sitnom on table SOFT02 , poor performance may be noticed</td> </tr> <tr> <td>Events</td> <td></td> </tr> <tr> <td>Event Enter</td> <td>CALL(busocom ,sofcod,&Soccod) CALL(SOFT02 ,sofcod,&Soccod,&Colcod,&Colnomi)</td> </tr> <tr> <td>End Event</td> <td></td> </tr> <tr> <td>For Each SOFT02 (Line: 1)</td> <td></td> </tr> <tr> <td>Order:</td> <td>sitnom</td> </tr> <tr> <td>Navigation filters:</td> <td></td> </tr> <tr> <td>Start from:</td> <td>FirstRecord</td> </tr> <tr> <td>Loop while:</td> <td>NotEndOfTable</td> </tr> <tr> <td>Constraints:</td> <td></td> </tr> <tr> <td> ↳ sitnom.LIKE.&C21</td> <td></td> </tr> <tr> <td> ↳ SOFT02 (sofcod)</td> <td></td> </tr> <tr> <td> ↳ COLABOR (colcod)</td> <td></td> </tr> </table>		Work Panel	soC00 Status	Name	soC00	Description	Comentário Software	Status	<i>Generation is required</i>	Environment		Environment	Visual FoxPro Client/Server	Spec. Version	7_5_5-016	Form Class	Graphic	Program Name	WssoC00	Parameters	&Colcod,&Colnomi	Warnings	There is no index for order sitnom on table SOFT02 , poor performance may be noticed	Events		Event Enter	CALL(busocom ,sofcod,&Soccod) CALL(SOFT02 ,sofcod,&Soccod,&Colcod,&Colnomi)	End Event		For Each SOFT02 (Line: 1)		Order:	sitnom	Navigation filters:		Start from:	FirstRecord	Loop while:	NotEndOfTable	Constraints:		↳ sitnom.LIKE.&C21		↳ SOFT02 (sofcod)		↳ COLABOR (colcod)					
Work Panel	soC00 Status																																																		
Name	soC00																																																		
Description	Comentário Software																																																		
Status	<i>Generation is required</i>																																																		
Environment																																																			
Environment	Visual FoxPro Client/Server																																																		
Spec. Version	7_5_5-016																																																		
Form Class	Graphic																																																		
Program Name	WssoC00																																																		
Parameters	&Colcod,&Colnomi																																																		
Warnings	There is no index for order sitnom on table SOFT02 , poor performance may be noticed																																																		
Events																																																			
Event Enter	CALL(busocom ,sofcod,&Soccod) CALL(SOFT02 ,sofcod,&Soccod,&Colcod,&Colnomi)																																																		
End Event																																																			
For Each SOFT02 (Line: 1)																																																			
Order:	sitnom																																																		
Navigation filters:																																																			
Start from:	FirstRecord																																																		
Loop while:	NotEndOfTable																																																		
Constraints:																																																			
↳ sitnom.LIKE.&C21																																																			
↳ SOFT02 (sofcod)																																																			
↳ COLABOR (colcod)																																																			
<table border="1"> <tr> <td>Work Panel</td> <td>soC03 Status</td> </tr> <tr> <td>Name</td> <td>soC03</td> </tr> <tr> <td>Description</td> <td>Consulta comentários</td> </tr> <tr> <td>Status</td> <td><i>Generation is required</i></td> </tr> <tr> <td>Environment</td> <td></td> </tr> <tr> <td>Environment</td> <td>Visual FoxPro Client/Server</td> </tr> <tr> <td>Spec. Version</td> <td>7_5_5-016</td> </tr> <tr> <td>Form Class</td> <td>Graphic</td> </tr> <tr> <td>Program Name</td> <td>WssoC03</td> </tr> <tr> <td>Parameters</td> <td>sofcod</td> </tr> <tr> <td>Events</td> <td></td> </tr> <tr> <td>Event 'ultimo'</td> <td>CALL(busultcom ,sofcod,&Soccod)</td> </tr> <tr> <td>End Event</td> <td></td> </tr> <tr> <td>For First SOFT0C (Line: 1)</td> <td></td> </tr> <tr> <td>Index:</td> <td>ISOFT0C</td> </tr> <tr> <td>Order:</td> <td>sofcod</td> </tr> <tr> <td>Navigation filters:</td> <td></td> </tr> <tr> <td>Start from:</td> <td>sofcod=sofcod</td> </tr> <tr> <td> ↳ soCcod=&Soccod</td> <td></td> </tr> <tr> <td>Loop while:</td> <td>sofcod=sofcod</td> </tr> <tr> <td> ↳ soCcod=&Soccod</td> <td></td> </tr> <tr> <td>Constraints:</td> <td></td> </tr> <tr> <td> ↳ soCcod=&Soccod</td> <td></td> </tr> <tr> <td> ↳ SOFT0C (sofcod, soCcod)</td> <td></td> </tr> <tr> <td> ↳ SOFT02 (sofcod)</td> <td></td> </tr> </table>		Work Panel	soC03 Status	Name	soC03	Description	Consulta comentários	Status	<i>Generation is required</i>	Environment		Environment	Visual FoxPro Client/Server	Spec. Version	7_5_5-016	Form Class	Graphic	Program Name	WssoC03	Parameters	sofcod	Events		Event 'ultimo'	CALL(busultcom ,sofcod,&Soccod)	End Event		For First SOFT0C (Line: 1)		Index:	ISOFT0C	Order:	sofcod	Navigation filters:		Start from:	sofcod=sofcod	↳ soCcod=&Soccod		Loop while:	sofcod=sofcod	↳ soCcod=&Soccod		Constraints:		↳ soCcod=&Soccod		↳ SOFT0C (sofcod, soCcod)		↳ SOFT02 (sofcod)	
Work Panel	soC03 Status																																																		
Name	soC03																																																		
Description	Consulta comentários																																																		
Status	<i>Generation is required</i>																																																		
Environment																																																			
Environment	Visual FoxPro Client/Server																																																		
Spec. Version	7_5_5-016																																																		
Form Class	Graphic																																																		
Program Name	WssoC03																																																		
Parameters	sofcod																																																		
Events																																																			
Event 'ultimo'	CALL(busultcom ,sofcod,&Soccod)																																																		
End Event																																																			
For First SOFT0C (Line: 1)																																																			
Index:	ISOFT0C																																																		
Order:	sofcod																																																		
Navigation filters:																																																			
Start from:	sofcod=sofcod																																																		
↳ soCcod=&Soccod																																																			
Loop while:	sofcod=sofcod																																																		
↳ soCcod=&Soccod																																																			
Constraints:																																																			
↳ soCcod=&Soccod																																																			
↳ SOFT0C (sofcod, soCcod)																																																			
↳ SOFT02 (sofcod)																																																			
<table border="1"> <tr> <td>Transaction</td> <td>SOFT01 Status</td> </tr> <tr> <td>Name</td> <td>SOFT01</td> </tr> <tr> <td>Description</td> <td>Cadastro de Softwares</td> </tr> <tr> <td>Status</td> <td><i>Generation is required</i></td> </tr> <tr> <td>Environment</td> <td></td> </tr> <tr> <td>Environment</td> <td>Visual FoxPro Client/Server</td> </tr> <tr> <td>Spec. Version</td> <td>7_5_5-016</td> </tr> <tr> <td>Form Class</td> <td>Graphic</td> </tr> </table>		Transaction	SOFT01 Status	Name	SOFT01	Description	Cadastro de Softwares	Status	<i>Generation is required</i>	Environment		Environment	Visual FoxPro Client/Server	Spec. Version	7_5_5-016	Form Class	Graphic																																		
Transaction	SOFT01 Status																																																		
Name	SOFT01																																																		
Description	Cadastro de Softwares																																																		
Status	<i>Generation is required</i>																																																		
Environment																																																			
Environment	Visual FoxPro Client/Server																																																		
Spec. Version	7_5_5-016																																																		
Form Class	Graphic																																																		

Program Name	TSOFT01			
Parameters	sofcod , colcod , & Colnomi			
Levels				
Level SOFT02				
	<p> SOFT02 (sofcod)</p> <p> MIDIA (midnom)</p> <p> COLABOR (colcod)</p> <p>Insert into SOFT02</p> <p>Attributes to update : sofcod, colcod, stsw, sitnom, sofversao, demnom, midnom, sofpre, sitsite, sitdesc</p> <p>Update on SOFT02</p> <p>Attributes to update : colcod, stsw, sitnom, sofversao, demnom, midnom, sofpre, sitsite, sitdesc</p> <p>Delete from SOFT02</p> <p>Referential integrity controls on delete:</p> <ul style="list-style-type: none"> * P101 (sofcod) * SOFT0C (sofcod) 			
Dynamic Combos				
Name	Table	Descriptions	Sorted	Values
midnom	MIDIA	midnom	Y	midnom
Transaction SOFT0C Status				
Name	SOFT0C			
Description	Comentário Soft/Site			
Status	<i>Generation is required</i>			
Environment				
Environment	Visual FoxPro Client/Server			
Spec. Version	7_5_5-016			
Form Class	Graphic			
Program Name	TSOFT0C			
Parameters	sofcod , soCcod , soCdt , soCcol , soCcolnom			
Levels				
Level SOFT02				
	<p> SOFT02 (sofcod)</p> <p>Insert into SOFT02</p> <p>Attributes to update : sofcod, sitnom</p> <p>Update on SOFT02</p> <p>Attributes to update : sitnom</p> <p>Delete from SOFT02</p> <p>Referential integrity controls on delete:</p> <ul style="list-style-type: none"> * P101 (sofcod) 			
Level SOFT0C				
	<p> SOFT0C (sofcod, soCcod)</p> <p>Insert into SOFT0C</p> <p>Attributes to update : sofcod, soCcod, soCdt, soCcol, soCcolnom, soCcome</p> <p>Update on SOFT0C</p> <p>Attributes to update : soCdt, soCcol, soCcolnom, soCcome</p> <p>Delete from SOFT0C</p>			
Work Panel softalt Status				
Name	softalt			
Description	Altera software			
Status	<i>Generation is required</i>			
Environment				
Environment	Visual FoxPro Client/Server			
Spec. Version	7_5_5-016			
Form Class	Graphic			
Program Name	Wsoftalt			
Parameters	colcod , & Colnomi			
Events				
Event Enter	CALL (SOFT01 , sofcod , colcod ,& Colnomi)			
End Event				
For Each SOFT02 (Line: 1)				
Index: ISOFT02				
Order: sofcod				
Navigation filters:				
Start from:				
* sofcod>=&C20				
Loop while:				
* NotEndOfTable				
Constraints:				
* colcod=colcod				
* sitnom,LIKE,&C21				
* stsw='SOFT'				

■ SOFT02 (sofcod)
Work Panel SWC01 Status
Name SWC01 Description Consulta Software e Sites Status Generation is required
Environment
Spec. Version 7.5_5-016
Form Class Graphic
Program Name WSWC01
Parameters
Warnings
There is no index for order sitnom on table SOFT02 , poor performance may be noticed
Events
Event Enter
CALL(SWC02 ,sofcod)
End Event
For Each SOFT02 (Line: 1)
Order: sitnom
Navigation filters:
Start from:
FirstRecord
Loop while:
NotEndOfTable
Constraints:
sitnom.LIKE.&C21
■ SOFT02 (sofcod)
■ COLABOR (colcod)
Work Panel SWC02 Status
Name SWC02 Description Consulta software 2 Status Generation is required
Environment
Spec. Version 7.5_5-016
Form Class Graphic
Program Name WSWC02
Parameters
Events
Event 'comentarios'
CALL(soc03 ,sofcod)
End Event
For First SOFT02 (Line: 1)
Index: ISOFT02
Order: sofcod
Navigation filters:
Start from:
sofcod=sofcod
Loop while:
sofcod=sofcod
■ SOFT02 (sofcod)
■ COLABOR (colcod)
Dynamic Combos
Name Table Descriptions Sorted Values
midnom MIDJA midnom Y midnom
Transaction titmax Status
Name titmax Description Titularidade Status Generation is required
Environment
Spec. Version 7.5_5-016
Form Class Graphic
Program Name Titmax
Parameters
Levels
Level TITMAX
■ TITMAX (coltit)
Insert into TITMAX
Attributes to update : coltit
Update on TITMAX
Delete from TITMAX

Referential integrity controls on delete:
 ↳ [COLABOR \(coltit \)](#)

Prompts	Program	In Parameters	Out Parameters
Table	Program		
TITMAX	B1Gx0050		coltit
Procedure verilogin Status	verilogin		
Name	verilogin		
Description	<i>Generation is required</i>		
Status	<i>None</i>		
Output Devices			
Environment			
Environment	Visual FoxPro Client/Server		
Spec. Version	7_5_5-016		
Form Class	Graphic		
Program Name	Pverlogin		
Parameters	&Collogin,&Achau		
Levels			
For Each COLABOR (Line: 1)			
Index: ICOLABOR			
Order: colcod			
Navigation filters:			
Start from:			
FirstRecord			
Loop while:			
NotEndOfTable			
Constraints:			
collogin=&Collogin			
COLABOR (colcod)			

Atributos

Attribute arecon		
Description	Conteúdo	
ID	72	
Type	C (14)	
Cross References		
<input type="checkbox"/> Tables		
Name	Description	In
Conteudos	Conteudos	Structure , Form
pj01	pj01	Structure , Form
<input type="checkbox"/> Transactions		
Name	Description	In
pj01	Projeto de Uso	Structure , Form
Conteudos	Conteúdos	Structure , Form
<input type="checkbox"/> Work Panels		
Name	Description	In
pj01	Consulta Projetos	Form
pj00	Consulta Projeto	Conditions
<input type="checkbox"/> Prompts		
Name	Description	In
Gx0060	Lista de Seleção PJ01	Conditions
Gx0070	Lista de Seleção CONTEUDOS	Rules, Events, Conditions, Form
Control Info		
Name	Value	
ForeColor	Window Text	
BackColor	Window Background	
CtrlType	Edit	
Domain cod6		
Description	cod6	
ID	16	
Type	N (6.0)	
Picture	zzzzzz9	
Cross References		
<input type="checkbox"/> Attributes		
Name	Description	In
colcod	Código:	
soCol	soCol	
pjcolcod	pjcolcod	
Control Info		
Name	Value	
ForeColor	Window Text	
BackColor	Window Background	
CtrlType	Edit	
Attribute colbal		
Description	Bairro:	
ID	4	
Type	C (20)	
Domain	name20	
Cross References		
<input type="checkbox"/> Tables		
Name	Description	
Colabor	Colabor	
<input type="checkbox"/> Transactions		
Name	Description	In
Colabor	Cadastro Colaboradores	Structure , Form
<input type="checkbox"/> Prompts		
Name	Description	In
Gx0010	Lista de Seleção COLABOR	Conditions
Control Info		
Name	Value	
ForeColor	Window Text	
BackColor	Window Background	

CtrlType	Description	
[Attribute colcep]		
Description	CEP:	
ID	6	
Type	C (8)	
[Cross References]		
<input checked="" type="checkbox"/> Tables		
Name	Description	
Colabor	Colabor	
<input checked="" type="checkbox"/> Transactions		
Name	Description	In
Colabor	Cadastro Colaboradores	Structure , Form
<input type="checkbox"/> Prompts		
Name	Description	In
Gx0010	Lista de Seleção COLABOR	Conditions, Form
Control Info		
Name	Value	
ForeColor	Window Text	
BackColor	Window Background	
CtrlType	Edit	
[Attribute colcid]		
Description	Cidade:	
ID	5	
Type	C (20)	
Domain	nome20	
[Cross References]		
<input checked="" type="checkbox"/> Tables		
Name	Description	
Colabor	Colabor	
<input checked="" type="checkbox"/> Transactions		
Name	Description	In
Colabor	Cadastro Colaboradores	Structure , Form
<input type="checkbox"/> Prompts		
Name	Description	In
Gx0010	Lista de Seleção COLABOR	Conditions
Control Info		
Name	Value	
ForeColor	Window Text	
BackColor	Window Background	
CtrlType	Edit	
[Attribute colcod]		
Description	Código:	
ID	1	
Type	N (6.0)	
Picture	zzzzzz9	
Domain	cod6	
[Cross References]		
<input checked="" type="checkbox"/> Tables		
Name	Description	
Colabor	Colabor	
SOFT02	SOFT02	
<input checked="" type="checkbox"/> Transactions		
Name	Description	In
Colabor	Cadastro Colaboradores	Structure , Rules , Form
SOFT01	Cadastro de Softwares	Structure , Rules , Form
SITE01	Cadastro de Sites	Structure , Rules , Form
<input type="checkbox"/> Procedures		
Name	Description	In
buscolaborador	buscolaborador	Source
<input checked="" type="checkbox"/> Work Panels		

Name	Description	
Colabor	Colabor	
Transactions		
Name	Description	In
Colabor	Cadastro Colaboradores	Structure , Form
Control Info		
Name	Value	
ForeColor	Window Text	
BackColor	Window Background	
CtrlType	Edit	
Attribute collocalra		
Description	Local de Trabalho:	
ID	14	
Type	C (30)	
Cross References		
Tables		
Name	Description	
Colabor	Colabor	
Transactions		
Name	Description	In
Colabor	Cadastro Colaboradores	Structure , Form
Control Info		
Name	Value	
ForeColor	Window Text	
BackColor	Window Background	
CtrlType	Edit	
Attribute collogin		
Description	collogin	
ID	18	
Type	C (8)	
Picture	@!	
Cross References		
Tables		
Name	Description	
Colabor	Colabor	
Transactions		
Name	Description	In
Colabor	Cadastro Colaboradores	Structure , Events , Form
Procedures		
Name	Description	In
verlogin	verlogin	Source
Work Panels		
Name	Description	In
ent01	Entrada	Events
Esqued	Esqued	Events
Control Info		
Name	Value	
ForeColor	Window Text	
BackColor	Window Background	
CtrlType	Edit	
Properties		
Name	Value	
Picture	@!	
Attribute colnome		
Description	Name:	
ID	2	
Type	C (20)	
Cross References		
Tables		

Name	Description	
<u>Colabor</u>	Colabor	
Transactions		
Name	Description	In
<u>Colabor</u>	Cadastro Colaboradores	Structure , Form
Control Info		
Name	Value	
ForeColor	Window Text	
BackColor	Window Background	
CtrlType	Edit	
Attribute collectra		
Description	Local de Trabalho:	
ID	14	
Type	C (30)	
Cross References		
Tables		
Name	Description	
<u>Colabor</u>	Colabor	
Transactions		
Name	Description	In
<u>Colabor</u>	Cadastro Colaboradores	Structure , Form
Control Info		
Name	Value	
ForeColor	Window Text	
BackColor	Window Background	
CtrlType	Edit	
Attribute collogin		
Description	collogin	
ID	18	
Type	C (8)	
Picture	@!	
Cross References		
Tables		
Name	Description	
<u>Colabor</u>	Colabor	
Transactions		
Name	Description	In
<u>Colabor</u>	Cadastro Colaboradores	Structure , Events , Form
Procedures		
Name	Description	In
<u>verlogin</u>	verlogin	Source
Work Panels		
Name	Description	In
<u>ent01</u>	Entrada	Events
<u>Esqueci</u>	Esqueci	Events
Control Info		
Name	Value	
ForeColor	Window Text	
BackColor	Window Background	
CtrlType	Edit	
Properties		
Name	Value	
Picture	@!	
Attribute colnome		
Description	Nome:	
ID	2	
Type	C (20)	
Cross References		
Tables		

Name	Description	In
Colabor	Colabor	
Transactions		
Colabor	Cadastro Colaboradores	Structure , Form
Work Panels		
SWC01	Consulta Software e Sites	Form
soC00	Comentário Software	Form
PIC2	Comente projeto	Form
Prompts		
GX0010	Lista de Seleção COLABOR	Conditions, Form
Control Info		
Name	Value	
ForeColor	Window Text	
BackColor	Window Background	
CtrlType	Edit	
Attribute colnom1		
Description	Nome Inicial:	
ID	67	
Type	C (12)	
Cross References		
Tables		
Colabor	Colabor	
Transactions		
Colabor	Cadastro Colaboradores	Structure , Form
SOFT01	Cadastro de Softwares	Structure , Form
SITE01	Cadastro de Sites	Structure , Form
Work Panels		
ent01	Entrada	Events
SW02	Consulta software 2	Form
Control Info		
Name	Value	
ForeColor	Window Text	
BackColor	Window Background	
CtrlType	Edit	
Attribute colpais		
Description	País:	
ID	19	
Type	C (12)	
Cross References		
Tables		
Colabor	Colabor	
Transactions		
Colabor	Cadastro Colaboradores	Structure , Form
Control Info		
Name	Value	
ForeColor	Window Text	
BackColor	Window Background	
CtrlType	Edit	
Attribute colprof		
Description	Profissão:	
ID	13	

Type	C (25)	
Cross References		
Tables		
Name	Description	
Colabor	Colabor	
Transactions		
Name	Description	In
Colabor	Cadastro Colaboradores	Structure , Form
Control Info		
Name	Value	
ForeColor	Window Text	
BackColor	Window Background	
CtrlType	Edit	
Attribute colrus		
Description	Rua:	
ID	3	
Type	C (30)	
Cross References		
Tables		
Name	Description	
Colabor	Colabor	
Transactions		
Name	Description	In
Colabor	Cadastro Colaboradores	Structure , Form
Procedures		
Name	Description	In
buscolaborador	buscolaborador	Source
Prompts		
Name	Description	In
Gx0010	Lista de Seleção COLABOR	Conditions, Form
Control Info		
Name	Value	
ForeColor	Window Text	
BackColor	Window Background	
CtrlType	Edit	
Attribute colsen		
Description	Senha:	
ID	11	
Type	C (6)	
Picture	@!	
Cross References		
Tables		
Name	Description	
Colabor	Colabor	
Transactions		
Name	Description	In
Colabor	Cadastro Colaboradores	Structure , Rules , Form
Work Panels		
Name	Description	In
ent01	Entrada	Events
Esqued	Esqued	Events
Control Info		
Name	Value	
ForeColor	Window Text	
BackColor	Window Background	
CtrlType	Edit	
Properties		
Name	Value	
Picture	@!	

Attribute colsex		
Description	Sexo:	
ID	12	
Type	C (1)	
Picture	'S' 'M'	
Value Range	'S' 'M'	
Cross References		
<input type="checkbox"/> Tables		
Name	Description	
Colabor	Colabor	
<input type="checkbox"/> Transactions		
Name	Description	In
Colabor	Cadastro Colaboradores	Structure , Form
Control Info		
Name	Value	
ForeColor	Window Text	
BackColor	Window Background	
CtrlType	Edit	
Properties		
Name	Value	
Picture	'S' 'M'	
Attribute coltit		
Description	Titularidade máxima:	
ID	10	
Type	C (20)	
Domain	nome20	
Cross References		
<input type="checkbox"/> Tables		
Name	Description	
titmax	titmax	
Colabor	Colabor	
<input type="checkbox"/> Transactions		
Name	Description	In
Colabor	Cadastro Colaboradores	Structure , Form
titmax	Titularidade	Structure , Form
<input type="checkbox"/> Prompts		
Name	Description	In
Gx0050	Lista de Seleção TITMAX	Rules, Events, Conditions, Form
Control Info		
Name	Value	
ForeColor	Window Text	
BackColor	Window Background	
CtrlType	Edit	
Attribute coluf		
Description	UF:	
ID	7	
Type	C (2)	
Picture	@!	
Cross References		
<input type="checkbox"/> Tables		
Name	Description	
Colabor	Colabor	
<input type="checkbox"/> Transactions		
Name	Description	In
Colabor	Cadastro Colaboradores	Structure , Form
<input type="checkbox"/> Prompts		
Name	Description	In
Gx0010	Lista de Seleção COLABOR	Conditions
Control Info		
Name	Value	
ForeColor	Window Text	

BackColor	Window Background	
CtrlType	Edit	
Attribute demnom		
Description	Possui demonstrativo?	
ID	36	
Type	C (1)	
Picture	@!	
Domain	59	
Value Range	S 'N'	
Cross References		
<input type="checkbox"/> Tables		
Name	Description	
SOFT02	SOFT02	
<input type="checkbox"/> Transactions		
Name	Description	In
SOFT01	Cadastro de Softwares	Structure , Form
SITE01	Cadastro de Sites	Structure , Rules , Form
<input type="checkbox"/> Work Panels		
Name	Description	In
SWC02	Consulta software 2	Form
<input type="checkbox"/> Prompts		
Name	Description	In
Gx0020	Lista de Seleção SOFT02	Conditions
Control Info		
Name	Value	
ForeColor	Window Text	
BackColor	Window Background	
CtrlType	Combo Box	
Options	Values	
'Sim'	S	
'Não'	N	
Attribute lictempo		
Description	Licenciamento:	
ID	38	
Type	C (20)	
Domain	name20	
Warnings/Errors		
* Warning: attribute is not in any table.		
Control Info		
Name	Value	
ForeColor	Window Text	
BackColor	Window Background	
CtrlType	Edit	
Attribute midnom		
Description	Midia:	
ID	37	
Type	C (10)	
Cross References		
<input type="checkbox"/> Tables		

Name Midia	Description Midia	
SOFT02	SOFT02	
<input type="checkbox"/> <input checked="" type="checkbox"/> Transactions		
Name SOFT01	Description Cadastro de Softwares	In
Midia	Tabela de Midia	Structure , Form
<input type="checkbox"/> <input checked="" type="checkbox"/> Work Panels		
Name SWc02	Description Consulta software 2	In
<input type="checkbox"/> * Prompts		
Name Gx0020	Description Lista de Seleção SOFT02	In
Gx0030	Listas de Seleção MIDIA	Conditions, Form
Rules, Events, Conditions, Form		
Control Info		
Name	Value	
ForeColor	Window Text	
BackColor	Window Background	
CtrlType	Edit	
Domain nome20		
Description	nome20	
ID	17	
Type	C (20)	
Cross References		
Attributes		
Name colbal	Description Bairro:	In
colcid	Cidade:	
coltit	Titularidade máxima:	
licnom	Licenciamento:	
Control Info		
Name	Value	
ForeColor	Window Text	
BackColor	Window Background	
CtrlType	Edit	
Domain nome40		
Description	nome40	
ID	63	
Type	C (40)	
Cross References		
Attributes		
Name sofemp	Description Empresa:	In
Control Info		
Name	Value	
ForeColor	Window Text	
BackColor	Window Background	
CtrlType	Edit	
Attribute pjati		
Description	pjati	
ID	79	
Type	V(4000)	
Cross References		
<input type="checkbox"/> Tables		
Name pj01	Description pj01	
<input type="checkbox"/> Transactions		
Name pj01	Description Projeto de Uso	In
<input type="checkbox"/> Work Panels		

Name	Description	In
pj01	Consulta Projetos	Form
Control Info		
Name	Value	
ForeColor	Window Text	
BackColor	Window Background	
CtrlType	Edit	
Attribute pjava		
Description	Avaliação	
ID	80	
Type	V(2000)	
Cross References		
<input type="checkbox"/> Tables		
Name	Description	
pj01	pj01	
<input type="checkbox"/> Transactions		
Name	Description	In
pj01	Projeto de Uso	Structure , Form
<input type="checkbox"/> Work Panels		
Name	Description	In
pj01	Consulta Projetos	Form
Control Info		
Name	Value	
ForeColor	Window Text	
BackColor	Window Background	
CtrlType	Edit	
Attribute pjCcod		
Description	pjCcod	
ID	86	
Type	N (5,0)	
Picture	ZZZZ9	
Cross References		
<input type="checkbox"/> Tables		
Name	Description	
PJ1	PJ1	
<input type="checkbox"/> Transactions		
Name	Description	In
PJ1	Comente Projeto	Structure , Rules , Form
<input type="checkbox"/> Procedures		
Name	Description	In
busPJcom	busPJcom	Source
busPJultcom	busPJultcom	Source
<input type="checkbox"/> Work Panels		
Name	Description	In
PJ03	PJ03	Conditions, Form
Control Info		
Name	Value	
ForeColor	Window Text	
BackColor	Window Background	
CtrlType	Edit	
Attribute PJCcol		
Description	PJCcol	
ID	88	
Type	N (6,0)	
Picture	ZZZZ9	
Cross References		
<input type="checkbox"/> Tables		
Name	Description	
PJ1	PJ1	

Transactions		
Name PJ1	Description Comente Projeto	In Structure , Rules , Form
Work Panels		
Control Info		
Name	Description	In
PJC03	PJC03	Form
ForeColor	Window Text	
BackColor	Window Background	
CtrlType	Edit	
Attribute PJColnom		
Description	<i>PJColnom</i>	
ID	89	
Type	C (12)	
Cross References		
Tables		
Name	Description	
PJ1	PJC1	
Transactions		
Name PJ1	Description Comente Projeto	In Structure , Rules , Form
Procedures		
Name busPJultcom	Description busPJultcom	In Source
Work Panels		
Name	Description	In
PJC03	PJC03	Form
ForeColor	Window Text	
BackColor	Window Background	
CtrlType	Edit	
Attribute PJCome		
Description	<i>PJCome</i>	
ID	90	
Type	V(500)	
Cross References		
Tables		
Name	Description	
PJ1	PJC1	
Transactions		
Name PJ1	Description Comente Projeto	In Structure , Form
Procedures		
Name busPJcom	Description busPJcom	In Source
Work Panels		
Name	Description	In
PJC03	PJC03	Form
ForeColor	Window Text	
BackColor	Window Background	
CtrlType	Edit	
Attribute PJCdt		
Description	<i>PJCdt</i>	

ID	87	
Type	D	
Picture	99/99/9999	
Cross References		
<input type="checkbox"/> Tables		
Name	Description	
PJ1	PJC1	
<input type="checkbox"/> Transactions		
Name	Description	In
PJ1	Comente Projeto	Structure , Rules , Form
<input type="checkbox"/> Work Panels		
Name	Description	In
PJ03	PJC03	Form
Control Info		
Name	Value	
ForeColor	Window Text	
BackColor	Window Background	
CtrlType	Edit	
Properties		
Name	Value	
Date Format	Year with four digits (99/99/9999)	
Attribute pjcod		
Description	Cód PJ	
ID	69	
Type	N (6,0)	
Picture	ZZZZZ9	
Cross References		
<input type="checkbox"/> Tables		
Name	Description	
pj01	pj01	
PJ1	PJC1	
<input type="checkbox"/> Transactions		
Name	Description	In
pj01	Projeto de Uso	Structure , Rules , Form
PJ1	Comente Projeto	Structure , Rules , Form
<input type="checkbox"/> Procedures		
Name	Description	In
busnovpj	busnovpj	Source
busPjcom	busPjcom	Rules, Source
busPjultcom	busPjultcom	Source
<input type="checkbox"/> Work Panels		
Name	Description	In
pjC01	Consulta Projetos	Rules, Events, Form
pjC00	Consulta Projeto	Events, Form
alpj	Altera Projeto	Events, Conditions, Form
PJ2	Comente projeto	Events, Form
PJ03	PJC03	Rules, Events, Form
<input type="checkbox"/> Prompts		
Name	Description	In
Gx0060	Lista de Seleção Pj01	Rules, Events, Conditions, Form
Control Info		
Name	Value	
ForeColor	Window Text	
BackColor	Window Background	
CtrlType	Edit	
Attribute pjcolcod		
Description	pjcolcod	
ID	91	
Type	N (6,0)	
Picture	ZZZZZ9	
Domain	code6	
Cross References		

 Tables		
Name pj01	Description pj01	
 Transactions		
Name pj01	Description Projeto de Uso	In Structure , Rules , Form
 Work Panels		
Name pj01	Description Altera Projeto	In Rules, Events
Control Info		
Name	Value	
ForeColor	Window Text	
BackColor	Window Background	
CtrlType	Edit	
 Attribute pjtxt		
Description	Fx etária F	
ID	74	
Type	N (2.0)	
Picture	29	
Cross References		
 Tables		
Name pj01	Description pj01	
 Transactions		
Name pj01	Description Projeto de Uso	In Structure , Form
 Work Panels		
Name pjC01 pjC00	Description Consulta Projetos Consulta Projeto	In Form Conditions, Form
 Prompts		
Name Gx0060	Description Lista de Seleção PJ01	In Conditions
Control Info		
Name	Value	
ForeColor	Window Text	
BackColor	Window Background	
CtrlType	Edit	
 Attribute pjtxl		
Description	Fx etária I	
ID	73	
Type	N (2.0)	
Picture	29	
Cross References		
 Tables		
Name pj01	Description pj01	
 Transactions		
Name pj01	Description Projeto de Uso	In Structure , Form
 Procedures		
Name busnovpj	Description busnovpj	In Source
 Work Panels		
Name pjC01 pjC00	Description Consulta Projetos Consulta Projeto	In Form Conditions, Form
 Prompts		

Name	Description	In
Gx0060	Lista de Seleção PJ01	Conditions, Form
Control Info		
Name	Value	
ForeColor	Window Text	
BackColor	Window Background	
CtrlType	Edit	
Attribute pjhoras		
Description	Hrs/Sem	
ID	75	
Type	N (2.0)	
Picture	Z9	
Cross References		
<input type="checkbox"/> Tables		
Name	Description	
pj01	pj01	
<input type="checkbox"/> Transactions		
Name	Description	In
pj01	Projeto de Uso	Structure , Rules , Form
<input type="checkbox"/> Work Panels		
Name	Description	In
pjc01	Consulta Projetos	Form
<input type="checkbox"/> Prompts		
Name	Description	In
Gx0060	Lista de Seleção PJ01	Conditions
Control Info		
Name	Value	
ForeColor	Window Text	
BackColor	Window Background	
CtrlType	Edit	
Attribute pjhsdot		
Description	Total hs	
ID	77	
Type	N (3.0)	
Picture	ZZ9	
Cross References		
<input type="checkbox"/> Tables		
Name	Description	
pj01	pj01	
<input type="checkbox"/> Transactions		
Name	Description	In
pj01	Projeto de Uso	Structure , Rules , Form
<input type="checkbox"/> Work Panels		
Name	Description	In
pjc01	Consulta Projetos	Form
Control Info		
Name	Value	
ForeColor	Window Text	
BackColor	Window Background	
CtrlType	Edit	
Attribute pjnom		
Description	Name:	
ID	70	
Type	C (40)	
Cross References		
<input type="checkbox"/> Tables		
Name	Description	
pj01	pj01	

Transactions		
Name	Description	In
pj01	Projeto de Uso	Structure , Form
PJ1	Comente Projeto	Structure , Form
Work Panels		
Name	Description	In
pic01	Consulta Projetos	Form
pic00	Consulta Projeto	Rules, Conditions, Form
alpt1	Altera Projeto	Rules, Conditions, Form
PJ2	Comente projeto	Rules, Conditions, Form
PJ03	PJ03	Form
* Prompts		
Name	Description	In
Gx0060	Lista de Seleção PJ01	Conditions, Form
Control Info		
Name	Value	
ForeColor	Window Text	
BackColor	Window Background	
CtrlType	Edit	
Attribute pjobj		
Description	Objetivo	
ID	78	
Type	V(1000)	
Cross References		
Tables		
Name	Description	
pj01	pj01	
Transactions		
Name	Description	In
pj01	Projeto de Uso	Structure , Form
Work Panels		
Name	Description	In
pic01	Consulta Projetos	Form
Control Info		
Name	Value	
ForeColor	Window Text	
BackColor	Window Background	
CtrlType	Edit	
Attribute pjres		
Description	Resumo	
ID	71	
Type	V(500)	
Cross References		
Tables		
Name	Description	
pj01	pj01	
Transactions		
Name	Description	In
pj01	Projeto de Uso	Structure , Form
Work Panels		
Name	Description	In
pic01	Consulta Projetos	Form
Control Info		
Name	Value	
ForeColor	Window Text	
BackColor	Window Background	
CtrlType	Edit	
Attribute pjtempo		
Description	Semanas	

ID	76	
Type	N (2.0)	
Picture	29	
Cross References		
Tables		
Name	Description	
pj01	pj01	
Transactions		
Name	Description	In
pj01	Projeto de Uso	Structure , Rules , Form
Work Panels		
Name	Description	In
pjC01	Consulta Projetos	Form
Control Info		
Name	Value	
ForeColor	Window Text	
BackColor	Window Background	
CtrlType	Edit	
Attribute sldesc		
Description	Descrição:	
ID	66	
Type	V(1000)	
Cross References		
Tables		
Name	Description	
SOFT02	SOFT02	
Transactions		
Name	Description	In
SOFT01	Cadastro de Softwares	Structure , Form
SITE01	Cadastro de Sites	Structure , Form
Work Panels		
Name	Description	In
SWC02	Consulta software 2	Form
Control Info		
Name	Value	
ForeColor	Window Text	
BackColor	Window Background	
CtrlType	Edit	
Attribute sldnm		
Description	Nome:	
ID	21	
Type	C (35)	
Cross References		
Tables		
Name	Description	
SOFT02	SOFT02	
Transactions		
Name	Description	In
SOFT01	Cadastro de Softwares	Structure , Form
SITE01	Cadastro de Sites	Structure , Form
pj01	Projeto de Uso	Structure , Form
SOFT0C	Comentário Soft/Site	Structure , Form
Work Panels		
Name	Description	In
SWC01	Consulta Software e Sites	Rules, Conditions, Form
SWC02	Consulta Software 2	Form
pjC01	Consulta Projetos	Form
pjC00	Consulta Projeto	Form
softalt	Altera software	Conditions, Form
sitalt	Altera Site	Conditions, Form
sitetalt	Altera Site	Conditions, Form
soC00	Comentário Software	Rules, Conditions, Form

<u>soc03</u>	Consulta comentários	Form								
<input type="checkbox"/> * Prompts										
Name <u>Gx0020</u>	Description Lista de Seleção SOFT02	In Conditions, Form								
<input type="checkbox"/> Control Info										
<table border="1"> <thead> <tr> <th>Name</th><th>Value</th></tr> </thead> <tbody> <tr> <td>ForeColor</td><td>Window Text</td></tr> <tr> <td>BackColor</td><td>Window Background</td></tr> <tr> <td>CtrlType</td><td>Edit</td></tr> </tbody> </table>			Name	Value	ForeColor	Window Text	BackColor	Window Background	CtrlType	Edit
Name	Value									
ForeColor	Window Text									
BackColor	Window Background									
CtrlType	Edit									
<input type="checkbox"/> Attribute details										
Description	Site:									
ID	65									
Type	C (35)									
<input type="checkbox"/> Cross References										
<input type="checkbox"/> Tables										
Name <u>SOFT02</u>	Description SOFT02									
<input type="checkbox"/> Transactions										
Name <u>SOFT01</u>	Description Cadastro de Softwares	In Structure , Form								
<u>SITE01</u>	Cadastro de Sites	Structure , Form								
<input type="checkbox"/> Work Panels										
Name <u>SWc02</u>	Description Consulta software 2	In Form								
<input type="checkbox"/> * Prompts										
Name <u>Gx0020</u>	Description Lista de Seleção SOFT02	In Conditions								
<input type="checkbox"/> Control Info										
<table border="1"> <thead> <tr> <th>Name</th><th>Value</th></tr> </thead> <tbody> <tr> <td>ForeColor</td><td>Window Text</td></tr> <tr> <td>BackColor</td><td>Window Background</td></tr> <tr> <td>CtrlType</td><td>Edit</td></tr> </tbody> </table>			Name	Value	ForeColor	Window Text	BackColor	Window Background	CtrlType	Edit
Name	Value									
ForeColor	Window Text									
BackColor	Window Background									
CtrlType	Edit									
<input type="checkbox"/> Domain an										
Description	sn									
ID	64									
Type	C (1)									
Picture	@!									
<input type="checkbox"/> Cross References										
<input type="checkbox"/> Attributes										
Name <u>demnom</u>	Description Possui demonstrativo?	In								
<u>sofred</u>	Trabalha em rede?									
<u>sofara</u>	Grava arquivos?									
<u>softimp</u>	Imprime?									
<u>sofint</u>	Usa Internet?									
<u>sofobj</u>	Importa figuras?									
<input type="checkbox"/> Control Info										
<table border="1"> <thead> <tr> <th>Name</th><th>Value</th></tr> </thead> <tbody> <tr> <td>ForeColor</td><td>Window Text</td></tr> <tr> <td>BackColor</td><td>Window Background</td></tr> <tr> <td>CtrlType</td><td>Edit</td></tr> </tbody> </table>			Name	Value	ForeColor	Window Text	BackColor	Window Background	CtrlType	Edit
Name	Value									
ForeColor	Window Text									
BackColor	Window Background									
CtrlType	Edit									
<input type="checkbox"/> Attribute soCcod										
Description	soCcod									
ID	84									
Type	N (5,0)									
Picture	zzzz9									
<input type="checkbox"/> Cross References										
<input type="checkbox"/> Tables										
Name <u>SOFT0C</u>	Description SOFT0C									
<input type="checkbox"/> Transactions										

Name	Description	In
SOFT0C	Comentário Soft/Site	Structure , Rules , Form
▀ Procedures		
Name	Description	In
bussocom	bussocom	Source
busultcom	busultcom	Source
▀ Work Panels		
Name	Description	In
soc03	Consulta comentários	Conditions, Form
Control Info		
Name	Value	
ForeColor	Window Text	
BackColor	Window Background	
CtrlType	Edit	
Attribute soCcol		
Description	soCcol	
ID	81	
Type	N (6.0)	
Picture	zzzzzz9	
Domain	cod6	
Cross References		
▀ Tables		
Name	Description	
SOFT0C	SOFT0C	
▀ Transactions		
Name	Description	In
SOFT0C	Comentário Soft/Site	Structure , Rules , Form
▀ Work Panels		
Name	Description	In
soc03	Consulta comentários	Form
Control Info		
Name	Value	
ForeColor	Window Text	
BackColor	Window Background	
CtrlType	Edit	
Attribute soCcolnomb		
Description	soCcolnomb	
ID	83	
Type	C (12)	
Cross References		
▀ Tables		
Name	Description	
SOFT0C	SOFT0C	
▀ Transactions		
Name	Description	In
SOFT0C	Comentário Soft/Site	Structure , Rules , Form
▀ Procedures		
Name	Description	In
bussocom	bussocom	Source
busultcom	busultcom	Source
▀ Work Panels		
Name	Description	In
soc03	Consulta comentários	Form
Control Info		
Name	Value	
ForeColor	Window Text	
BackColor	Window Background	
CtrlType	Edit	

Attribute soCome	
Description	soCome
ID	85
Type	V(500)
Cross References	
<input type="checkbox"/> Tables	
Name SOFTOC	Description SOFTOC
<input type="checkbox"/> Transactions	
Name SOFTOC	Description Comentário Soft/Site
<input type="checkbox"/> Work Panels	
Name soc03	Description Consulta comentários
<input type="checkbox"/> Control Info	
Name	Value
ForeColor	Window Text
BackColor	Window Background
CtrlType	Edit
Attribute soCdt	
Description	Data:
ID	82
Type	D
Picture	99/99/9999
Cross References	
<input type="checkbox"/> Tables	
Name SOFTOC	Description SOFTOC
<input type="checkbox"/> Transactions	
Name SOFTOC	Description Comentário Soft/Site
<input type="checkbox"/> Work Panels	
Name soc03	Description Consulta comentários
<input type="checkbox"/> Control Info	
Name	Value
ForeColor	Window Text
BackColor	Window Background
CtrlType	Edit
<input type="checkbox"/> Properties	
Name	Value
Date Format	Year with four digits (99/99/9999)
Attribute soDtecobs	
Description	Observações aspectos técnicos;
ID	62
Type	L(2000)
<input type="checkbox"/> Warnings/Errors	
× Warning: attribute is not in any table.	
<input type="checkbox"/> Control Info	
Name	Value
ForeColor	Window Text
BackColor	Window Background
CtrlType	Edit
Attribute soFaire	
Description	Armazena respostas do aluno?
ID	59
Type	C (1)
<input type="checkbox"/> Warnings/Errors	
× Warning: attribute is not in any table.	
<input type="checkbox"/> Control Info	
Name	Value
ForeColor	Window Text

BackColor Window Background
 CtrlType Check Box
 Title: Armazena respostas do aluno?
 Checked value : 'S'
 Unchecked value: 'N'

Attribute sofalute	
Description	Informa tempo de uso do aluno?
ID	58
Type	C (1)
Warnings/Errors	<i>* Warning: attribute is not in any table.</i>
Control Info	
Name	Value
ForeColor	Window Text
BackColor	Window Background
CtrlType	Check Box
Title:	Informa tempo de uso do aluno?
Checked value	: 'S'
Unchecked value	: 'N'

Attribute sofanim	
Description	Possui animação?
ID	60
Type	C (1)
Warnings/Errors	<i>* Warning: attribute is not in any table.</i>
Control Info	
Name	Value
ForeColor	Window Text
BackColor	Window Background
CtrlType	Check Box
Title:	Possui animação?
Checked value	: 'S'
Unchecked value	: 'N'

Attribute sofarq	
Description	Grava arquivos?
ID	43
Type	C (1)
Picture	@!
Domain	SN
Warnings/Errors	<i>* Warning: attribute is not in any table.</i>
Control Info	
Name	Value
ForeColor	Window Text
BackColor	Window Background
CtrlType	Check Box
Title:	Grava arquivos?
Checked value	: 'S'
Unchecked value	: 'N'

Attribute sofcod	
Description	Código:
ID	20
Type	N (6.0)
Picture	ZZZZZ9
Cross References	
Tables	
Name	Description
SOFT02	SOFT02

	SOFT0C	SOFT0C	
	pj01	pj01	
Transactions			
Name	Description	In	
SOFT01	Cadastro de Softwares	Structure , Rules , Form	
SITE01	Cadastro de Sites	Structure , Rules , Form	
pj01	Projeto de Uso	Structure , Form	
SOFT0C	Comentário Soft/Site	Structure , Rules , Form	
Procedures			
Name	Description	In	
busnovsoft	busnovsoft	Source	
bussocom	bussocom	Rules, Source	
busultcom	busultcom	Source	
Work Panels			
Name	Description	In	
SWC01	Consulta Software e Sites	Events, Form	
SWC02	Consulta software 2	Rules, Events, Form	
pjC01	Consulta Projetos	Form	
pjC00	Consulta Projeto	Form	
softalt	Altera software	Rules, Events, Conditions, Form	
sitalt	Altera Site	Rules, Events, Conditions, Form	
sitetalt	Altera Site	Rules, Events, Conditions, Form	
soc00	Comentário Software	Events, Form	
soc03	Consulta comentários	Rules, Events, Form	
Prompts			
Name	Description	In	
Gx0020	Lista de Seleção SOFT02	Rules, Events, Conditions, Form	
Gx0060	Lista de Seleção PJ01	Conditions, Form	
Control Info			
Name	Value		
ForeColor	Window Text		
BackColor	Window Background		
CtrlType	Edit		
Attribute sofedb			
Description	Bairro:		
ID	25		
Type	C (20)		
Warnings/Errors			
Warning: attribute is not in any table.			
Control Info			
Name	Value		
ForeColor	Window Text		
BackColor	Window Background		
CtrlType	Edit		
Attribute sofedcep			
Description	CEP:		
ID	29		
Type	C (8)		
Warnings/Errors			
Warning: attribute is not in any table.			
Control Info			
Name	Value		
ForeColor	Window Text		
BackColor	Window Background		
CtrlType	Edit		
Attribute sofedcl			
Description	Cidade:		
ID	26		
Type	C (20)		
Warnings/Errors			
Warning: attribute is not in any table.			
Control Info			
Name	Value		
ForeColor	Window Text		
BackColor			

Window Background	
CtrlType	Edit
Attribute sofadpa	
Description	País:
ID	28
Type	C (15)
Warnings/Errors	<i>* Warning: attribute is not in any table.</i>
Control Info	
Name	Value
ForeColor	Window Text
BackColor	Window Background
CtrlType	Edit
Attribute sofadir	
Description	Endereço:
ID	24
Type	C (35)
Warnings/Errors	<i>* Warning: attribute is not in any table.</i>
Control Info	
Name	Value
ForeColor	Window Text
BackColor	Window Background
CtrlType	Edit
Attribute sofemail	
Description	E-mail:
ID	31
Type	C (30)
Warnings/Errors	<i>* Warning: attribute is not in any table.</i>
Control Info	
Name	Value
ForeColor	Window Text
BackColor	Window Background
CtrlType	Edit
Attribute sofemp	
Description	Empresa:
ID	23
Type	C (40)
Domain	nome40
Warnings/Errors	<i>* Warning: attribute is not in any table.</i>
Control Info	
Name	Value
ForeColor	Window Text
BackColor	Window Background
CtrlType	Edit
Attribute sofenduf	
Description	UF:
ID	27
Type	C (2)
Picture	@!
Warnings/Errors	<i>* Warning: attribute is not in any table.</i>
Control Info	
Name	Value
ForeColor	Window Text
BackColor	Window Background
CtrlType	Edit
Properties	
Name	
Picture	Value @!
Attribute sofexpo	
Description	Exporta Figuras?
ID	51
Type	C (1)

Warnings/Errors	<i>< Warning: attribute is not in any table.</i>
Control Info	
Name	Value
ForeColor	Window Text
BackColor	Window Background
CtrlType	Check Box
Title: Exporta Figuras?	
Checked value : 'S'	
Unchecked value: 'N'	
Attribute softone	
Description	Fone:
ID	30
Type	C (14)
Picture	(99) 9999 9999
Warnings/Errors	<i>< Warning: attribute is not in any table.</i>
Control Info	
Name	Value
ForeColor	Window Text
BackColor	Window Background
CtrlType	Edit
Properties	
Name	Value
Picture	(99) 9999 9999
Attribute softhelp	
Description	Possui Help?
ID	49
Type	C (1)
Warnings/Errors	<i>< Warning: attribute is not in any table.</i>
Control Info	
Name	Value
ForeColor	Window Text
BackColor	Window Background
CtrlType	Check Box
Title: Possui Help?	
Checked value : 'S'	
Unchecked value: 'N'	
Attribute softimp	
Description	Imprime?
ID	44
Type	C (1)
Picture	@!
Domain	20
Warnings/Errors	<i>< Warning: attribute is not in any table.</i>
Control Info	
Name	Value
ForeColor	Window Text
BackColor	Window Background
CtrlType	Check Box
Title: Imprime?	
Checked value : 'S'	
Unchecked value: 'N'	
Attribute softinst	
Description	Instalação fácil?
ID	48
Type	C (1)
Warnings/Errors	<i>< Warning: attribute is not in any table.</i>
Control Info	

Name	Value
ForeColor	Window Text
BackColor	Window Background
CtrlType	Check Box
Title: Instalação fácil?	
Checked value : 'S'	
Unchecked value: 'N'	
Attribute sofint	
Description	Usa Internet?
ID	45
Type	C (1)
Picture	@!
Domain	sn
Warnings/Errors	
« Warning: attribute is not in any table.	
Control Info	
Name	Value
ForeColor	Window Text
BackColor	Window Background
CtrlType	Check Box
Title: Usa Internet?	
Checked value : 'S'	
Unchecked value: 'N'	
Attribute sofintt	
Description	Instruções claras?
ID	46
Type	C (1)
Warnings/Errors	
« Warning: attribute is not in any table.	
Control Info	
Name	Value
ForeColor	Window Text
BackColor	Window Background
CtrlType	Check Box
Title: Instruções claras?	
Checked value : 'S'	
Unchecked value: 'N'	
Attribute sofmanu	
Description	Possui manual?
ID	52
Type	C (1)
Warnings/Errors	
« Warning: attribute is not in any table.	
Control Info	
Name	Value
ForeColor	Window Text
BackColor	Window Background
CtrlType	Check Box
Title: Possui manual?	
Checked value : 'S'	
Unchecked value: 'N'	
Attribute sofobj	
Description	Objetivo:
ID	34
Type	C (200)
Warnings/Errors	
« Warning: attribute is not in any table.	
Control Info	
Name	Value

ForeColor	Window Text	
BackColor	Window Background	
CtrlType	Edit	
Attribute softobj		
Description	Importa figuras?	
ID	50	
Type	C (1)	
Picture	@!	
Domain	sn	
Warnings/Errors	<i>* Warning: attribute is not in any table.</i>	
Control Info		
Name	Value	
ForeColor	Window Text	
BackColor	Window Background	
CtrlType	Edit	
Attribute softponto		
Description	Informa pontuação do aluno?	
ID	57	
Type	C (1)	
Warnings/Errors	<i>* Warning: attribute is not in any table.</i>	
Control Info		
Name	Value	
ForeColor	Window Text	
BackColor	Window Background	
CtrlType	Check Box	
Title:	Informa pontuação do aluno?	
Checked value	: 'S'	
Unchecked value	: 'N'	
Attribute softpre		
Description	Preço:	
ID	40	
Type	C (9)	
Picture	999999999	
Cross References		
Tables		
Name	Description	
SOFT02	SOFT02	
Transactions		
Name	Description	In
SOFT01	Cadastro de Softwares	Structure , Form
Work Panels		
Name	Description	In
SWC02	Consulta software 2	Form
Prompts		
Name	Description	In
Gx0020	Lista de Seleção SOFT02	Conditions
Control Info		
Name	Value	
ForeColor	Window Text	
BackColor	Window Background	
CtrlType	Edit	
Properties		
Name	Value	
Picture	999999999	
Attribute softred		
Description	Trabalha em rede?	
ID	42	
Type	C (1)	
Picture	@!	
Domain	sn	

Warnings/Errors * Warning: attribute is not in any table.	
Control Info	
Name	Value
ForeColor	Window Text
BackColor	Window Background
CtrlType	Check Box
Title: Trabalha em rede?	
Checked value : 'S'	
Unchecked value: 'N'	
Attribute sofreq	
Description	Informa requisitos Soft/Hard?
ID	47
Type	C (1)
Warnings/Errors * Warning: attribute is not in any table.	
Control Info	
Name	Value
ForeColor	Window Text
BackColor	Window Background
CtrlType	Check Box
Title: Informa requisitos Soft/Hard?	
Checked value : 'S'	
Unchecked value: 'N'	
Attribute sofresumo	
Description	Resumo
ID	35
Type	L(2000)
Warnings/Errors * Warning: attribute is not in any table.	
Control Info	
Name	Value
ForeColor	Window Text
BackColor	Window Background
CtrlType	Edit
Attribute sofsite	
Description	Site:
ID	32
Type	C (35)
Warnings/Errors * Warning: attribute is not in any table.	
Control Info	
Name	Value
ForeColor	Window Text
BackColor	Window Background
CtrlType	Edit
Attribute sofsm	
Description	Possui som?
ID	61
Type	C (1)
Warnings/Errors * Warning: attribute is not in any table.	
Control Info	
Name	Value
ForeColor	Window Text
BackColor	Window Background
CtrlType	Check Box
Title: Possui som?	
Checked value : 'S'	
Unchecked value: 'N'	

Attribute softsupfo	
Description	Possui suporte por fone?
ID	56
Type	C (1)
Warnings/Errors	
« Warning: attribute is not in any table.	
Control Info	
Name	Value
ForeColor	Window Text
BackColor	Window Background
CtrlType	Check Box
Title: Possui suporte por fone?	
Checked value : 'S'	
Unchecked value: 'N'	
Attribute softsupor	
Description	Possui suporte na Internet?
ID	53
Type	C (1)
Warnings/Errors	
« Warning: attribute is not in any table.	
Control Info	
Name	Value
ForeColor	Window Text
BackColor	Window Background
CtrlType	Check Box
Title: Possui suporte na Internet?	
Checked value : 'S'	
Unchecked value: 'N'	
Attribute softxtad	
Description	Texto adequado?
ID	55
Type	C (1)
Warnings/Errors	
« Warning: attribute is not in any table.	
Control Info	
Name	Value
ForeColor	Window Text
BackColor	Window Background
CtrlType	Check Box
Title: Texto adequado?	
Checked value : 'S'	
Unchecked value: 'N'	
Attribute softxco	
Description	Texto correto?
ID	54
Type	C (1)
Warnings/Errors	
« Warning: attribute is not in any table.	
Control Info	
Name	Value
ForeColor	Window Text
BackColor	Window Background
CtrlType	Check Box
Title: Texto correto?	
Checked value : 'S'	
Unchecked value: 'N'	
Attribute softvenda	

Description	Venda pela Internet?	
ID	33	
Type	C (1)	
Picture	@!	
Value Range	'S' 'N'	
Warnings/Errors		
Warning: attribute is not in any table.		
Control Info		
Name	Value	
ForeColor	Window Text	
BackColor	Window Background	
CtrlType	Edit	
Properties		
Name	Value	
Picture	@!	
Attribute softversao		
Description	Versão	
ID	22	
Type	C (10)	
Cross References		
Tables		
Name	Description	
SOFT02	SOFT02	
Transactions		
Name	Description	In
SOFT01	Cadastro de Softwares	Structure , Form
Procedures		
Name	Description	In
busnovsoft	busnovsoft	Source
Work Panels		
Name	Description	In
SWC01	Consulta Software e Sites	Form
SWC02	Consulta software 2	Form
softalt	Altera software	Form
soC00	Comentário Software	Form
Prompts		
Name	Description	In
Gx0020	Lista da Seleção SOFT02	Conditions, Form
Control Info		
Name	Value	
ForeColor	Window Text	
BackColor	Window Background	
CtrlType	Edit	
Attribute staw		
Description	Tipo	
ID	68	
Type	C (4)	
Cross References		
Tables		
Name	Description	
SOFT02	SOFT02	
Transactions		
Name	Description	In
SOFT01	Cadastro de Softwares	Structure , Rules , Form
SITE01	Cadastro de Sites	Structure , Rules , Form
Work Panels		
Name	Description	In
SWC01	Consulta Software e Sites	Form
SWC02	Consulta software 2	Form
softalt	Altera software	Conditions
sitelalt	Altera Site	Conditions
soC00	Comentário Software	Form
Control Info		
Name	Value	

ForeColor	Window Text
BackColor	Window Background
CtrlType	Edit
Attribute venobs	
Description	Observações de venda:
ID	41
Type	C (120)
Warnings/Errors	
< Warning: attribute is not in any table.	
Control Info	
Name	Value
ForeColor	Window Text
BackColor	Window Background
CtrlType	Edit

Documentação WEB

/Index.htm

```
<!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.01 Transitional//EN">
<html>
<head>
<title>::::BISE::::</title>

</head>

<body>
<table width="121%" border="0" cellpadding="0" cellspacing="0">
  <tr>
    <td height="665">
<table width="909" border="0" cellpadding="0" cellspacing="0">
  <tr>
    <td colspan="4"></td>
  </tr>
  <tr>
    <td width="17%" rowspan="2"><table width="165" height="100%" border="0">
      <tr>
        <td valign="bottom"> <table width="165" border="0" cellpadding="0" cellspacing="0">
          <tr>
            <td><form name="form1" method="post" action="verifica_usuario.asp">
              <table border="0" cellpadding="0" cellspacing="0" width="165">
                <!-- fwtable fwsrc="form.png" fwbase="form.gif" fwstyle="Dreamweaver" fwdocid = "742308039" fnested="0" -->
                <tr>
                  <td></td>
                  <td></td>
                  <td></td>
                  <td></td>
                </tr>
                <tr>
                  <td colspan="3"></td>
                  <td></td>
                </tr>
                <tr>
                  <td rowspan="4"></td>
                  <td><input name="usuario" type="text" id="usuario" maxlength="8"></td>
                  <td rowspan="4"></td>
                  <td></td>
                </tr>
                <tr>
                  <td></td>
                </tr>
```

```
        <td></td>  
    </tr>  
    <tr>  
        <td><input name="senha" type="password" id="senha"  
maxlength="6"></td>  
        <td></td>  
    </tr>  
    <tr>  
        <td><a href="verifica_usuario.asp">  
            <input type="image" name="Submit" id="Enviar"  
value="Enviar" src="img/form_r5_c2.gif">  
        </a></td>  
        <td></td>  
    </tr>  
    </table>  
    </form></td>  
    </tr>  
    </table></td>  
</tr>  
    <tr>  
        <td></td>  
    </tr>  
    <tr>  
        <td height="103">&nbsp;</td>  
    </tr>  
    <tr>  
        <td height="40"><a href="http://www.uminho.pt"></a></td>  
    </tr>  
    </table></td>  
<td height="442" colspan="3">  
    <table width="721" height="400" border="1" cellpadding="0"  
cellspacing="0" bordercolor="#009900">  
        <tr>  
            <td width="717"><div align="center"></div></td>  
        </tr>
```

```
        </table></td>
    </tr>
    <tr>
        <td width="22%"><div align="center"><a href="mailto:bento@iep.uminho.pt"></a>
            </div></td>
        <td width="26%"><div align="center"><a href="mailto:carrao@cesjf.br"></a>
            </div></td>
        <td width="35%"><blockquote>
            <div align="left"><a href="http://www.cesjf.br"></a></div>
        </blockquote></td>
    </tr>
</table></td>
</tr>
</table>
</body>
</html>
```

```
/menu.htm

<!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.01 Transitional//EN">
<html>
<head>
<title>:::BISE:::</title>
</head>

<body>
<table width="106%" border="0" cellpadding="0" cellspacing="0">
  <tr>
    <td><table width="750" border="0" cellpadding="0" cellspacing="0">
      <tr>
        <td colspan="2"></td>
      </tr>
      <tr>
        <td width="20%" rowspan="2" valign="top"> <table width="95%" border="0" align="center" cellpadding="0" cellspacing="0">
          <tr>
            <td><div align="center"><strong><font color="#006600">Bem Vindo:<br>
                <font color="#000000" size="4">Carrao
            </font></strong></div></td>
          </tr>
        </table>
        <table width="100%" border="0">
          <td><iframe width="165" height="405" frameborder="0" scrolling="no" name="menu" src="menu1.htm"></iframe></td>
        </tr>
      </table>
    </td>
    <td width="70%" height="219"><table width="617" height="400" border="1" cellpadding="0" cellspacing="0" bordercolor="#009900">
      <tr>
        <td><iframe width="610" height="400" frameborder="0" scrolling="yes" name="teste"></iframe></td>
      </tr>
    </table></td>
  </tr>
  <tr>
    <td> <table width="100%" border="0">
      <tr>
        <td width="22%">&nbsp;</td>
        <td width="26%">&nbsp;</td>
        <td width="35%">&nbsp;</td>
        <td>&nbsp;</td>
      </tr>
    </table></td>
  </tr>
</table></td>
</tr>
</table>
</body>
</html>
```

```
/cadastro_software.asp

<html>
<head>
<title>Cadastro de Software</title>
<meta http-equiv="Content-Type" content="text/html; charset=iso-8859-1">
</head>
<script>
function valida_campo()
{
var sitnom = document.form.sitnom.value
if (sitnom==""){
    alert("Entre com o nome do software !");
    document.form.sitnom.focus()
    return false
}

}

</script>

<body leftmargin="0" topmargin="0" marginwidth="0" marginheight="0"><form
method="post" action="insert_software.asp?" name="form" onsubmit="return
valida_campo()">
<table width="100%" height="100%" border="0" align="center" cellpadding="0"
cellspacing="0">
<tr>
<td width="133" height="78" valign="top" bgcolor="#FFFFFF">&nbsp;</td>
<td width="767" valign="top"></td>
<td width="93" valign="top" bgcolor="#FFFFFF">&nbsp;</td>
</tr>
<tr>
<td valign="top" bgcolor="#f1f1f1"><table width="100%" height="40" border="0"
cellpadding="5" cellspacing="0">
<tr>
<td bgcolor="#FFFFFF"><div align="center"></div></td>
</tr>
</table>
<p>&nbsp;</p>
<p>&nbsp;</p>
<br>
<br>
<p align="center"><font color="#333333" size="1" face="Verdana, Arial,
Helvetica, sans-serif"><br>
<br>
<br>
<br>
<br>
</font></p>
<p align="center"><font color="#333333" size="1" face="Verdana, Arial,
Helvetica, sans-serif"> </font> </p></td>
<td valign="top" bgcolor="#f1f1f1"><table width="100%" height="40" border="0"
cellpadding="5" cellspacing="0">
<tr>
```

```
<td bgcolor="#FFFFFF"><div align="center"><strong><font color="#006600" size="5" face="Verdana, Arial, Helvetica, sans-serif">
    </font></strong>
    <table width="100%" border="0" cellpadding="0" cellspacing="0">
        <tr>
            <td width="30%"><strong><font color="#006600">Bem
Vindo:</font></strong>
                <strong>Carrao</strong></td>
            <td width="70%"><strong><font color="#006600" size="5" face="Verdana, Arial, Helvetica, sans-serif">Cadastro
de Software</font></strong></td>
        </tr>
    </table>
    <strong><font color="#006600" size="5" face="Verdana, Arial,
Helvetica, sans-serif">
        </font></strong></div></td>
    </tr>
</table>
<br>
<table width="721" border="0" align="center" cellpadding="2"
cellspacing="2" bgcolor="#FFFFFF">
    <tr bgcolor="#F1F1F1">
        <td colspan="4"><div align="center"><strong><font color="#006600" size="1" face="Verdana, Arial, Helvetica, sans-serif">Banco
de Informa&ccedil;&otilde;es de Software
Educacional</font></strong></div></tr>
    <tr bgcolor="#F1F1F1">
        <td width="12%"> <div align="center"><font color="#006600" size="1" face="Verdana, Arial, Helvetica, sans-serif"><strong><font
color="#FF0000">*</font>
        Nome </strong></font></div>
        <td width="42%"><div align="left"><font color="#006600" size="1" face="Verdana, Arial, Helvetica, sans-serif"><strong>
            <input name="sitnom" type="text" id="sitnom" size="50"
maxlength="35">
        </strong></font></div>
        <td width="12%"><div align="center"><font color="#006600" size="1" face="Verdana, Arial, Helvetica, sans-serif"><strong>
            Vers&atilde;o</strong></font></div>
        <td width="34%"><font color="#006600" size="1" face="Verdana, Arial,
Helvetica, sans-serif"><strong>
            <input name="sofversao" type="text" id="sofversao" size="35"
maxlength="10">
        </strong></font></tr>
    <tr bgcolor="#F1F1F1">
        <td><div align="center"><font color="#006600" size="1" face="Verdana,
Arial, Helvetica, sans-serif"><strong>Demonstrativo?</strong></font></div>
        <td><div align="left"><font color="#006600" size="1" face="Verdana,
Arial, Helvetica, sans-serif"><strong>
            <select name="demnom" id="select3">
                <option value="S">Sim</option>
                <option value="N">N&atilde;o</option>
            </select>
        </strong></font></div>
        <td><div align="center"><font color="#006600" size="1" face="Verdana,
Arial, Helvetica, sans-serif"><strong>M&iacute;dia</strong></font></div>
        <td><font color="#006600" size="1" face="Verdana, Arial, Helvetica,
sans-serif"><strong>
            <select name="midnom" id="select2">
```

```
<option selected value=""></option>

<option value=""          "><font face="Verdana" color="#006633">
</font></option>

<option value="a          "><font face="Verdana" color="#006633">a
</font></option>

<option value="s          "><font face="Verdana" color="#006633">s
</font></option>

</select>
</strong></font></tr>
<tr bgcolor="#F1F1F1">
    <td><div align="center"><strong><font color="#006600" size="1"
face="Verdana, Arial, Helvetica, sans-serif">Pre&ccedil;o</font></strong></div>
    <td><font color="#006600" size="1" face="Verdana, Arial, Helvetica,
sans-serif"><strong>
        <input name="sofpre" type="text" id="sofpre" size="20"
maxlength="20">
        </strong></font>
    <td><div align="center"><strong><font color="#006600" size="1"
face="Verdana, Arial, Helvetica, sans-serif">Site</font></strong></div>
    <td><font color="#006600" size="1" face="Verdana, Arial, Helvetica,
sans-serif"><strong>
        <input name="sitsite" type="text" id="sitsite" size="35"
maxlength="35">
        </strong></font></tr>
<tr bgcolor="#F1F1F1">
    <td><div align="center"><strong><font color="#006600" size="1"
face="Verdana, Arial, Helvetica, sans-serif">Tipo</font></strong></div>
    <td colspan="3"><font color="#006600" size="1" face="Verdana, Arial,
Helvetica, sans-serif"><strong>
        </strong></font> <div align="center"><strong></strong></div>
        <font color="#006600" size="1" face="Verdana, Arial, Helvetica, sans-
serif"><strong>
            <select name="stsw" id="select4">
                <option value="Site">Site</option>
                <option value="Soft">Software</option>
            </select>
            </strong></font></tr>
<tr bgcolor="#F1F1F1">
    <td height="76"> <div align="center"><font color="#006600" size="1"
face="Verdana, Arial, Helvetica, sans-
serif"><strong>Descri&ccedil;&atilde;o</strong></font></div>
    <td colspan="3"><textarea name="sitdesc" cols="80"
id="textarea"></textarea></tr>
<tr bgcolor="#FFFFFF">
    <td colspan="4"><div align="center"><strong><font color="#FF0000"
size="1" face="Verdana, Arial, Helvetica, sans-serif">Obs:
            os campos com * s&atilde;o de preenchimento
obrigat&oacute;rio!</font></strong></div></td>
    </tr>
<tr bgcolor="#F1F1F1">
    <td colspan="4"><div align="center"><font color="#006600" size="2"
face="Verdana, Arial, Helvetica, sans-serif">
        <input type="submit" name="Submit" value="Enviar">
```



```
</table>
<div align="center"></div>
</body>
</html>
```

```
/consulta_software.asp

<html>
<head>
<title>Consulta de Software</title>
<meta http-equiv="Content-Type" content="text/html; charset=iso-8859-1">
</head>

<body leftmargin="0" topmargin="0" marginwidth="0" marginheight="0"><form
method="post" action="insert_software.asp?" name="form" onsubmit="return
valida_campo()">
<table width="100%" height="100%" border="0" align="center" cellpadding="0"
cellspacing="0">
<tr>
    <td width="133" height="78" valign="top" bgcolor="#FFFFFF">&nbsp;</td>
    <td width="767" valign="top"></td>
    <td width="93" valign="top" bgcolor="#FFFFFF">&nbsp;</td>
</tr>
<tr>
    <td valign="top" bgcolor="#F1F1F1"><table width="100%" height="40" border="0"
cellpadding="5" cellspacing="0">
        <tr>
            <td bgcolor="#FFFFFF"><div align="center"></div></td>
        </tr>
    </table>
</td>
</tr>
<p><font color="#333333" size="1" face="Verdana, Arial, Helvetica, sans-serif"><br>
</font></p>
<p align="center"><font color="#333333" size="1" face="Verdana, Arial,
Helvetica, sans-serif"> </font> </p></td>
<td valign="top" bgcolor="#F1F1F1"><table width="100%" height="40" border="0"
cellpadding="5" cellspacing="0">
        <tr>
            <td bgcolor="#FFFFFF"><div align="center"><strong><font color="#006600"
size="5" face="Verdana, Arial, Helvetica, sans-serif">
                </font></strong>
            <table width="100%" border="0" cellpadding="0" cellspacing="0">
                <tr>
                    <td width="30%"><strong><font color="#006600">Bem
Vindo:</font></strong>
                    <strong>Carrao</strong></td>
                    <td width="70%"><strong><font color="#006600" size="5"
face="Verdana, Arial, Helvetica, sans-serif">Consulta
                        de Software / Site</font></strong></td>
                </tr>
            </table>
        </div></td>
        </tr>
    </table>
    <br>
    <table width="721" border="0" align="center" cellpadding="2"
cellspacing="2" bgcolor="#FFFFFF">
        <tr bgcolor="#F1F1F1">
            <td colspan="4"><div align="center"><strong><font color="#006600"
size="1" face="Verdana, Arial, Helvetica, sans-serif">Banco
                de Informa&ccedil;&otilde;es de Software
            Educacional</font></strong></div></td>
        </tr>
    </table>
</td>
</tr>
</table>
</form>
```

```
<tr bgcolor="#F1F1F1">
    <td width="13%"><div align="center"><font color="#006600"><strong><font size="1" face="Verdana, Arial, Helvetica, sans-serif">Tipo</font> </strong> </font> </div>
    <td width="48%"><div align="center"><strong><font color="#006600" size="1" face="Verdana, Arial, Helvetica, sans-serif">Nome</font></strong></div>
    <td width="10%"><div align="center"><strong><font color="#006600" size="1" face="Verdana, Arial, Helvetica, sans-serif">Vers&atilde;o</font></strong></div>
    <td width="29%"><div align="center"><strong><font color="#006600" size="1" face="Verdana, Arial, Helvetica, sans-serif">Cadastrado por</font></strong></div></tr>
<tr bgcolor="#F1F1F1">

    <td><font color="#000000" size="1" face="Verdana, Arial, Helvetica, sans-serif">SOFT</font></td>
    <td><font color="#000000" size="1" face="Verdana, Arial, Helvetica, sans-serif"> <a href="software_selecionado.asp?codigo=1" > soft 1</a></font></td>
    <td><font color="#000000" size="1" face="Verdana, Arial, Helvetica, sans-serif">1</font></td>
    <td><font color="#000000" size="1" face="Verdana, Arial, Helvetica, sans-serif">eu</font></td>
</tr>
<tr bgcolor="#F1F1F1">

    <td><font color="#000000" size="1" face="Verdana, Arial, Helvetica, sans-serif">SITE</font></td>
    <td><font color="#000000" size="1" face="Verdana, Arial, Helvetica, sans-serif"> <a href="software_selecionado.asp?codigo=2" > wwwwwwwwwyyyyyyyyyyyy</a></font></td>
    <td><font color="#000000" size="1" face="Verdana, Arial, Helvetica, sans-serif"> </font></td>
    <td><font color="#000000" size="1" face="Verdana, Arial, Helvetica, sans-serif">eu</font></td>
</tr>
<tr bgcolor="#F1F1F1">

    <td colspan="4"><div align="center">
        <form name="form1" method="post" action="">
            <font color="#006600" size="4" face="Verdana, Arial, Helvetica, sans-serif">Busca</font>
            </form>
            <input type="text" name="textfield">
        </form>
        <font color="#006600" size="2" face="Verdana, Arial, Helvetica, sans-serif">
            <input type="submit" name="Submit" value="Enviar">
        </font></div></td>
    </tr>
</table>
<p align="center"><font color="#FF0000" size="1" face="Verdana, Arial, Helvetica, sans-serif"><br></font></p>
<table width="100%" height="20" border="0" cellpadding="5" cellspacing="0">
    <tr>
        <td bgcolor="#CCCCCC"><div align="right"><font size="1"><font face="Verdana, Arial, Helvetica, sans-serif"><a href="http://www.cesjf.br">
```



```
/software_selecionado.asp?codigo=1

<html>
<head>
<title>Consulta de Software</title>
<meta http-equiv="Content-Type" content="text/html; charset=iso-8859-1">
</head>
<script>
function valida_campo()
{
var soccome = document.form.soccome.value
if (soccome==""){
    alert("Entre com o comentário !");
    document.form.soccome.focus()
    return false
}

}

</script>

<body leftmargin="0" topmargin="0" marginwidth="0" marginheight="0"><form
method="post" action="insert_comentario_software.asp?" name="form"
onsubmit="return valida_campo()">
<table width="100%" height="100%" border="0" align="center" cellpadding="0"
cellspacing="0">
<tr>
<td width="133" height="78" valign="top" bgcolor="#FFFFFF">&nbsp;</td>
<td width="767" valign="top"></td>
<td width="93" valign="top" bgcolor="#FFFFFF">&nbsp;</td>
</tr>
<tr>
<td valign="top" bgcolor="#f1f1f1"><table width="100%" height="40" border="0"
cellpadding="5" cellspacing="0">
<tr>
<td bgcolor="#FFFFFF"><div align="center"></div></td>
</tr>
</table>
<p>&nbsp;</p>
<p>&nbsp;</p>
<br>
<br>
<p align="center"><font color="#333333" size="1" face="Verdana, Arial,
Helvetica, sans-serif"><br>
<br>
<br>
<br>
<br>
</font></p>
<p align="center"><font color="#333333" size="1" face="Verdana, Arial,
Helvetica, sans-serif"> </font> </p></td>
<td valign="top" bgcolor="#f1f1f1"><table width="100%" height="40" border="0"
cellpadding="5" cellspacing="0">
<tr>
<td bgcolor="#FFFFFF"><div align="center"><strong><font color="#006600"
size="5" face="Verdana, Arial, Helvetica, sans-serif">
```

```
</font></strong>
<table width="100%" border="0" cellpadding="0" cellspacing="0">
    <tr>
        <td width="25%"><strong><font color="#006600">Bem
Vindo:</font></strong>
            <strong>Carrao</strong></td>
        <td width="75%"><strong><font color="#006600" size="5"
face="Verdana, Arial, Helvetica, sans-serif">Inclus&atilde;o
            de Coment&aacute;rio de Software/Site</font></strong></td>
    </tr>
</table>
<strong></strong></div></td>
</tr>
</table>
<br>
<table width="721" border="0" align="center" cellpadding="2"
cellspacing="2" bgcolor="#FFFFFF">
    <tr bgcolor="#F1F1F1">
        <td colspan="4"><div align="center"><strong><font color="#006600"
size="1" face="Verdana, Arial, Helvetica, sans-serif">Banco
            de Informa&ccedil;&otilde;es de Software
Educacional</font></strong></div></tr>
    <tr bgcolor="#F1F1F1">
        <td width="12%"> <div align="center"><font color="#006600" size="1"
face="Verdana, Arial, Helvetica, sans-serif"><strong>
            Nome </strong></font></div>
        <td width="42%"><div align="left"><font color="#006600" size="1"
face="Verdana, Arial, Helvetica, sans-serif"><strong>soft 1
            </strong></font></div>
        <td width="12%"><div align="center"><font color="#006600" size="1"
face="Verdana, Arial, Helvetica, sans-serif"><strong>
            Vers&atilde;o</strong></font></div>
        <td width="34%"><font color="#006600" size="1" face="Verdana, Arial,
Helvetica, sans-serif"><strong>
            1 </strong></font></tr>
    <tr bgcolor="#F1F1F1">
        <td><div align="center"><font color="#006600" size="1" face="Verdana,
Arial, Helvetica, sans-serif"><strong>Demonstrativo?</strong></font></div>
        <td><div align="left"><font color="#006600" size="1" face="Verdana,
Arial, Helvetica, sans-serif"><strong>S
            </strong></font></div>
        <td><div align="center"><font color="#006600" size="1" face="Verdana,
Arial, Helvetica, sans-serif"><strong>M&iacute;dia</strong></font></div>
        <td><font color="#006600" size="1" face="Verdana, Arial, Helvetica,
sans-serif"><strong>
            </strong></font></tr>
    <tr bgcolor="#F1F1F1">
        <td><div align="center"><strong><font color="#006600" size="1"
face="Verdana, Arial, Helvetica, sans-serif">Pre&ccedil;&otilde;o</font></strong></div>
        <td><font color="#006600" size="1" face="Verdana, Arial, Helvetica,
sans-serif"><strong>
            </strong></font></tr>
    <tr bgcolor="#F1F1F1">
        <td><div align="center"><strong><font color="#006600" size="1"
face="Verdana, Arial, Helvetica, sans-serif">Site</font></strong></div>
        <td><font color="#006600" size="1" face="Verdana, Arial, Helvetica,
sans-serif"><strong>
            </strong></font></tr>
    <tr bgcolor="#F1F1F1">
        <td><div align="center"><strong><font color="#006600" size="1"
face="Verdana, Arial, Helvetica, sans-serif">Tipo</font></strong></div>
```

```
<td colspan="3"><font color="#006600" size="1" face="Verdana, Arial, Helvetica, sans-serif"><strong>
</strong></font> <div align="center"><strong></strong></div>
<font color="#006600" size="1" face="Verdana, Arial, Helvetica, sans-serif"><strong>SOFT
</strong></font></tr>
<tr bgcolor="#F1F1F1">
<td height="76"><div align="center"><font color="#006600" size="1"
face="Verdana, Arial, Helvetica, sans-serif"><strong>Descri&ccedil;&atilde;o</strong></font>
</div><td colspan="3"></tr>
<tr bgcolor="#F1F1F1">
<td height="107">
<div align="center"><font color="#006600" size="1" face="Verdana,
Arial, Helvetica, sans-serif"><strong>Coment&aacute;rio</strong></font></div>
<td colspan="3">
<textarea name="soccome" cols="70" id="soccome"></textarea>
</tr>
<tr bgcolor="#F1F1F1">
<td colspan="4"><div align="center"><font color="#006600" size="2"
face="Verdana, Arial, Helvetica, sans-serif">
<input type="submit" name="Submit" value="Enviar">
</font></div></td>
</tr>
</table>
<p align="center"><font color="#FF0000" size="1" face="Verdana, Arial, Helvetica, sans-serif"><br>
</font></p>
<table width="100%" height="20" border="0" cellpadding="5"
cellspacing="0">
<tr>
<td bgcolor="#CCCCCC"><div align="right"><font size="1"><font
face="Verdana, Arial, Helvetica, sans-serif"><a href="http://www.cesjf.br"
target="_blank">Site</a></font><font color="#006600" face="Verdana, Arial,
Helvetica, sans-serif"><font color="#333333"> | </font></font><font
face="Verdana, Arial, Helvetica, sans-serif"><a href="http://200.251.62.83/horde/imp/" target="_blank">WebMail</a></font><font
color="#006600" face="Verdana, Arial, Helvetica, sans-serif"><font
color="#333333"> | </font></font><font face="Verdana, Arial, Helvetica, sans-
serif"><a href="http://www.cesjf.br">Sair</a></font><font color="#006600"
face="Verdana, Arial, Helvetica, sans-serif"><font
color="#333333">&ampnbsp&ampnbsp </font></font></div></td>
</tr>
</table>
<p align="center">
<div align="right"><font color="#333333" size="1" face="Verdana, Arial,
Helvetica, sans-serif"><strong></strong></font></div>
<hr align="right">
<div align="center"><font color="#333333" size="1" face="Verdana, Arial,
Helvetica, sans-serif"><strong>&copy; 2005 CES - Centro de Ensino Superior de
Juiz de Fora - CES/JF </strong></font><font color="#333333" size="1"
face="Verdana, Arial, Helvetica, sans-serif"> <br>
Campus AC-CES/JF: Rua Halfeld, 1179 - Campus Verbum Divinum: Av. Rio
Branco, 3520. <br>
Campus Arnaldo Janssen: Av. Luz Interior nº 100, Bairro Estrela Sul
<br>
Fone: (32)3249-7700 - Juiz de Fora/MG - Fax: (32) 3215-6529 -
CNPJ:21.562.368/0017-80 <br>
</font></div>
<p></p></td>
```



```
/software_selecionado.asp?codigo=2

<html>
<head>
<title>Consulta de Software</title>
<meta http-equiv="Content-Type" content="text/html; charset=iso-8859-1">
</head>
<script>
function valida_campo()
{
var soccome = document.form.soccome.value
if (soccome==""){
    alert("Entre com o comentário !");
    document.form.soccnome.focus()
    return false
}

}

</script>

<body leftmargin="0" topmargin="0" marginwidth="0" marginheight="0"><form
method="post" action="insert_comentario_software.asp?" name="form"
onsubmit="return valida_campo()">
<table width="100%" height="100%" border="0" align="center" cellpadding="0"
cellspacing="0">
<tr>
<td width="133" height="78" valign="top" bgcolor="#FFFFFF">&nbsp;</td>
<td width="767" valign="top"></td>
<td width="93" valign="top" bgcolor="#FFFFFF">&nbsp;</td>
</tr>
<tr>
<td valign="top" bgcolor="#f1f1f1"><table width="100%" height="40" border="0"
cellpadding="5" cellspacing="0">
<tr>
<td bgcolor="#FFFFFF"><div align="center"></div></td>
</tr>
</table>
<p>&nbsp;</p>
<p>&nbsp;</p>
<br>
<br>
<p align="center"><font color="#333333" size="1" face="Verdana, Arial,
Helvetica, sans-serif"><br>
<br>
<br>
<br>
<br>
</font></p>
<p align="center"><font color="#333333" size="1" face="Verdana, Arial,
Helvetica, sans-serif"> </font> </p></td>
<td valign="top" bgcolor="#f1f1f1"><table width="100%" height="40" border="0"
cellpadding="5" cellspacing="0">
<tr>
```

```
<td bgcolor="#FFFFFF"><div align="center"><strong><font color="#006600" size="5" face="Verdana, Arial, Helvetica, sans-serif">
    </font></strong>
    <table width="100%" border="0" cellpadding="0" cellspacing="0">
        <tr>
            <td width="25%"><strong><font color="#006600">Bem
Vindo:</font></strong>
                <strong>Carrao</strong></td>
            <td width="75%"><strong><font color="#006600" size="5" face="Verdana, Arial, Helvetica, sans-serif">Inclus&atilde;o
de Coment&aacute;rio de Software/Site</font></strong></td>
        </tr>
    </table>
    <strong></strong></div></td>
</tr>
</table>
<br>
<table width="721" border="0" align="center" cellpadding="2" cellspacing="2" bgcolor="#FFFFFF">
<tr bgcolor="#F1F1F1">
    <td colspan="4"><div align="center"><strong><font color="#006600" size="1" face="Verdana, Arial, Helvetica, sans-serif">Banco
de Informa&ccedil;&otilde;es de Software
Educacional</font></strong></div></td>
<tr bgcolor="#F1F1F1">
    <td width="12%"> <div align="center"><font color="#006600" size="1" face="Verdana, Arial, Helvetica, sans-serif"><strong>
Nome </strong></font></div>
    <td width="42%"><div align="left"><font color="#006600" size="1" face="Verdana, Arial, Helvetica, sans-serif"><strong>wwwwwwyyYYYYYYYYYY
</strong></font></div>
    <td width="12%"><div align="center"><font color="#006600" size="1" face="Verdana, Arial, Helvetica, sans-serif"><strong>
Vers&atilde;o</strong></font></div>
    <td width="34%"><font color="#006600" size="1" face="Verdana, Arial,
Helvetica, sans-serif"><strong>
        </strong></font></td>
<tr bgcolor="#F1F1F1">
    <td><div align="center"><font color="#006600" size="1" face="Verdana,
Arial, Helvetica, sans-serif"><strong>Demonstrativo?</strong></font></div>
    <td><div align="left"><font color="#006600" size="1" face="Verdana,
Arial, Helvetica, sans-serif"><strong>
        </strong></font></div>
    <td><div align="center"><font color="#006600" size="1" face="Verdana,
Arial, Helvetica, sans-serif"><strong>M&iacute;dia</strong></font></div>
    <td><font color="#006600" size="1" face="Verdana, Arial, Helvetica,
sans-serif"><strong>
        </strong></font></td>
<tr bgcolor="#F1F1F1">
    <td><div align="center"><strong><font color="#006600" size="1"
face="Verdana, Arial, Helvetica, sans-serif">Pre&ccedil;&otilde;o</font></strong></div>
    <td><font color="#006600" size="1" face="Verdana, Arial, Helvetica,
sans-serif"><strong>
        </strong></font>
    <td><div align="center"><strong><font color="#006600" size="1"
face="Verdana, Arial, Helvetica, sans-serif">Site</font></strong></div>
    <td><font color="#006600" size="1" face="Verdana, Arial, Helvetica,
sans-serif"><strong>wwwwwwwww
        </strong></font></td>
<tr bgcolor="#F1F1F1">
```



```
/software_selecionado.asp?codigo=1

<html>
<head>
<title>Consulta de Software</title>
<meta http-equiv="Content-Type" content="text/html; charset=iso-8859-1">
</head>
<script>
function valida_campo()
{
var soccome = document.form.soccome.value
if (soccome==""){
    alert("Entre com o comentário !");
    document.form.soccnome.focus()
    return false
}

}

</script>

<body leftmargin="0" topmargin="0" marginwidth="0" marginheight="0"><form
method="post" action="insert_comentario_software.asp?" name="form"
onsubmit="return valida_campo()">
<table width="100%" height="100%" border="0" align="center" cellpadding="0"
cellspacing="0">
<tr>
<td width="133" height="78" valign="top" bgcolor="#FFFFFF">&nbsp;</td>
<td width="767" valign="top"></td>
<td width="93" valign="top" bgcolor="#FFFFFF">&nbsp;</td>
</tr>
<tr>
<td valign="top" bgcolor="#f1f1f1"><table width="100%" height="40" border="0"
cellpadding="5" cellspacing="0">
<tr>
<td bgcolor="#FFFFFF"><div align="center"></div></td>
</tr>
</table>
<p>&nbsp;</p>
<p>&nbsp;</p>
<br>
<br>
<p align="center"><font color="#333333" size="1" face="Verdana, Arial,
Helvetica, sans-serif"><br>
<br>
<br>
<br>
<br>
</font></p>
<p align="center"><font color="#333333" size="1" face="Verdana, Arial,
Helvetica, sans-serif"> </font> </p></td>
<td valign="top" bgcolor="#f1f1f1"><table width="100%" height="40" border="0"
cellpadding="5" cellspacing="0">
<tr>
```

```
<td bgcolor="#FFFFFF"><div align="center"><strong><font color="#006600" size="5" face="Verdana, Arial, Helvetica, sans-serif">
    </font></strong>
    <table width="100%" border="0" cellpadding="0" cellspacing="0">
        <tr>
            <td width="25%"><strong><font color="#006600">Bem
Vindo:</font></strong>
                <strong>Carrao</strong></td>
            <td width="75%"><strong><font color="#006600" size="5" face="Verdana, Arial, Helvetica, sans-serif">Inclus&atilde;o
de Coment&aacute;rio de Software/Site</font></strong></td>
        </tr>
    </table>
    <strong></strong></div></td>
</tr>
</table>
<br>
<table width="721" border="0" align="center" cellpadding="2" cellspacing="2" bgcolor="#FFFFFF">
<tr bgcolor="#F1F1F1">
    <td colspan="4"><div align="center"><strong><font color="#006600" size="1" face="Verdana, Arial, Helvetica, sans-serif">Banco
de Informa&ccedil;&otilde;es de Software
Educacional</font></strong></div></td>
<tr bgcolor="#F1F1F1">
    <td width="12%"> <div align="center"><font color="#006600" size="1" face="Verdana, Arial, Helvetica, sans-serif"><strong>
Nome </strong></font></div>
    <td width="42%"><div align="left"><font color="#006600" size="1" face="Verdana, Arial, Helvetica, sans-serif"><strong>soft 1
</strong></font></div>
    <td width="12%"><div align="center"><font color="#006600" size="1" face="Verdana, Arial, Helvetica, sans-serif"><strong>
Vers&atilde;o</strong></font></div>
    <td width="34%"><font color="#006600" size="1" face="Verdana, Arial,
Helvetica, sans-serif"><strong>
1 </strong></font></td>
<tr bgcolor="#F1F1F1">
    <td><div align="center"><font color="#006600" size="1" face="Verdana,
Arial, Helvetica, sans-serif"><strong>Demonstrativo?</strong></div>
    <td><div align="left"><font color="#006600" size="1" face="Verdana,
Arial, Helvetica, sans-serif"><strong>S
</strong></font></div>
    <td><div align="center"><font color="#006600" size="1" face="Verdana,
Arial, Helvetica, sans-serif"><strong>M&iacute;dia</strong></font></div>
    <td><font color="#006600" size="1" face="Verdana, Arial, Helvetica,
sans-serif"><strong>
</strong></font></td>
<tr bgcolor="#F1F1F1">
    <td><div align="center"><strong><font color="#006600" size="1" face="Verdana, Arial, Helvetica, sans-serif">Pre&ccedil;&otilde;o</font></strong></div>
    <td><font color="#006600" size="1" face="Verdana, Arial, Helvetica,
sans-serif"><strong>
</strong></font>
    <td><div align="center"><strong><font color="#006600" size="1" face="Verdana, Arial, Helvetica, sans-serif">Site</font></strong></div>
    <td><font color="#006600" size="1" face="Verdana, Arial, Helvetica,
sans-serif"><strong>
</strong></font></td>
<tr bgcolor="#F1F1F1">
```


/cadastro_projetos.asp

```
<html>
<head>
<title>Cadastro de Projetos</title>
<meta http-equiv="Content-Type" content="text/html; charset=iso-8859-1">
</head>
<script>
function valida_campo()
{
var pjnom = document.form.pjnom.value
if (pjnom=="")
{
    alert("Entre com o nome do projeto !");
    document.form.pjnom.focus()
    return false
}

}

</script>

<body leftmargin="0" topmargin="0" marginwidth="0" marginheight="0"><form
method="post" action="insert_projeto.asp?" name="form" onsubmit="return
valida_campo()">
<table width="100%" height="100%" border="0" align="center" cellpadding="0"
cellspacing="0">
<tr>
    <td width="133" height="78" valign="top" bgcolor="#FFFFFF">&nbsp;</td>
    <td width="767" valign="top"></td>
    <td width="93" valign="top" bgcolor="#FFFFFF">&nbsp;</td>
</tr>
<tr>
    <td valign="top" bgcolor="f1f1f1"><table width="100%" height="40" border="0"
cellpadding="5" cellspacing="0">
        <tr>
            <td bgcolor="#FFFFFF"><div align="center"></div></td>
        </tr>
    </table>
    <p>&nbsp;</p>
    <p>&nbsp;</p>
    <br>
    <br>
    <p align="center"><font color="#333333" size="1" face="Verdana, Arial,
Helvetica, sans-serif"><br>
        <br>
        <br>
        <br>
        <br>
    </font></p>
    <p align="center"><font color="#333333" size="1" face="Verdana, Arial,
Helvetica, sans-serif"> </font> </p></td>
    <td valign="top" bgcolor="f1f1f1"><table width="100%" height="40" border="0"
cellpadding="5" cellspacing="0">
        <tr>
```

```
<td bgcolor="#FFFFFF"><div align="center"><strong><font color="#006600" size="5" face="Verdana, Arial, Helvetica, sans-serif">
    </font></strong>
    <table width="100%" border="0" cellpadding="0" cellspacing="0">
        <tr>
            <td width="30%"><strong><font color="#006600">Bem
Vindo:</font></strong>
                <strong>Carrao</strong></td>
            <td width="70%"><strong><font color="#006600" size="5" face="Verdana, Arial, Helvetica, sans-serif">Cadastro
de Projetos</font></strong></td>
        </tr>
    </table>
    <strong><font color="#006600" size="5" face="Verdana, Arial,
Helvetica, sans-serif">
        </font></strong></div></td>
    </tr>
</table>
<br>
<table width="777" border="0" align="center" cellpadding="2"
cellspacing="2" bgcolor="#FFFFFF">
    <tr bgcolor="#F1F1F1">
        <td colspan="12"><div align="center"><strong><font color="#006600" size="1" face="Verdana, Arial, Helvetica, sans-serif">Banco
de Informa&ccedil;&otilde;es de Software
Educacional</font></strong></div></tr>
    <tr bgcolor="#F1F1F1">
        <td width="11%"> <div align="center"><font color="#006600" size="1" face="Verdana, Arial, Helvetica, sans-serif"><strong><font
color="#FF0000">*</font>
        Nome </strong></font></div>
        <td colspan="9"><div align="left"><font color="#006600" size="1" face="Verdana, Arial, Helvetica, sans-serif"><strong>
            <input name="pjnom" type="text" id="pjnom" size="50"
maxlength="40">
        </strong></font></div>
        <td colspan="2"> <div align="center"><font color="#006600" size="1" face="Verdana, Arial, Helvetica, sans-serif"><strong>
            </strong></font></div>
            <font color="#006600" size="1" face="Verdana, Arial, Helvetica, sans-
serif"><strong>
            </strong></font></tr>
        <tr bgcolor="#F1F1F1">
            <td><div align="center"><font color="#006600" size="1" face="Verdana,
Arial, Helvetica, sans-serif"><strong>Software/Site</strong></font></div>
            <td colspan="9"><div align="left"><font color="#006600" size="1"
face="Verdana, Arial, Helvetica, sans-serif"><strong>
            <select name="sofcod" id="select3">
                <option selected value=""></option>
                <option value="soft 1
" ><font face="Verdana" color="#006633">soft
1
                </font></option>
                <option value="wwwwwwwwwyyyyYYYYYYYY
" ><font face="Verdana"
color="#006633">wwwwwwwwwyyyyYYYYYYYY
                </font></option>
            </select>
        </div>
    </td>

```

```
</select>
</strong></font></div>
<td width="6%">><div align="center"><font color="#006600" size="1"
face="Verdana, Arial, Helvetica, sans-
serif"><strong>Conte&uacute;do</strong></font></div>
<td width="20%">><font color="#006600" size="1" face="Verdana, Arial,
Helvetica, sans-serif"><strong>
<select name="areacon" id="select2">

<option selected value=""></option>

<option value=""><font face="Verdana" color="#006633">
</font></option>

<option value="a"><font face="Verdana" color="#006633">a
</font></option>

<option value="s"><font face="Verdana" color="#006633">s
</font></option>

</select>
</strong></font></tr>
<tr bgcolor="#F1F1F1">
<td><div align="center"><strong><font color="#006600" size="1"
face="Verdana, Arial, Helvetica, sans-serif">Faixa
Et&aacute;ria </font></strong></div>
<td width="4%">><font color="#006600" size="1" face="Verdana, Arial,
Helvetica, sans-serif"><strong>
<input name="pjfxi" type="text" id="pjfxi" size="5" maxlength="3">
</strong></font>
<td width="1%">><div align="center"><font color="#006600" size="1"
face="Verdana, Arial, Helvetica, sans-serif"><strong>a</strong></font></div>
<td width="4%">><font color="#006600" size="1" face="Verdana, Arial,
Helvetica, sans-serif"><strong>
<input name="pjfxf" type="text" id="pjfxf" size="5" maxlength="3">
</strong></font>
<td width="10%">><font color="#006600" size="1" face="Verdana, Arial,
Helvetica, sans-serif"><strong>Horas/Semana</strong></font>
<td width="4%">><font color="#006600" size="1" face="Verdana, Arial,
Helvetica, sans-serif"><strong>
<input name="pjhoras" type="text" id="pjhoras" size="5"
maxlength="2">
</strong></font>
<td width="12%">><div align="center"><font color="#006600" size="1"
face="Verdana, Arial, Helvetica, sans-serif"><strong>X
Semanas</strong></font></div>
<td width="4%">><font color="#006600" size="1" face="Verdana, Arial,
Helvetica, sans-serif"><strong>
<input name="pjtempo" type="text" id="pjtempo" size="5"
maxlength="2">
</strong></font>
<td width="24%">><div align="center"><font color="#006600" size="1"
face="Verdana, Arial, Helvetica, sans-serif"><strong>=
Total Horas</strong></font></div>
<td colspan="3"> <div align="center"><strong></strong></div>
```

```
<font color="#006600" size="1" face="Verdana, Arial, Helvetica, sans-serif"><strong>
    <input name="pjbstot" type="text" id="pjbstot" size="5"
maxlength="20">
</strong></font></tr>
<tr bgcolor="#F1F1F1">
    <td><div align="center"><strong><font color="#006600" size="1"
face="Verdana, Arial, Helvetica, sans-serif">Resumo</font></strong></div>
    <td colspan="11"><font color="#006600" size="1" face="Verdana, Arial,
Helvetica, sans-serif"><strong>
        </strong></font> <div align="center"><strong></strong></div>
        <font color="#006600" size="1" face="Verdana, Arial, Helvetica, sans-
serif"><strong>
            <textarea name="pjres" cols="80" id="textarea2"></textarea>
        </strong></font></tr>
<tr bgcolor="#F1F1F1">
    <td height="76"><div align="center"><strong><font color="#006600"
size="1" face="Verdana, Arial, Helvetica, sans-
serif">Objetivo</font></strong></div>
    <td colspan="11"><div align="left"><font color="#006600" size="1"
face="Verdana, Arial, Helvetica, sans-serif"><strong>
            <textarea name="pjobj" cols="80" id="textarea3"></textarea>
        </strong></font></div></tr>
<tr bgcolor="#F1F1F1">
    <td height="76"><div align="center"><font color="#006600" size="1"
face="Verdana, Arial, Helvetica, sans-serif"><strong>Desenvolvimento
das Atividades</strong></font></div>
    <td colspan="11"><textarea name="pjati" cols="80"
id="textarea4"></textarea></tr>
<tr bgcolor="#F1F1F1">
    <td height="76"> <div align="center"><font color="#006600" size="1"
face="Verdana, Arial, Helvetica, sans-
serif"><strong>Avalia&ccedil;&atilde;o</strong></font></div>
    <td colspan="11"><textarea name="pjava" cols="80"
id="textarea5"></textarea></tr>
<tr bgcolor="#FFFFFF">
    <td colspan="12"><div align="center"><strong><font color="#FF0000"
size="1" face="Verdana, Arial, Helvetica, sans-serif">Obs:
        os campos com * s&atilde;o de preenchimento
obrigat&oacute;rio!</font></strong></div></td>
    </tr>
<tr bgcolor="#F1F1F1">
    <td colspan="12"><div align="center"><font color="#006600" size="2"
face="Verdana, Arial, Helvetica, sans-serif">
        <input type="submit" name="Submit" value="Enviar">
    </font></div></td>
    </tr>
</table>
<p align="center"><font color="#FF0000" size="1" face="Verdana, Arial,
Helvetica, sans-serif"><br>
</font></p>
<table width="100%" height="20" border="0" cellpadding="5"
cellspacing="0">
    <tr>
        <td bgcolor="#CCCCCC"><div align="right"><font size="1"><font
face="Verdana, Arial, Helvetica, sans-serif"><a href="http://www.cesjf.br"
target="_blank">Site</a></font><font color="#006600" face="Verdana, Arial,
Helvetica, sans-serif"><font color="#333333"> | </font></font><font
face="Verdana, Arial, Helvetica, sans-serif"><a
href="http://200.251.62.83/horde/imp/" target="_blank">WebMail</a></font><font
```



```
/consulta_projetos.asp

<html>
<head>
<title>Consulta de Projetos</title>
<meta http-equiv="Content-Type" content="text/html; charset=iso-8859-1">
</head>

<body leftmargin="0" topmargin="0" marginwidth="0" marginheight="0"><form
method="post" action="insert_software.asp?" name="form" onsubmit="return
valida_campo()">
<table width="100%" height="100%" border="0" align="center" cellpadding="0"
cellspacing="0">
<tr>
    <td width="133" height="78" valign="top" bgcolor="#FFFFFF">&nbsp;</td>
    <td width="767" valign="top"></td>
    <td width="93" valign="top" bgcolor="#FFFFFF">&nbsp;</td>
</tr>
<tr>
    <td valign="top" bgcolor="f1f1f1"><table width="100%" height="40" border="0"
cellpadding="5" cellspacing="0">
        <tr>
            <td bgcolor="#FFFFFF"><div align="center"></div></td>
        </tr>
    </table>
    <p>&nbsp;</p>
    <p>&nbsp;</p>
    <br>
    <br>
    <p align="center"><font color="#333333" size="1" face="Verdana, Arial,
Helvetica, sans-serif"><br>
        <br>
        <br>
        <br>
        <br>
    </font></p>
    <p align="center"><font color="#333333" size="1" face="Verdana, Arial,
Helvetica, sans-serif"> </font> </p></td>
    <td valign="top" bgcolor="f1f1f1"><table width="100%" height="40" border="0"
cellpadding="5" cellspacing="0">
        <tr>
            <td bgcolor="#FFFFFF"><div align="center"><strong><font color="#006600"
size="5" face="Verdana, Arial, Helvetica, sans-serif">
                </font></strong>
            <table width="100%" border="0" cellpadding="0" cellspacing="0">
                <tr>
                    <td width="30%"><strong><font color="#006600">Bem
Vindo:</font></strong>
                        <strong>Carrao</strong></td>
                    <td width="70%"><strong><font color="#006600" size="5"
face="Verdana, Arial, Helvetica, sans-serif">Consulta
                        de Projetos</font></strong></td>
                </tr>
            </table>
            <strong><font color="#006600" size="5" face="Verdana, Arial,
Helvetica, sans-serif">
```

```
        </font></strong></div></td>
    </tr>
</table>
<br>
<table width="721" border="0" align="center" cellpadding="2"
cellspacing="2" bgcolor="#FFFFFF">
    <tr bgcolor="#F1F1F1">
        <td colspan="2"><div align="center"><strong><font color="#006600"
size="1" face="Verdana, Arial, Helvetica, sans-serif">Banco
de Informa&ccedil;&otilde;es de Software
Educacional</font></strong></div></tr>
    <tr bgcolor="#F1F1F1">
        <td width="48%"><div align="center"><strong><font color="#006600"
size="1" face="Verdana, Arial, Helvetica, sans-serif">Nome
</font></strong></div>
        <td width="10%"><div align="center"><strong><font color="#006600"
size="1" face="Verdana, Arial, Helvetica, sans-
serif">Software/Site</font></strong></div></tr>
    <tr bgcolor="#F1F1F1">

        <td><font color="#000000" size="1" face="Verdana, Arial, Helvetica,
sans-serif"> <a href="projeto_selecionado.asp?codigo=2">
            </td>
        <td><font color="#000000" size="1" face="Verdana, Arial, Helvetica,
sans-serif">soft 1
            </td>
        </tr>
    <tr bgcolor="#F1F1F1">

        <td><font color="#000000" size="1" face="Verdana, Arial, Helvetica,
sans-serif"> <a href="projeto_selecionado.asp?codigo=1">
            projeto 1
            </td>
        <td><font color="#000000" size="1" face="Verdana, Arial, Helvetica,
sans-serif">soft 1
            </td>
        </tr>
    <tr bgcolor="#F1F1F1">

        <td><font color="#000000" size="1" face="Verdana, Arial, Helvetica,
sans-serif"> <a href="projeto_selecionado.asp?codigo=3">
            Projeto 3
            </td>
        <td><font color="#000000" size="1" face="Verdana, Arial, Helvetica,
sans-serif">soft 1
            </td>
        </tr>
    <tr bgcolor="#F1F1F1">

        <td><font color="#000000" size="1" face="Verdana, Arial, Helvetica,
sans-serif"> <a href="projeto_selecionado.asp?codigo=4">
            Projeto 4
            </td>
        <td><font color="#000000" size="1" face="Verdana, Arial, Helvetica,
sans-serif">soft 1
            </td>
        </tr>
    <tr bgcolor="#F1F1F1">

        <td colspan="2"><div align="center">
            <form name="form1" method="post" action="">
                <font color="#006600" size="4" face="Verdana, Arial, Helvetica,
sans-serif">Busca
                </font>
                <input type="text" name="textfield">
            </form>
```



```
<br>
<br>
<p>&nbsp;</p></td>
</tr>
</table>
<div align="center"></div>
</body>
</html>
```

[projeto_selecionado.asp?codigo=3](#)

```
<html>
<head>
<title>Consulta de Projetos</title>
<meta http-equiv="Content-Type" content="text/html; charset=iso-8859-1">
</head>
<script>
function valida_campo()
{
var soccome = document.form.soccome.value
if (soccome==""){
    alert("Entre com o comentário !");
    document.form.soccnome.focus()
    return false
}

}

</script>

<body leftmargin="0" topmargin="0" marginwidth="0" marginheight="0"><form
method="post" action="insert_comentario_software.asp?" name="form"
onsubmit="return valida_campo()">
<table width="100%" height="100%" border="0" align="center" cellpadding="0"
cellspacing="0">
<tr>
<td width="133" height="78" valign="top" bgcolor="#FFFFFF">&nbsp;</td>
<td width="767" valign="top"></td>
<td width="93" valign="top" bgcolor="#FFFFFF">&nbsp;</td>
</tr>
<tr>
<td valign="top" bgcolor="f1f1f1"><table width="100%" height="40" border="0"
cellpadding="5" cellspacing="0">
<tr>
<td bgcolor="#FFFFFF"><div align="center"></div></td>
</tr>
</table>
<p>&nbsp;</p>
<p>&nbsp;</p>
<br>
<br>
<p align="center"><font color="#333333" size="1" face="Verdana, Arial,
Helvetica, sans-serif"><br>
<br>
<br>
<br>
<br>
</font></p>
<p align="center"><font color="#333333" size="1" face="Verdana, Arial,
Helvetica, sans-serif"> </font> </p></td>
<td valign="top" bgcolor="f1f1f1"><table width="100%" height="40" border="0"
cellpadding="5" cellspacing="0">
```

```
<tr>
    <td bgcolor="#FFFFFF"><div align="center"><strong><font color="#006600"
size="5" face="Verdana, Arial, Helvetica, sans-serif">
        </font></strong>
        <table width="100%" border="0" cellpadding="0" cellspacing="0">
            <tr>
                <td width="21%"><strong><font color="#006600">Bem
Vindo:</font></strong>
                    <strong>Carrao</strong></td>
                    <td width="79%"><strong><font color="#006600" size="5"
face="Verdana, Arial, Helvetica, sans-serif">Consulta
                    Coment&aacute;rio de Projeto de Uso</font></strong></td>
                </tr>
            </table>
            <strong></strong></div></td>
        </tr>
    </table>
    <br>
    <table width="721" border="0" align="center" cellpadding="2"
cellspacing="2" bgcolor="#FFFFFF">
        <tr bgcolor="#F1F1F1">
            <td colspan="8"><div align="center"><strong><font color="#006600"
size="1" face="Verdana, Arial, Helvetica, sans-serif">Banco
                    de Informa&ccedil;&otilde;es de Software
Educacional</font></strong></div></tr>
        <tr bgcolor="#F1F1F1">
            <td width="13%"> <div align="center"><font color="#006600" size="1"
face="Verdana, Arial, Helvetica, sans-serif"><strong>
                    Nome </strong></font></div>
            <td colspan="3"><div align="left"><font color="#006600" size="1"
face="Verdana, Arial, Helvetica, sans-serif"><strong>Projeto 3
                    </strong></font></div>
            <td width="12%"><div align="center"><font color="#006600" size="1"
face="Verdana, Arial, Helvetica, sans-serif"><strong>
                    Software/Sites</strong></font></div>
            <td colspan="3"><font color="#006600" size="1" face="Verdana, Arial,
                    Helvetica, sans-serif"><strong>
                        soft 1
                    </strong></font></td>
        <tr bgcolor="#F1F1F1">
            <td><div align="center"><font color="#006600" size="1" face="Verdana,
                    Arial, Helvetica, sans-serif"><strong>Conte&uacute;do</strong></font></div>
            <td colspan="3"><div align="left"><font color="#006600" size="1"
face="Verdana, Arial, Helvetica, sans-serif"><strong>
                    </strong></font></div>
            <td><div align="center"><font color="#006600" size="1" face="Verdana,
                    Arial, Helvetica, sans-serif"><strong>
                        Faixa
                    <strong>Et&aacute;ria </strong></font></div>
            <td width="7%"><font color="#006600" size="1" face="Verdana, Arial,
                    Helvetica, sans-serif"><strong>1
                    </strong></font>
            <td width="3%"><div align="center"><font color="#006600" size="1"
face="Verdana, Arial, Helvetica, sans-serif"><strong>a</strong></font></div>
            <td width="28%"><font color="#006600" size="1" face="Verdana, Arial,
                    Helvetica, sans-serif"><strong>3</strong></font></td>
        <tr bgcolor="#F1F1F1">
            <td><div align="center"><strong><font color="#006600" size="1"
face="Verdana, Arial, Helvetica, sans-serif">Horas/Semana</font></strong></div>
            <td width="9%"><font color="#006600" size="1" face="Verdana, Arial,
                    Helvetica, sans-serif"><strong>3
                    </strong></font>
```

```
<td width="14%"> <div align="center"><strong><font color="#006600" size="1" face="Verdana, Arial, Helvetica, sans-serif">X  
    Semanas</font></strong></div>  
    <td width="14%"><font color="#006600" size="1" face="Verdana, Arial, Helvetica, sans-serif"><strong>2</strong></font>  
        <td><div align="center"><strong><font color="#006600" size="1" face="Verdana, Arial, Helvetica, sans-serif">= Total Horas</font></strong></div>  
        <td colspan="3"><font color="#006600" size="1" face="Verdana, Arial, Helvetica, sans-serif"><strong>6</strong></font></td>  
    </tr>  
    <tr bgcolor="#F1F1F1">  
        <td height="57"> <div align="center"><strong><font color="#006600" size="1" face="Verdana, Arial, Helvetica, sans-serif"><strong>Resumo</strong></font>  
            </strong></div>  
        <td colspan="7"><font color="#006600" size="1" face="Verdana, Arial, Helvetica, sans-serif"><strong>  
            </strong></font> <div align="center"><strong></strong></div>  
            <font color="#006600" size="1" face="Verdana, Arial, Helvetica, sans-serif"><strong>RESUMO RRRR</strong>  
            </strong></font></td>  
        <tr bgcolor="#F1F1F1">  
            <td height="76"><div align="center"><font color="#006600" size="1" face="Verdana, Arial, Helvetica, sans-serif"><strong>Objetivo</strong></font></div>  
            <td colspan="7"><font color="#006600" size="1" face="Verdana, Arial, Helvetica, sans-serif"><strong>OBJETIVO 00000</strong></font></td>  
        <tr bgcolor="#F1F1F1">  
            <td height="107"><div align="center"><font color="#006600" size="1" face="Verdana, Arial, Helvetica, sans-serif"><strong>Desenvolvimento das Atividades</strong></font> </div>  
            <td colspan="7"><font color="#006600" size="1" face="Verdana, Arial, Helvetica, sans-serif"><strong>DESENVOLVIMENTO</strong></font></td>  
        <tr bgcolor="#F1F1F1">  
            <td height="107"> <div align="center"><font color="#006600" size="1" face="Verdana, Arial, Helvetica, sans-serif"><strong>Avalia&ccedil;&atilde;o</strong></font></div>  
            <td colspan="7"><font color="#006600" size="1" face="Verdana, Arial, Helvetica, sans-serif">&nbsp;</font>  
            <font color="#006600" size="1" face="Verdana, Arial, Helvetica, sans-serif"><strong>AVALIAÇÃO</strong></font>  
        </tr>  
        <tr bgcolor="#F1F1F1">  
            <td height="107" colspan="8"> <div align="center"><font color="#006600" size="1" face="Verdana, Arial, Helvetica, sans-serif"><strong>Coment&aacute;rio</strong></font>  
            </div>  
            <form name="form1" method="post" action="">  
                <div align="center"><font color="#006600" size="4">&lt;&lt;Anterior</font>  
                    <textarea name="textarea" cols="50"></textarea>  
                    <font color="#006600" size="4"> Pr&oacute;ximo&gt;&gt;</font>  
            </div>  
            </form></tr>  
        </table>  
        <p align="center"><font color="#FF0000" size="1" face="Verdana, Arial, Helvetica, sans-serif"><br>  
            </font></p>
```


/projeto_selecionado.asp?codigo=3

```
<html>
<head>
<title>Consulta de Projetos</title>
<meta http-equiv="Content-Type" content="text/html; charset=iso-8859-1">
</head>
<script>
function valida_campo()
{
var soccome = document.form.soccome.value
if (soccome==""){
    alert("Entre com o comentário !");
    document.form.soccome.focus()
    return false
}

}

</script>

<body leftmargin="0" topmargin="0" marginwidth="0" marginheight="0"><form
method="post" action="insert_comentario_software.asp?" name="form"
onsubmit="return valida_campo()">
<table width="100%" height="100%" border="0" align="center" cellpadding="0"
cellspacing="0">
<tr>
<td width="133" height="78" valign="top" bgcolor="#FFFFFF">&nbsp;</td>
<td width="767" valign="top"></td>
<td width="93" valign="top" bgcolor="#FFFFFF">&nbsp;</td>
</tr>
<tr>
<td valign="top" bgcolor="#f1f1f1"><table width="100%" height="40" border="0"
cellpadding="5" cellspacing="0">
<tr>
<td bgcolor="#FFFFFF"><div align="center"></div></td>
</tr>
</table>
<p>&nbsp;</p>
<p>&nbsp;</p>
<br>
<br>
<p align="center"><font color="#333333" size="1" face="Verdana, Arial,
Helvetica, sans-serif"><br>
<br>
<br>
<br>
<br>
</font></p>
<p align="center"><font color="#333333" size="1" face="Verdana, Arial,
Helvetica, sans-serif"> </font> </p></td>
<td valign="top" bgcolor="#f1f1f1"><table width="100%" height="40" border="0"
cellpadding="5" cellspacing="0">
<tr>
```

```
<td bgcolor="#FFFFFF"><div align="center"><strong><font color="#006600" size="5" face="Verdana, Arial, Helvetica, sans-serif">
    </font></strong>
    <table width="100%" border="0" cellpadding="0" cellspacing="0">
        <tr>
            <td width="21%"><strong><font color="#006600">Bem
Vindo:</font></strong>
                <strong>Carrao</strong></td>
            <td width="79%"><strong><font color="#006600" size="5" face="Verdana, Arial, Helvetica, sans-serif">Consulta
Coment&aacute;rio de Projeto de Uso</font></strong></td>
        </tr>
    </table>
    <br>
    <table width="721" border="0" align="center" cellpadding="2" cellspacing="2" bgcolor="#FFFFFF">
        <tr bgcolor="#F1F1F1">
            <td colspan="8"><div align="center"><strong><font color="#006600" size="1" face="Verdana, Arial, Helvetica, sans-serif">Banco
de Informa&ccedil;&otilde;es de Software
Educacional</font></strong></div></td>
        <tr bgcolor="#F1F1F1">
            <td width="13%"> <div align="center"><font color="#006600" size="1" face="Verdana, Arial, Helvetica, sans-serif"><strong>
Nome </strong></font></div>
            <td colspan="3"><div align="left"><font color="#006600" size="1" face="Verdana, Arial, Helvetica, sans-serif"><strong>Projeto 3
</strong></font></div>
            <td width="12%"><div align="center"><font color="#006600" size="1" face="Verdana, Arial, Helvetica, sans-serif"><strong>
Software/Sites</strong></font></div>
            <td colspan="3"><font color="#006600" size="1" face="Verdana, Arial,
Helvetica, sans-serif"><strong>
soft 1
                </strong></font></td>
        <tr bgcolor="#F1F1F1">
            <td><div align="center"><font color="#006600" size="1" face="Verdana, Arial, Helvetica, sans-serif"><strong>Conte&uacute;do</strong></font></div>
            <td colspan="3"><div align="left"><font color="#006600" size="1" face="Verdana, Arial, Helvetica, sans-serif"><strong>
                </strong></font></div>
            <td><div align="center"><font color="#006600" size="1" face="Verdana, Arial, Helvetica, sans-serif"><strong>Faixa
Et&aacute;ria </strong></font></div>
            <td width="7%"><font color="#006600" size="1" face="Verdana, Arial, Helvetica, sans-serif"><strong>1
                </strong></font>
            <td width="3%"><div align="center"><font color="#006600" size="1" face="Verdana, Arial, Helvetica, sans-serif"><strong>a</strong></font></div>
            <td width="28%"><font color="#006600" size="1" face="Verdana, Arial, Helvetica, sans-serif"><strong>3</strong></font></td>
        <tr bgcolor="#F1F1F1">
            <td><div align="center"><strong><font color="#006600" size="1" face="Verdana, Arial, Helvetica, sans-serif">Horas/Semana</font></strong></div>
            <td width="9%"><font color="#006600" size="1" face="Verdana, Arial, Helvetica, sans-serif"><strong>3
                </strong></font>
```

```
<td width="14%"> <div align="center"><strong><font color="#006600" size="1" face="Verdana, Arial, Helvetica, sans-serif">X  
    Semanas</font></strong></div>  
    <td width="14%"><font color="#006600" size="1" face="Verdana, Arial, Helvetica, sans-serif"><strong>2</strong></font>  
        <td><div align="center"><strong><font color="#006600" size="1" face="Verdana, Arial, Helvetica, sans-serif">= Total Horas</font></strong></div>  
        <td colspan="3"><font color="#006600" size="1" face="Verdana, Arial, Helvetica, sans-serif"><strong>6</strong></font></td>  
    </tr>  
    <tr bgcolor="#F1F1F1">  
        <td height="57"> <div align="center"><strong><font color="#006600" size="1" face="Verdana, Arial, Helvetica, sans-serif"><strong>Resumo</strong></font>  
            </strong></div>  
        <td colspan="7"><font color="#006600" size="1" face="Verdana, Arial, Helvetica, sans-serif"><strong>  
            </strong></font> <div align="center"><strong></strong></div>  
            <font color="#006600" size="1" face="Verdana, Arial, Helvetica, sans-serif"><strong>RESUMO RRRR</strong>  
            </strong></font></td>  
        <tr bgcolor="#F1F1F1">  
            <td height="76"><div align="center"><font color="#006600" size="1" face="Verdana, Arial, Helvetica, sans-serif"><strong>Objetivo</strong></font></div>  
            <td colspan="7"><font color="#006600" size="1" face="Verdana, Arial, Helvetica, sans-serif"><strong>OBJETIVO 00000</strong></font></td>  
        <tr bgcolor="#F1F1F1">  
            <td height="107"><div align="center"><font color="#006600" size="1" face="Verdana, Arial, Helvetica, sans-serif"><strong>Desenvolvimento das Atividades</strong></font> </div>  
            <td colspan="7"><font color="#006600" size="1" face="Verdana, Arial, Helvetica, sans-serif"><strong>DESENVOLVIMENTO</strong></font></td>  
        <tr bgcolor="#F1F1F1">  
            <td height="107"> <div align="center"><font color="#006600" size="1" face="Verdana, Arial, Helvetica, sans-serif"><strong>Avalia&ccedil;&atilde;o</strong></font></div>  
            <td colspan="7"><font color="#006600" size="1" face="Verdana, Arial, Helvetica, sans-serif">&nbsp;</font>  
            <font color="#006600" size="1" face="Verdana, Arial, Helvetica, sans-serif"><strong>AVALIAÇÃO</strong></font>  
        </tr>  
        <tr bgcolor="#F1F1F1">  
            <td height="107" colspan="8"> <div align="center"><font color="#006600" size="1" face="Verdana, Arial, Helvetica, sans-serif"><strong>Coment&aacute;rio</strong></font>  
                </div>  
                <form name="form1" method="post" action="">  
                    <div align="center"><font color="#006600" size="4">&lt;&lt;Anterior</font>  
                    <textarea name="textarea" cols="50"></textarea>  
                    <font color="#006600" size="4"> Pr&oacute;ximo&gt;&gt;</font>  
                </div>  
            </form></td>  
        </tr>  
    </table>  
    <p align="center"><font color="#FF0000" size="1" face="Verdana, Arial, Helvetica, sans-serif"><br>  
        </font></p>
```


/ficha_inscricao.asp

```
<html>
<head>
<title>Ficha de Colaborador</title>
<meta http-equiv="Content-Type" content="text/html; charset=iso-8859-1">
</head>
<script>
function valida_campo()
{
var colnome = document.form.colnome.value
if (colnome==""){
    alert("Entre com o último nome !");
    document.form.colnome.focus()
    return false
}

var colnomi = document.form.colnomi.value
if (colnomi==""){
    alert("Entre com o primeiro nome !");
    document.form.colnomi.focus()
    return false
}
var colemail = document.form.colemail.value
if (colemail==""){
    alert("Entre com o Email!");
    document.form.colemail.focus()
    return false
}
var collogin = document.form.collogin.value
if (collogin==""){
    alert("Entre com o login!");
    document.form.collogin.focus()
    return false
}

var colsen = document.form.colsen.value
if (colsen==""){
    alert("Entre com a senha!");
    document.form.colsen.focus()
    return false
}
}

</script>

<body leftmargin="0" topmargin="0" marginwidth="0" marginheight="0"><form
method="post" action="insert_colaborador.asp?" name="form" onsubmit="return
valida_campo()" >
<table width="100%" height="100%" border="0" align="center" cellpadding="0"
cellspacing="0">
<tr>
    <td width="133" height="78" valign="top" bgcolor="#FFFFFF">&nbsp;</td>
    <td width="760" valign="top"></td>
    <td width="100" valign="top" bgcolor="#FFFFFF">&nbsp;</td>
</tr>
<tr>
```

```
<td valign="top" bgcolor="#F1F1F1"><table width="100%" height="40" border="0" cellpadding="5" cellspacing="0">
<tr>
    <td bgcolor="#FFFFFF"><div align="center"></div></td>
</tr>
</table>
<p>&nbsp;</p>
<p>&nbsp;</p>
<br>
<br>
<p align="center"><font color="#333333" size="1" face="Verdana, Arial, Helvetica, sans-serif"><br>
    <br>
    <br>
    <br>
    <br>
</font></p>
<p align="center"><font color="#333333" size="1" face="Verdana, Arial, Helvetica, sans-serif"> </font> </p></td>
<td valign="top" bgcolor="#F1F1F1"><table width="100%" height="40" border="0" cellpadding="5" cellspacing="0">
<tr>
    <td bgcolor="#FFFFFF"><div align="center"><strong><font color="#006600" size="5" face="Verdana, Arial, Helvetica, sans-serif">
        Cadastro de Colaboradores</font></strong></div></td>
</tr>
</table>
<br>
<table width="707" border="0" align="center" cellpadding="2" cellspacing="2" bgcolor="#FFFFFF">
<tr bgcolor="#F1F1F1">
    <td colspan="4"><div align="center"><strong><font color="#006600" size="1" face="Verdana, Arial, Helvetica, sans-serif">Banco
        de Informa&ccedil;&otilde;es de Software
    Educacional</font></strong></div></tr>
<tr bgcolor="#F1F1F1">
    <td width="13%"> <div align="center"><font color="#006600" size="1" face="Verdana, Arial, Helvetica, sans-serif"><strong><font
        color="#FF0000">*</font>
            Primeiro Nome </strong></font></div>
    <td width="43%"><div align="left"><font color="#006600" size="1" face="Verdana, Arial, Helvetica, sans-serif"><strong>
            <input name="colnomi" type="text" id="colnomi" size="30" maxlength="12">
        </strong></font></div>
    <td width="17%"><div align="center"><font color="#006600" size="1" face="Verdana, Arial, Helvetica, sans-serif"><strong><font
        color="#FF0000">*</font>
            &Uacute;ltimo Nome</strong></font></div>
    <td width="27%"><font color="#006600" size="1" face="Verdana, Arial, Helvetica, sans-serif"><strong>
            <input name="colnome" type="text" id="colnome" size="30" maxlength="20">
        </strong></font></td>
<tr bgcolor="#F1F1F1">
    <td><div align="center"><font color="#006600" size="1" face="Verdana, Arial, Helvetica, sans-serif"><strong>Rua</strong></font></div>
    <td><div align="center"><font color="#006600" size="1" face="Verdana, Arial, Helvetica, sans-serif"><strong>
```

```
        <input name="colrua" type="text" id="menbro33" size="50"
maxlength="30">
        </strong></font></div>
    <td><div align="center"><font color="#006600" size="1" face="Verdana,
Arial, Helvetica, sans-serif"><strong>Bairro</strong></font></div>
        <td><font color="#006600" size="1" face="Verdana, Arial, Helvetica,
sans-serif"><strong>
            <input name="colbai" type="text" id="colbai" size="30"
maxlength="20">
            </strong></font></tr>
    <tr bgcolor="#F1F1F1">
        <td><div align="center"><strong><font color="#006600" size="1"
face="Verdana, Arial, Helvetica, sans-serif">Cidade</font></strong></div>
        <td><font color="#006600" size="1" face="Verdana, Arial, Helvetica,
sans-serif"><strong>
            <input name="colcid" type="text" id="colcid" size="50"
maxlength="20">
            </strong></font>
        <td><div align="center"><strong><font color="#006600" size="1"
face="Verdana, Arial, Helvetica, sans-serif">Estado</font></strong></div>
        <td><font color="#006600" size="1" face="Verdana, Arial, Helvetica,
sans-serif"><strong>
            <input name="coluf" type="text" id="empresa2222" size="10"
maxlength="2">
            </strong></font></tr>
    <tr bgcolor="#F1F1F1">
        <td><div align="center"><font color="#006600"><strong><font size="1"
face="Verdana, Arial, Helvetica, sans-serif">Pais</font></strong></font></div>
        <td><div align="center"><font color="#006600" size="1" face="Verdana,
Arial, Helvetica, sans-serif"><strong>
            <input name="colpais" type="text" id="colpais" size="50"
maxlength="12">
            </strong></font color="#006600"></font></div>
        <td><div align="center"><font color="#006600"><strong><font size="1"
face="Verdana, Arial, Helvetica, sans-serif">CEP</font></strong></font></div>
        <td><div align="left"><font color="#006600" size="1" face="Verdana,
Arial, Helvetica, sans-serif"><strong>
            <input name="colcep" type="text" id="empresa2223" size="10"
maxlength="8">
            </strong></font color="#006600"></font></div></tr>
    <tr bgcolor="#F1F1F1">
        <td><div align="center"><strong><font color="#FF0000" size="1"
face="Verdana, Arial, Helvetica, sans-serif">*</font><font color="#006600"
size="1" face="Verdana, Arial, Helvetica, sans-serif">
            Email</font></strong></div>
        <td><div align="center"><strong><font color="#006600" size="1"
face="Verdana, Arial, Helvetica, sans-serif">
            <input name="colemail" type="text" id="colemail" size="50"
maxlength="30">
            </font></strong></div>
        <td><div align="center"><font color="#006600" size="1" face="Verdana,
Arial, Helvetica, sans-serif"><strong>Telefone</strong></font></div>
        <td><font color="#006600" size="1" face="Verdana, Arial, Helvetica,
sans-serif"><strong>
            <input name="colfone" type="text" id="colfone" size="30"
maxlength="14">
            </strong></font></tr>
    <tr bgcolor="#F1F1F1">
        <td><div align="center"><font color="#006600" size="1" face="Verdana,
Arial, Helvetica, sans-serif"><strong>Titularidade
```

```
M&aacute;xima </strong></font></div>
<td><select name="coltit" id="coltit">

<OPTION selected value=""></OPTION>

<option value=""><font face="Verdana" color="#006633">a
</font></option>

<option value="a"><font face="Verdana" color="#006633">a
</font></option>

<option value="s"><font face="Verdana" color="#006633">s
</font></option>

</select>
<td><div align="center"><strong><font color="#006600" size="1"
face="Verdana, Arial, Helvetica, sans-serif">Sexo</font></strong></div>
<td><select name="colsex" id="select">
<option value="M">M</option>
<option value="F">F</option>
</select></tr>
<tr bgcolor="#F1F1F1">
<td><div align="center"><font color="#006600" size="1" face="Verdana,
Arial, Helvetica, sans-serif"><strong>Profiss&atilde;o</strong></font></div>
<td><strong><font color="#006600" size="1" face="Verdana, Arial,
Helvetica, sans-serif">
<input name="colprof" type="text" id="colprof" size="50"
maxlength="25">
</font></strong>
<td><div align="center"><strong><font color="#006600" size="1"
face="Verdana, Arial, Helvetica, sans-serif">Local
de trabalho</font></strong></div>
<td><font color="#006600" size="1" face="Verdana, Arial, Helvetica,
sans-serif"><strong>
<input name="collocatra" type="text" id="collocatra" size="30"
maxlength="30">
</strong></font></tr>
<tr bgcolor="#F1F1F1">
<td height="76">
<div align="center"><font color="#006600" size="1" face="Verdana, Arial,
Helvetica, sans-serif"><strong>Informa&ccedil;&otilde;es
Complementares </strong></font></div>
<td colspan="3"><textarea name="colinfo" cols="80"
id="textarea"></textarea></td>
<tr bgcolor="#F1F1F1">
<td><div align="center"><font color="#006600" size="1" face="Verdana,
Arial, Helvetica, sans-serif"><strong><font color="#FF0000">*</font>
Login</strong></font></div>
<td><div align="left"><font color="#006600" size="1" face="Verdana,
Arial, Helvetica, sans-serif"><strong>
</strong></font> <font color="#006600" size="1" face="Verdana,
Arial, Helvetica, sans-serif"><strong>
<input name="collogin" type="text" id="collogin" size="10"
maxlength="8">
</strong></font></div>
<div align="center"><strong></strong></div>
```

```

<td><div align="center"><font color="#006600" size="1" face="Verdana,
Arial, Helvetica, sans-serif"><strong><font color="#FF0000">*</font>
Senha</strong></font></div>
<td><font color="#006600" size="1" face="Verdana, Arial, Helvetica,
sans-serif"><strong>
<input name="colsen" type="password" id="colsen" size="10"
maxlength="6">
</strong></font></tr>
<tr bgcolor="#FFFFFF">
<td colspan="4"><div align="center"><strong><font color="#FF0000" size="1" face="Verdana, Arial, Helvetica, sans-serif">Obs:
os campos com * s&atilde;o de preenchimento
obrigat&oacute;rio!</font></strong></div></td>
</tr>
<tr bgcolor="#F1F1F1">
<td colspan="4"><div align="center"><font color="#006600" size="2" face="Verdana, Arial, Helvetica, sans-serif">
<input type="submit" name="Submit" value="Enviar">
</font></div></td>
</tr>
</table>
<p align="center"><font color="#FF0000" size="1" face="Verdana, Arial,
Helvetica, sans-serif"><br>
</font></p>
<table width="100%" height="20" border="0" cellpadding="5"
cellspacing="0">
<tr>
<td bgcolor="#CCCCCC"><div align="right"><font size="1"><font
face="Verdana, Arial, Helvetica, sans-serif"><a href="http://www.cesjf.br"
target="_blank">Site</a></font><font color="#006600" face="Verdana, Arial,
Helvetica, sans-serif"><font color="#333333"> | </font></font><font
face="Verdana, Arial, Helvetica, sans-serif"><a href="http://200.251.62.83/horde/imp/" target="_blank">WebMail</a></font><font
color="#006600" face="Verdana, Arial, Helvetica, sans-serif"><font
color="#333333"> | </font></font><font face="Verdana, Arial, Helvetica, sans-
serif"><a href="http://www.cesjf.br">Sair</a></font><font color="#006600"
face="Verdana, Arial, Helvetica, sans-serif"><font
color="#333333">&nbsp;&nbsp; &nbsp;&nbsp; </font></font></div></td>
</tr>
</table>
<p align="center">
<div align="right"><font color="#333333" size="1" face="Verdana, Arial,
Helvetica, sans-serif"><strong></strong></font></div>
<hr align="right">
<div align="center"><font color="#333333" size="1" face="Verdana, Arial,
Helvetica, sans-serif"><strong>&copy; 2005 CES - Centro de Ensino Superior de
Juiz de Fora - CES/JF </strong></font><font color="#333333" size="1"
face="Verdana, Arial, Helvetica, sans-serif"> <br>
Campus AC-CES/JF: Rua Halfeld, 1179 - Campus Verbum Divinum: Av. Rio
Branco, 3520. <br>
Campus Arnaldo Janssen: Av. Luz Interior nº 100, Bairro Estrela Sul
<br>
Fone: (32)3249-7700 - Juiz de Fora/MG - Fax: (32) 3215-6529 -
CNPJ:21.562.368/0017-80 <br>
</font></div>
<p></p></td>
<td valign="top" bgcolor="#F1F1F1"><table width="100%" height="40" border="0"
cellpadding="5" cellspacing="0">
<tr>
<td bgcolor="#FFFFFF"><div align="center"></div></td>

```

```
</tr>
</table>
<br>
<br>&nbsp;</p></td>
</tr>
</table>
<div align="center"></div>
</body>
</html>
```