REFERENCES

AAHPERD-American Association for Health, Physical Education, Recreation and Dance. (1989). *Physical Best.* VA: Author.

Aaron, D.J., Kriska, A.M., Dearwater, S.R., Anderson, R.L., Olsen, T.L., Cauley, J.A. & LaPorte, R.E. (1993). The epidemiology of leisure physical activity in an adolescent population. *Medicine and Science in Sport and Exercise* 25:847-853.

ACSM-American College of Sports Medicine. (1978). The recommended quantity and quality of exercise for developing and maintaining fitness in healthy adults. *Sports Medicine*13:1,3-4.

ACSM-American College of Sports Medicine. (1991). *Guidelines for Exercise Testing and Prescription (4th ed)*. Baltimore: Williams & Wilkins.

ACSM-American College of Sports Medicine. (1995). *Guidelines for Exercise Testing and Prescription (5th ed)*. Baltimore: Williams & Wilkins.

ACSM-American College of Sports Medicine. (2000). *ACSM's Guideline for Exercise Testing and Prescription*. 6th ed. Baltimore, MD: Lippincoott, Williams and Wilkins.

ADA-American Diabetes Association. (1997). Disbetes Mellitus and Exercise: Position Statement. *Diebetes Care* 20:1908-1912.

AHA-American Heart Association. (1995). Strategic plan for promoting physical activity. Dallas, TX: American Heart Association.

Alexander, D. (1997). We must strengthen our battle! Quality daily physical education. *CAHPERD Journal*, 63(1):30.

Alexandrov, A., Isakova, G., Maslennikova, G., Shugaeva, E., Prokhorov, A., Olfenev, A. & Kul1kov, S. (1988). Prevention of atherosclerosis among 11-year-old schoolchildren in two Moscow administrative districts. *Healthy Psychology*, 7: S247-S252.

Allensworth, D. & Kolbe, L.J. (1987). The school health program: Exploring an expended concept. *Journal of School Health*, 57(10): 409-412.

Allensworth, D., Lawson, E., Nicholson, L., Wyche, J. (Eds.). (1997). *Schools and health: Our nation's investment*. Washington, DC: National Academy Press.

Aloia, J.F., Vaswani, A.N., Yeh, J.K. & Cohn, S.H. (1998). Premenopausal bone mass is related to physical activity. *Archives of Internal Medicine* 148:121-123.

Alpert, B.S., Wilmore, J.H. (1994). Physical activity and blood pressure in adolescents. *Pediatric Exercise Science* 6:361-380.

Anderson, E.A., Zhang, J.J., Rudisill, M.E. & Gaa, J. (1997). Validity and reliability of a timed curl-up test: Development of a parallel form for the FITNESSGRAM abdominal strength test. *Research Quarterly for Exercise and Sport* 68 (Suppl.), A-51.

Angelico, F., Ben, M.D., Fabiani, L., Lentini, P., Pannozzo, F., Urbinati, G.C. & Ricci, G. (1991). Management of childhood obesity'through a school-based programme of general health and nutrition education. *Public Health* 105: 393-398.

Arakawa, K. (1996). Effect of exercise on hypertension and associated complications. *Hypertens Res* 19 (Suppl 1):S87-S91.

Arbeit, M.L., Johnson, C.C., Mott, D.S., Harsha, D.W., Nicklas, T.A., Webber, L.S. & Berenson, G.S. (1992). The Heart Smart cardiovascular school health promotion: behavior correlations of risk factor change. *Preventive Medicine* 21:18-23.

Arciero, P., Vukovich, M., Holloszy, J., Racette, S. & Kohrt, W. (1999). Comparison of short-term diet and exercise on insulin action in individuals with abnormal glucose tolerance. *Journal of Applied Physiology* 86(6): 1930-1935.

Aristimuno, G.G., Foster, T.A., Voors, A.W., Srinivasan, S.R. & Berenson, G.S. (1984). Influence of persistent obesity in children on cardiovascular risk factors: The Bogalusa Heart Study. *Circulation* 69: 895-904.

Armstrong, N., Balding, J., Gentle, P. & Kirby, B. (1990). Patterns of physical activity among 11 to 16 year old British children. British Medicial Journal 301: 203-205.

Armstrong, N., Balding, J., Gentle, P., Williams, J.R. & Kirby B. (1991). Peak oxygen uptake and habitual physical activity in 11 to 16 year olds. *Pediatric Exercise Science* 2: 349-358.

Armstrong, N. & Simons-Morton, B. (1994). Physical activity and blood lipids in adolescents. *Pediatric Exercise Science* 6: 381-405.

Armstrong, N. & Åstrand, P. (1997). Physical education ad the promotion of health and well-being in Europe. *European Journal of Physical Education*. 2: 158-159.

Armstrong, N. & Williams, J.R. (1997). Young People and Physical Activity. Oxford: Oxford University Press,

Armstrong, N., Welsman, J.R. & Kirby, B.J. (1999). Submaximal exercise and maturation in 12-year-olds. *Journal of Sports Sciences* 17 (2): 107-114

Armstrong, T., Bauman, A., Davies, J. (2000). Physical activity patterns of Australian adults Results of the 1999 National Physical Activity Survey. Published by the Australian Institute of Health and Welfare, Printed by Panther Publishing and Printing.

Armstrong, N. & Welsman, J.R. (2001). Peak oxygen uptake in relation to growth and maturation in 11-to 17-year-old humans. *European Journal Applied Physiology* 85: 546-551.

Arroll, B. & Beaglehole, R. (1992). Does physical activity lower blood pressure: a critical review of the clinical trials. *Journal of Clinical Epidemiology* 45(5): 439-447.

Astrand, P.O. & Rodahl, K. (1986). Textbook of work physiology. New York: McGraw-Hill.

Axler, C.T. & McGill, S.M. (1997). Low back loads over a variety of abdominal exercises: Searching for the safest challenge. *Medicine and Science in Sports and Exercise*, 29,801-810.

Ball, T.E. (1993). The predictability of muscular strength and endurance from calisthenics. *Research Quarterly for Exercise and Sport*, 64 (Suppl.), A-39. [Abstract].

Baranowski, T., Bouchard, C., Bar-Or, O., Bricker, T., Heath, G., Kimm, S.Y.S., Malina, R., Obarzanek, E., Pate, R., Strong WB, Truman B, Washington R. (1992). Assessment, prevalence, and cardiovascular benefits of physical activity and fitness in youth. *Medicine and Science in Sports and Exercise* 24: S237-S247.

Barlow, S.E. & Dietz, W.H. (1998). Obesity evaluation and treatment: expert committee recommendations. The Maternal and Child Health Bureau, Health Resources and Services Administration, and the Department of Health and Human Services. *Pediatrics* 102(3):E29.

(http://www.pediatrics.org/cgi/content/full/102/3/e29)

Bar-Or, O. & Baranowski, T. (1994). Physical activity, adiposity, and obesity among adolescents. *Pediatric Exercise Science* 6:348-360.

Bar-Or, O. & Malina, R.M. (1995). Activity, Fitness, and Health of Children and Adolescents. In Cheung LWY & Richmond JB(Eds.), *Child Health, Nutrition, and Physical Activity* (p.79-123). Champaign: Human Kinetics.

Bar-Or, O. (1983). *Pediatric sports medicine for the practitioner*. New York: Springer-Verlag.

Bar-Or, O. (1996). Role of exercise in the assessment and management of neuromuscular disease in children. *Medicine and Science in Sports and Exercise* 28(4):421-427.

Bar-Or, O., Foreyt, J., Bouchard, C., Brownell, K.D., Dietz, W.H., Ravussin, E., Salbe, A.D., Schwenger, S., St Jeor, S. & Torun B. (1998). Physical activity, genetic, and nutritional considerations in childhood weight management. *Medicine and Science in Sports and Exercise* 30(1): 2-10.

Batty, D. & Thune, I. (2000). Does physical activity prevent cancer? Evidence suggests protection against colon cancer and probably breast cancer. *British Medicial Journal* 321: 1424-1425.

Bauman, A. & Owen, N. (1999). Physical activity of adult Australians: epidemiological evidence and potential strategies for health gain. Journal of Science, *Medicine and Sport* 2(1): 30-41.

Baumgartner, T.A. & Jackson, A.S. (1991). Measurement for evaluation in physical education and exercise science. Dubuque: Wm. C. Brown.

Bennington, J.Y. (1998). Norm-Referenced and Criterion-Referenced Reliability of the FITNESSGRAM Abdominal Curl-Up Test in Children. Unpublished master's thesis, SAN DIEGO STATE UNIVERSITY, Department of Exercise and Nutritional Sciences.

Berenson, G.S., McMahon CA, Voors AW. (1980). Cardiovascular risk factors in children: The early natural history of atherosclerosis and essential hypertension. New York: Oxford University. Berenson, G.S., Webber LS, Srinivasan, S.R., Voors AW, Harska DW, Dalferes ER.(1982). Biochemical and anthropometric determinants of serum b- and pre-b-lipoproteins in children: The Bogalusa Heart Study. *Arteriosclerosis* 2:324-334.

Berlin, J.A. & Colditz, G.A. (1990). The meta-analysis of physical activity in the prevention of coronary heart disease. *American Journal of Epidemiology* 132(4): 612-627.

Best J. (1989). Intervention perspectives on school health promotion research. *Health Education Quarterly* 16: 301-306.

Beunen, G., Malina, R.M., Claessens, A.L., Renson, R., Kanden, E.B., Vanreusel, B. & Simons, J. (1997). Skeletal maturation, somatic growth and physical fitness in girls 6-16 years of age. *International Journal of Sports Medicine* 18:413-419.

Beunen, G., Malina, R.M., Renson, R., Simons, J., Ostyn, M. & Lefevre, J. (1992). Physical activity and growth, maturation and performance: a longitudinal study. *Medicine and Science in Sports and Exercise* 24:576-585.

Bijnen, F.C.H., Feskens, E.J.M., Caspersen, C.J., Nagelkerke, N., Mosterd, W. & Kromhout, D. (1999). Baseline and previous physical activity in relation to mortality in elderly men—The Zutphen Elderly Study. *American Journal of Epidemiology* 150: 1289-1296.

Blair, S.N. & Brodney, S. (1999). Effects of physical inactivity and obesity on morbidity and mortality: current evidence and research issues. *Medicine and Science in Sports and Exercise*: S646-S662.

Blair, S.N. & McCloy, C.H. (1993). Research Lecture: Physical activity, physical fitness, and health. *Resaerch Quarterly for Exercise and Sport* 64: 365-376.

Blair, S.N. & Meredith, M.D. (1994). The exercise-health relationship?Does it apply to children and youth? In Pate, R. R. & Hohn, R. C. (Eds.). *Health and fitness through physical education* (p.11-19). Champaign, IL: Human Kinetics.

Blair, S.N. & Morrow, J.R. (1998). Introduction: Cooper Institute/American College of Sports Medicine 1997 Physical Activity Intervention Conference. *American Journal of Preventative Medicine* 15: 255-256.

Blair, S.N. (1978). A Total Health-related life-style. Implementation of aerobic programs / presented at the National Conference on Aerobic Exercise: Scientific Basis and Implementation of Programs held at Oral Roberts University, Tulsa, Okla.

Blair, S.N., Clark, D.G., Cureton, K.J. & Powell KE. (1989). Exercise and and fitness in childhood: Implications for a lifestime of health. In: Gisolfi DG, Lamb DR, (Eds.). *Perspectives in exercise and sport*. Indianapolis: Benchmark. pp.401-422.

Blair, S.N., Kampert, J.B., Kohl, H.W., Barlow, C.E., Macera, C.A., Paffenbarger, R.S. et al. (1996). Influences of cardiorespiratory fitness and other precursors on cardiovascular disease and all-cause mortality in men and women. *Journal of the American Medical Association* 276(3): 205-210.

Blair, S.N., Kohl, H.W., Barlow C.E., Paffenbarger, R., Gibbons, L.W. & Macera CA. (1995). Changes in physical fitness and all-cause mortality: a prospective study of healthy and unhealthy men. *Journal of the American Medical Association* 273(14): 1093-1098.

Blair, S.N., Kohl, H.W., Gordon NF, Paffenbarger, R.S. (1992). How much physical activity is good for health? *Annual Review of Public Health* 13: 99-126.

Blair, S.N., Kohl, H.W., Paffenbarger, R.S., Clark, D.G., Cooper, K.H., & Gibbons, L.W. (1989). Physical fitness and all cause mortality: A prospective study of healthy men and women. *Journal of the American Medical Association*, 262, 2395-2401.

Blumenthal, J.A., Williams, R.S., Needels, T.L. & Wallace AG. (1982). Psychological changes accompany aerobic exercise in healthy middle-aged adults. *Psychosomatic Medicine* 44, 529-536.

Boileau, R.A., Bonen, A., Heyward, V.H. & Massey, B.H. (1977). Maximum aerobic capacity on the treadmill and bicycle ergometer of boys 11-14 years of age. *Journal of Sports Medicine* 17, 153-162.

Bono, M.J., Roby, J.J., Micale, F.G., Sallis, J.F. & Shepard, W.E. (1991). Validity and reliability of predicting maximum oxygen uptake via field tests in children and adolescents. *Pediatric Exercise Science* 3: 250-255.

Booth, M., Owen, N., Bauman, A. & Gore, C. (1996). Relationship between 14-day recall measure of leisure time physical activity and a submaximal test of physical work capacity in Australian adults. *Research Quarterly for Exercise and Sport* 67: 221-227.

Boreham, C. & Riddoch, C. (2001). The physical activity, fitness and health of children. *Journal of Sports Sciences* 19: 915-929.

Botvin, G.J., Cantlon, A., Carter, B.J. & Williams, C.L. (1979). Reducing adolescent obesity through a school health program. *Journal of Pediatrics* 95:1060-1062.

Bouchard, C., Shephard, R.J., Stephens, R.J., Sutton, J.& McPherson, B. (1990) *Exercise, fitness, and health*: A consensus of current knowledge.Champain,IL: Human Kinetics.

Bouchard, C. (1990). Discussion: Heredity, fitness and health. In Bouchard, C., Shepard RJ, Stephens T, Sutton JR, McPherson BD. (Eds.), Exercise, fitness and health (pp. 147-153). Champaign, IL: Human Kinetics.

Bouchard, C., Dionne FT, Simoneau J, Boulay M. (1992). Genetics of aerobic and anaerobic performances. *Exercise and Sport Sciences Reviews* 20: 27-58.

Bouchard, C. & Shephard, R.J. (1994). Physical activity, fitness, and health: the model and key concepts. In: Bouchard, C., Shephard, R.J. & Stephens T, editors. *Physical Activity, Fitness and Health*. Champaign, IL: Human Kinetics.77-88

Bouchard, C., Shephard, R.J. & Stephens, T. (Eds.) (1994). *Physical Activity, Fitness and Health*: International proceedings and consensus statement. Champaign, IL: Human Kinetics.

Bray, M.S. (2000). Genomics, genes, and environmental interaction: the role of exercise. *J. Appl. Physiol.* 88: 788-792.

Briss, P.A, Zaza, S., Pappaioanou, M., et al. (2000). Developing an evidence-based guide to community preventive service-methods. *American Journal of Preventive medicine* 18 (Suppl. 1): 73-107.

Broer, M.R. & Galles, N.R.G. (1958). Importance of relationship between various body measurements in performance of the toe-touch test. *Research Quarterly*, 29, 253-263.

Brown, J.D., Lawton, M. (1986). Stress and well-being in adolescence: the moderating role of physical exercise. *Journal of Human Stress* 12(3):125-131.

Brownell, K.D. & Kaye, F.S. (1982). A school-based behavior modification, nutrition education, and physical activity program for obese children. *American Journal of Clinical Nutrition*, 35, 277-283.

Brownell, K.D. & Rodin, J. (1994). The dieting maelstrom. Is it possible and advisable to lose weight? *American Psychologist* 49(9):781-791.

Bucher, C.A. (1968). (5th eds). Fundations of Physical Education. The C.V.Mosby Company

Bush, P.J., Zuckerman, A.E., Theiss, P.K., Taggart, V.S., Horowitz, C., Sheridan, M.J. & Walter, H.J. (1989). Cardiovascular risk factor prevention in black schoolchildren: Two-year results of the "Know Your Body" programs *American Journal of Epidemiology* 129(3): 466-482.

Buxton, D. (1957). Extension of the Kraus-Weber test. Research Quarterly 28, 210-217.

Caballero, B., Clay, T., Davis, S.M., Ethelbah, B., Rock, B.H., Lohman, T., Norman, J., Story, M.J., Stone, E., Stephenson, J. & Stevens, J. (2003). Pathways: a school-based, randomized controlled trial for the prevention of obesity in American Indian school children. *American Journal of Clinical Nutrition* 78(5): 1030 - 1038.

Cailliet R. (1988). Low back pain syndrome (4th ed.). Philadelphia: F.A. Davis.

Calfas KJ & Taylor WC.(1994). Effects of physical activity on psychological variables in adolescents. *Pediatric Exercise Science* 6:406-23.

California Department of Education. (2001). California Physical Fitness Test 2001 (http://164.109.154.248).

Camacho, T.C., Roberts, R.E., Lazarus, N.B., Kaplan, G.A. & Cohen, R.D. (1991). Physical activity and depression:evidence from the Alameda County Study. *American Journal of Epidemiology* 134(2):220-31.

Carr, H. (2001). Physical Activity and Health: The benefits of physical activity on minimising risk of disease and reducing disease morbidity and mortality. Wellington: Hillary Commission.

Caspersen, C.J., Nixon, P.A. & DuRant, R.H. (1998). Physical activity epidemiology applied to children and adolescents. *Exercise and Sport Sciences Reviews* 26:341-403.

Cavill, N., Biddle, S., Sallis, J.F. (2001). Health enhancing physical activity for young people: state of the United Kindom Expert Consensus Conference. *Pediatric Exercise Science* 13:12-25

CDC-Center for Disease Control and Prevention. (1997). Physical Activity and Health: A Report of the surgeon General" *Research Quarterly for Exercise and Sport.* 38(4): 308-314

CDC-Center for Disease Control and Prevention. (1999). Control of infectious diseases. MMWR, 48, 621-629.

CDC-Center for Disease Control and Prevention. (2000). Promoting better health for young people through physical activity and sports: A report to the President from the Secretary of Health and Human services and the Secretary of Education. Atlanta. (http://www.cdc.gov/nccdphp/dash/presphysactrpt/)

Cheung, L.W.Y. & Richmond, J.B. (1995). *Child Health, Nutrition, and Physical Activity* p.181 Champaign, IL: Human Kinetics.

Chu, N., Rimm, E.B., Wang, D.J., Liou, H. & Shieh, S.(1998). Clustering of cardiovascular disease risk factors among obese schoolchildren: the Taipei Children Heart Study. *American Journal of Clinical Nutrition* 67:1141-1146

CIAR-Cooper Institute for Aerobics Research. (1999). FITNESSGRAM test administration manual. 2nd ed Champaign, IL: Human Kinetics.

Clark, C. (1998). How should we respond to the worldwide diabetes epidemic? *Diabetes Care* 21:475-476.

Clarke, H.H. (1971). Physical motor tests in the Medford boys' growth study. Englewood Cliffs, NJ: Prentice-Hall.

Cole, T.J., Bellizzi, M.C., Flegal, K.M. & Dietz, W.H. (2000). Establishing a standard definition for child overweight and obesity worldwide; international survey. *British Medical Journal* 320: 1240-1243.

Cole, T.J., Freeman, J.V. & Preece, M.A. (1995). Body mass index reference curves for UK, 1990. Arch. Dis. Child 73:25-29.

Collis, M. (2000). Cooper Watch, newsletter for wellness, Volume II, Issue II 2000,Summer (http://www.speakwell.com/well/index.html)

Cooper, K.H. (1968). Aerobics. New York: M. Evans and Company.

Corbin, C.B. & Lindsey, R. (2002). *Fitness for Life* (4th Ed.). Champaign, IL: Human Kinetics.

Corbin, C.B. & Pangrazi, R.P. (1998). Physical activity for children : A statement of guidelines. Reston, VA: National Association for Sport and Physical Education.

Corbin, C.B. & Pangrazi, R.P. (2000). The Health Benefits of Physical Activity, The President's Council on Physical Fitness and Sports Research Digest, 1(1). Washington, DC: The President's Council on Physical Fitness and Sports.

Corbin, C.B. (1994). The fitness curriculum- Climbing the stairway to lifetime fitness. In: *Health and fitness Through Physical Education*, Pate, R.R. and Hohn RC (Eds) Champaign, IL: Human Kinetics, p.59-66.

Corbin, C.B. (2001). Physical activity and Physical Fitness. *President's Council on Physical Fitness and Sports Research Digest*.

Coronary Prevention Group. (1998). *Children at risk: Should Prevention of Coronary Heart Disease Begin in Childhood*? London: A policy statement from the Scientific and Medical Advisory Committee.

Courneya, K.S. & Friedenreich, C.M. (1999). Physical exercise and quality of life following cancer diagnosis: a literature review. *Annuals of Behavioral Medicine*, 21(2): 171-179.

Craig KE, Deborah RY, James MH.(1998). Effects of School-Based Aerobic Exercise on Blood Pressure in Adolescent Girls at Risk for Hypertension. *American Journal of Public Health* 88(6): 949-951.

Craig, C.L., Marshall, A.L., Sjöström, M., Bauman, A.E., Booth, M.L., Ainsworth, B.E., Pratt, M., Ekelund, U., Yngve, A., Sallis, J.F. & Oja P. (2003). International Physical Activity Questionnaire: 12-country reliability and validity. *Medicine and Science in Sports and Exercise* 35(8): 1381-1395.

Craven, C.W. (1968). An evaluation of methods of administering the sit-up test. Unpublished master's thesis, University of Texas at Austin. In Clarke H.H.(Ed.), Exercise and the abdominal muscles. *Physical Fitness Research Digest* 6(3). Washington, DC: President's Council on Physical Fitness and Sport.

Cunningham, D.A., van Waterschoot, B.M., Paterson, D.H., Lefcoe, M. & Sangal, S.P. (1977). Reliability and reproducibility of maximal oxygen uptake measurement in children. *Medicine and Science in Sports and Exercise*, 9, 104-109.

Cureton, K.J. & Warren, G.L. (1990). Criterion-referenced standards for youth health-related fitness tests: a tutorial. *Research Quarterly for Exercise and Sport*. 61(1): 7-19.

Cureton, K.J., Boileau, R.A., Lohman, T.G. & Misner, J.E. (1977). Determinants of distance running performance in children: Analysis of a path model. *Research Quarterly* 48: 270-279.

Cureton, K.J., Boileau, R.A., Lohman, T.G. (1975). Relationship between body composition measures and AAHPER test performances in young boys. *Research Quarterly* 46, 218-229.

Cureton, K.J., Sloniger, M.A. O'Bannon, J.P.Black, D.M. & McCormack, W.P. (1995). A generalized equation for prediction of VO₂ peak from 1 mile run/walk performance. *Medicine and Science in Sports and Exercise* 27:445-451.

Cureton, K.J. (1976). Determinants of running and walking endurance performance in children: Analysis of a path model. Unpublished doctoral dissertation, University of Illinois at Urbana-Champaign, Champaign, IL.

Dale, D., Corbin, C.B. & Cuddihy, T.F. (1998). Can conceptual physical education promote physically active lifestyles? *Pediatric Exercise Science*, 10, 97-109.

Dale, D., Corbin, C.B. & Dale, K.S. (2000). Restricting opportunities to be active during school time: Do children compensate by increasing physical activity levels after school? *Research Quarterly for Exercise and Sport*, 71, 240-248.

Daley, A.J. & Buchanan, J. (1999). Aerobic dance and physical self-perceptions in female adolescents: Some implications for physical education. *Research Quarterly for Exercise & Sport* 70(2):196-200.

Dalsky, G.P., Stocke, K.S., Ehsani, A.A., Slatopolsky, E., Lee, W.C. & Birge, S.J. (1988). Weight-bearing exercise training and lumbar bone mineral content in postmenopausal women. *Annals of Internal Medicine* 108:824-828.

Davies, G.T. & Williams, E. (1994). *Health Education for key stages 3&4* (ages between 11 and 16) A handbook for teachers. Simon & Schuster Education Ltd.

Debusk, R.F., Stenestrand, V., Sheehan, M. & Haskell, W.L.(1990). Training effects of long versus short bouts of exercise in healthy subjects. *American Journal of Cardiology* 65:1010-1013.

Dela, F., Handberg, A., Mikines, K., Vinten, J. & Galbo, H. (1993). GLUT 4 and insulin receptor binding and kinase activity in trained human muscle. *Journal of Physiology* 469: 615-624.

Derman, W.E., Coleman, K.L. & Noakes, T.D. (1999). Effects of exercise training in patients with cancer who have undergone chemotherapy, abstracted. *Medicine of Science and Sports and Exercise*, 31(5): S368.

DeVries, H.A. (1968). EMG fatigue curves in postural muscles. A possible etiology for idiopathic low back pain. American Journal of Physical Medicine, 47(4): 175-181.

Dietz, W.H. & Gortmarker, S.L. (1993).TV or not TV: Fat is the question. *Pediatrics* 91: 499-501.

Disch, J., Frankiewicz, R. & Jackson, A. (1975). Construct validation of distance run tests. *Research Quarterly* 46, 169-176.

Dishman, R.K. (1982). Compliance/adherence in health-related exercise. *Health Psychology* 1:237-267.

Dotson, C.O. & Ross, J.G. (1985). Relationships between activity patterns and fitness. The Journal of Physical Education Recreation and Dance 56(1):86-90.

Durack, E.P. & Lilly, P.C. (1998). The application of an exercise and wellness program for cancer patients: a preliminary outcome report. *Journal of Strength and Conditioning* 12(1): 3-6.

Durant, R.H., Baranowski, T., Davis, H., Thompson, W.O., Puhl, J., Greaves, K.A. & Rhodes, T. (1993). Reliability and variability of heart-rate monitoring in children. *Medicine and Science in Sports and Exercise* 25:389-395.

DuRant, R.H., Thompson, W.O., Johnson, M. & Baranowski, T. (1996). The relationship among television watching, physical activity, and body composition of 5- or 6- year-old Children. *Pediatric Exercise Science* 8:15-26.

Dywer, T., Coonan, W.E., Leitch, D.R. & Baghurst, R.A. (1983). An investigation of lhe effects of daily physical activity on the health of primary school students in South Australia. *Internationl Journal of Epidemiology*, 12(3),303-313.

Edelman, C. & Mandle, C.L. (1986). Health promotion throughout the lifespan. St.Louis: Mosby Company.

Ellekjaer, H., Holmen, J., Ellekjaer, E. & Vatten, L. (2000). Physical activity and stroke mortality in women—ten year follow up of the Nord-Trondelag Health Survey 1984-86. *Stroke* 31:14-18.

Endo, H., Takagi, Y., Nozue, T., Kuwahata,K., Uemasu, F. & Kobayashi, A. (1992). Beneficial effects of dietary intervention on serum lipid and apolipoprotein levels in obese children. *American Journal of Diseases of Children* 146:303-305.

Engelman, M.E. & Morrow, J.R. (1991). Reliability and skinfold correlates for traditional and modified pull-ups in children grades 3-5. Research *Quarterly for Exercise and Sport* 62, 88-91.

Epstein, L.H., Coleman, K.J. & Myers, M.D. (1996). Exercise in treating obesity in children and adolescents. *Medicine and Science in Sports and Exercise* 28(4):428-435.

Epstein, L.H., Masek, B.J. & Marshall, W.R. (1978). A nutritionally based school program for control of eating in obese children. *Behavior Therapy*, 9: 766-778.

Epstein, L.H., Valoski, A.M., Vara, L.S. et al. (1995). Effects of decreasing sedentary behavior and increasing activity on weight change in obese children. *Health Psychol* 14(2):109-115.

Epstein, L.H., Valoski, A.M., Wing, R.R. & McCurley, J. (1990). Ten-year follow-up of behavioral, family-based treatment for obese children. *Journal of the American Medical Association* 264(19):2519-23.

Eriksson JG. (1999). Exercise and the treatment of type 2 diabetes mellitus- an update. *Sports Medicine* 27(6): 381-391.

Ewart, C.K., Young, D.R. & Hagberg, J.M. (1998). Effects of school-based aerobic exercise on blood pressure in adolescent girls at risk for hypertension. *American Journal of Public Health* 88(6):949-951.

Faucette, N., Sallis, J.F., McKenzie, T.L., Alcaraz, J., Kolody, B. & Nugent, P.(1995). Comparision of fouth grade students's out of time physical activity levels and choices by gender: Project SPARK. *Journal of Health Education*, 26:S82-S90.

Faulkner, J., Greey, G. & Hunsicker, P. (1963). Heart rate during physical education periods *Research Quarterly for Exercise and Sport*34:95-98.

Flint, M.M. (1965). Abdominal muscle involvement during the performance of various forms of sit-up exercise. *American Journal of Physical Medicine*, 44, 224-234.

Flores, R. (1995). Dance for health: improving fitness in African American and Hispanic adolescents - Special Section: Winners of the Secretary's Award for Innovations in Health Promotion and Disease Prevention. *Public Health Reports*, March-April.

Folsom, A., Kushi, L.H. & Hong, C.P. (2000). Physical activity and incident diabetes in postmenopausal women. *American Journal of Public Health* 90: 134-138.

Foreyt, J.P., Poston, W.S.C. II & Goodrick, G.K. (1996). Future directions in obesity and eating disorders. *Addictive Behavior* 21, 767-778.

Forwood, M.R. & Larsen, J.A. (2000). Exercise recommendations for osteoporosis: a position statement of the Australian and New Zealand Bone and Mineral Society. *Australian Family Physician* 29(8) (http://www.racgp.org.au/publications/afp online.asp).

Foster GD, Wadden TA, Brownell KD. (1985). Peer-led program for the treatment and prevention of obesity in the school. *Journal of Consulting and Clinical Psychology* 53: 538-540.

Freedman, D.S., Dietz, W.H., Srinivasan, S.R. & Berenson, G.S. (1999). The Relation of Overweight to Cardiovascular Risk Factors Among Children and Adolescents: The Bogalusa Heart Study. *Pediatrics*, 103(6): 1175-1182.

Freedson, P.S. & Rowland, T.W. (1992). Youth activity versus youth fitness: Let's redirect our efforts. *Research Quarterly for Exercise and Sport* 63(2): 133-136.

Gately, P.J., Cooke, C.B., Butterly, R.J. & Carroll, S. (2000). The acute effects of an 8-week diet, exercise, and educational camp program on obese children. *Pediatric Exercise Science* 12(4):413-423.

Gilbert, J.A. & Plowman, S.A. (1993). Beyond the sit and reach: Assessment of back function. The reliability and validity of the back saver sit and reach. Paper presented at AAHPERD National Convention, Washington, DC.

Gilbey, H. & Gilbey, M.(1995). The physical activity of Singapore primary school children as estimated by heart rate monitoring. *Pediatric Exercise Science* 7: 26-35.

Gilliam, T.B., Katch, V.L., Thorland, W. & Weltman, A.L. (1977). Prevalence of cardiovascular disease risk factors in active children, 7 to 12 years of age. *Medicine and Science in Sports* 9: 21-25.

Giovannucci, E., Leitzmann, M., Spiegelman, D., Rimm, E., Colditz, G., Stampfer, M. et al. (1998). A prospective study of physical activity and prostate cancer in male health professionals. *Cancer Research* 58(22): 5117-5122.

Glenister, D. (1996). Exercise and mental health: a review. *Journal of the Royal Society of Health* 116(1): 7-13.

Godfrey, K.E., Kindig, L.E., Windell, E.J. (1977). Electromyographic study of duration of muscle activity in sit-up variations. *Archives of Physical Medicine and Rehabilitation*, 58, 132-135.

Goran, M.I., Shewchuk, R., Gower, B.A., Nagy, T.R., Carpenter, W.H., Johnson, R.K. (1998). Longitudinal changes in fatness in white children: no effect of childhood energy expenditure. *American Journal of Clinical Nutrition* 67: 309-316.

Greendale, G.A., Barrett-Connor, E., Edelstein, S., Ingles, S. & Haile, R. (1995). Lifetime leisure exercise and osteoporosis: the Rancho Bernardo Study. *American Journal of Epidemiology* 141(10): 951-959.

Gruelich, W. & Pyle, S. (1959). Radiographic atlas of skeletal development of the hand and wrist (2nd ed.). Stanford, CA: Stanford University Press.

Grundy, S.M., Pasternak, R., Greenland, P. et al. (1999). Assessment of cardiovascular risk by use of multiple-risk-factor assessment equations: a statement for health-care professionals from the American Heart Association and the American College of Cardiology. *Circulation* 100: 1481-1492.

Guo, S.S. & Chumlea, W.C.(1999). Tracking of body mass index in children in relation to overweight in adulthood. *American Journal of Clinical Nutrition* 70: 145S-148S.
Guo, S.S., Roche, A.F., Chumlea, W.C., Gardner, J.D., & Siervogel, R.M. (1994).
Predicting overweight and obesity in adulthood from body mass index values in childhood and adolescence. *American Journal of Clinical Nutrition* 59: 810-819.

Gutin, B., Cucuzzo, N., Islam, S., Smith, C. & Stachura, M.E. (1996). Physical training, lifestyle education, and coronary risk factors in obese girls. *Medicine and Science in Sports and Exercise* 28(1):19-23.

Hagberg, J.M., Park, J.J., Brown, M.D. (2000). The role of exercise training in the treatment of hypertension: an update. *Sports Medicine* 30(3): 193-206.

Hagberg, J., Montain, S., Martin, W. & Ehsani, A. (1989). Effect of exercise training in 60-69 year-old persons with essential hypertension. *American Journal of Cardiology* 64: 348-353.

Hall, G., Hetzler, R.K., Perrin, D. & Weltman, A. (1992). Relationship of timed sit-up tests to isokinetic abdominal strength. *Research Quarterly for Exercise and Sport* 63, 80-84.

Hardman K & Marshall J. (1999). The silent crisis in school physical education: a case study of international collaboration. Paper presented at the ICHPER World Congress, Cairo, Egypt, 3-8 July.

Harrell, J.S., Gansky, S.A., McMurray, R.G., Bangdiwala, S.I., Frauman, A.C. & Bradley, C.B. (1998). School-based interventions improve heart health in children with multiple cardiovascular disease risk factors. *Pediatrics* 102:371-80.

Harris, J. (1994). Health-related exercise in the national curriculum: Results of a polit study in secondary schools. *British Journal of Physical Education* 25(2): 6-11.

Haskell, W.L. (1996). Physical activity, sport, and health: Towad the next century. *Research Quarterly for Exercise and Sport* 67: (3) S37-S47.

Hassmén, P., Koivula, N. & Uutela, A. (2000). Physical exercise and psychological well-being: a population study in Finland. *Preventive Medicine* 30: 17-25.

Homel PJ, Daniels P, Reid TR, Lawson JS. (1981). Results of an experimental school-based health development program in Australia. *International Journal of Health Education* 4: 263-270.

Howley, E.T., Franks, B. D. (1997). Health fitness instructor's handbook 3rd edition. Champaign, IL: Human Kinetics. Hu, F.B., Sigal, R.J., Rich-Edwards, J.W. et al. (1999). Walking compared with vigorous physical activity and risk of type 2 diabetes in women: a prospective study. *Journal of the American Medical Association* 282(15): 1433-1439.

Hu, F.B., Li, T.Y., Colditz, G.A., Willett, W.C. & Manson, J.E. (2003). Television watching and other sendetary behaviours in relation to risk of obesity and type 2 diabetes mellitus in women. *Journal of the American Medical Association* 289(14): 1785-1791.

Hu, F.B., Stampfer, M.J., Manson, J.E., Grodstein, F., Colditz, G.A., Speizer, F.E., Willett, W.C. (2000). Physical activity and risk of stroke in women. *Journal of the American Medical Association* 283: 2961-2964.

Huang, Y.C. & Malina, RM. (1996). Physical activity and correlates of estimated energy expenditure in Taiwanese adolescents 12-14 years of age. *American Journal of Human Biology* 8(2): 225 - 236.

Huang, Y.S., Deng, S.X., Guo, H. (2000). Study on application of exercise prescription for undergraduate students and effects of training. *Journal of ChengDu Physical Education Institute (In Chinese)* 102: S32-35.

Hui, S.C. & Yuen, P.Y. (2000). Validity of the modified back-saver sit-and-reach test: a comparison with other protocols. *Medicine and Science in Sports and Exercise* 32, 1655-1659.

Ignico, A.A. & Mahon, A.D. (1995). The effects of a physical fitness program on low-fit children. *Research Quarterly for Exercise and Sport* 66(1):85-90.

Ilmarnen, J. & Rutenfranz, J. (1980). Longitudinal studiesof the changes in habitual activity of schoolchildren and working adolescents. In Berg, K. & Eriksson, B.O. (Eds.), Children and exercise IX (pp.149-159). Baltimore: University Park Press.

Institute of European Food Studies, Trinity College, Dublin. (1999). A Pan-EU Survey on Consumer Attitudes to Physical Activity, Body-weight and Health. IEFS: Dublin.

Iverson, D.C., Fielding, J.E., Crow, R.S. & Christenson, G.M. (1985). The promotion of physical activity in the United States population: the status of programs in medical, worksite, community, and school settings. *Public Health Rep* 100(2):212-23.

Ivy, J., Zderic, T. & Fogt, D. (1999). Prevention and treatment of non-insulin-dependent diabetes mellitus. In: Holloszy J (ed.) Exercise and sport sciences reviews. Philadelphia: Lippincott Williams & Wilkins. Vol. 17: 1-36.

Jackson, A.W. & Coleman, A.E. (1976). Validation of distance run tests for elementary school children. *Research Quarterly*, 47, 86-94.

Jackson, A.W., Fromme, C., Plitt, H. & Mercer, J. (1994). Reliability and validity of a 1-minute push-up test for young adults. *Research Quarterly for Exercise in Sport* 65(Suppl.), A57-A58. [Abstract].

Jackson, A.W., Morrow, J.R., Hill, D.W. & Dishman, R.K. (1999). Physical Activity for Health and Fitness: An individualized lifetime approach. Champaign, IL: Human Kinetics.

Jackson, A.W., Morrow, J.R., Hill, D.W. & Dishman, R.K. (1999). *Physical Activity for Health and Fitness*: An individualized lifetime approach. Champaign, IL: Human Kinetics.

Jackson, A.W., Morrow, J.R., Jensen, R.L., Jones, N.A., Schultes, S.S. (1996). Reliability of the Prudential FITNESSGRAM trunk life in young adults. *Research Quarterly for Exercise and Sport*, 67,115-117.

James HL & Marilyn A (1997). Effects of an aerobic activity program on the cholesterol levels of adolescents. *Research Quarterly for Exercise & Sport* 68(1): 74-79

Jetté, M., Varry, W. & Pearlman, L. (1977). The effects of an extracurricular physical activity program on obese adolescents. *Canadian Journal of Public Health*, 68:39-42.

Jetté, M., Sidney, K. & Cicutti, N. (1984). A critical analysis of sit-ups: A case for the partial curl-up as a test of abdominal muscular endurance. *Canadian Association of Health, Physical Education, and Recreation Journal*, 51(1), 4-9.

Jones, M.A., Hitchen, P.J. & Stratton, G. (2000). The importance of considering biological maturity when assessing physical fitness measures in girls and boys aged 10 to 16 years. *Annals of Human Biology* 27 (1): 57-65.

Juker, D., McGill, S., Kropf, P. & Steffen, T. (1998). Quantitative intramuscular myoelectric activity of lumbar portions of psoas and the abdominal wall during a wide variety of tasks. Medicine and Science in Sports and Exercise, 30:301-310.

Kahn, E.B., Ramsey, L.T., Brownson, R.C. et al. (2002). The effectiveness of interventions to increase physical activity. *American Journal of Preventive medicine* 22 (Suppl. 4): 35-43.

Kann L, Collins JL, Pateman BC, Small ML, Ross JG, Kolbe LJ. (1995). The School Health Policies and Programs Study (SHPPS): rationale for a nationwide status report on school health programs. *Journal of School Health* 65(8):291-4.

Keel, D. & Leclaire, J.(1996). An active lifestyle for learning. *CAHPERD Journal*, 62 (2): 24-25.

Kelder, S.H., Perry, C.L., Klepp, K. & Lytle, L.L. (1994). Longitudinal tracking of adolescent smoking, physical activity, and food choice behaviors. *American Journal of Public Health* 84, 1121-1126.

Kelley G & McClellan P. (1994). Anti-hypertensive effects of aerobic exercise: a brief metaanalytic review of randomized controlled trials. *American Journal of Hypertension* 7(2): 115-119.

Kemper, H.C.G. & Van Mechelen, W. (1996). Physical fitness testing of children: A European perspective. *Pediatric Exercise Science*, 8, 201-214.

Kemper, H.C.G., Verschuur, R., Ras, J.G.A., Snel. J., Splinter, P.G. & Tavecchio, L.W.C. (1976). Effect of 5 versus 3 lessons a week physical education upon the physical development of 12 and 13 year old schoolboys. *The Journal of Sports Medicine and Physical Fitness*, 16, 319-326.

Keys A, Fidanza F, Karvonen MJ, Kimura N, Taylor HL. (1972). Indices of relative weight and obesity. *Journal of Chronic Disease* 25:329-343.

Killen JD, Telch MJ, Robinson TN, Maccoby N, Taylor C, Farquhar JW. (1988). Cardiovascular disease reduction for tenth graders: A multiple-factor school-based approach. *Journal of the American Medical Association*, 260(12), 1728-1733.

King, A.C. (1994). Community and public health approaches to the promotion of physical activity. *Medicine and Science in Sports and Exercise* 26(11):1405-1412.

Kobayashi, K., Kitokazu, K., Miura, M.Sodeyama, H. (1978). Aerobic power as related to growth and training in Japanese boys: a longitudinal study. *Journal of Applied Physiology* 44: 666-672.

Kohl, H.W. & McKenzie, J. (1994). Physical activity, fitness and stroke: physical activity, fitness and health. International proceedings and consensus statement. Champaign: Human Kinetics Publishers.

Kohl, H.W. (2001). Physical activity and cardiovascular disease: evidence for a dose response. *Medicine and Science in Sports and Exercise* 33(6):S472-S483.

Kohl, H.W., Fulton, J.E. & Caspersen, C.J. (2000). Assessment of physical activity among children and adolescents: A review and synthesis. *Preventive Medicine* 31: S54-S76.

Kokkinos, P.F. & Fernhall, B. (1999). Physical activity and high density lipoproteins—what is the relationship? *Sports Medicine* 28:307-314.
Kolbe, L.J. (1993). An essential strategy to improve the health and education of Americans. *Preventive Medicine* 22: 544-560.

Krahenbuhl, G.S. & Pangrazi, R.P. (1983). Characteristics associated with running performance in young boys. *Medicine and Science in Sports* 15: 486-490.

Krahenbuhl, G.S., Pangrazi, R.P., Burkett, L.N., Schneider, M.J. & Petersen, G.W. (1977). Field estimation of VO2max in children eight years of age. *Medicine and Science in Sports*, 9, 37-40.

Krahenbuhl, G.S., Pangrazi, R.P., Petersen, G.W., Burkett, L.N. & Schneider, M.J. (1978). Field testing of cardiorespiratory fitness in primary school children. *Medicine and Science in Sports and Exercise*, 10, 208-213.

Kriketos, A.D., Sharp, T.A., Seagle, H.M., Peters, J.C. & Hill, J.O. (2000) Effects of aerobic fitness on fat oxidation and body fatness. *Medicine and Science in Sports and Exercise* 32(4):805-811.

Kulinna, P.H., Martin, J., Lai, Q., Kliber, A. & Reed, B. (2003). Student physical activity patterns: Grade, gender, and Activity influences. *Journal of Teaching in Physical education* 22: 298-310.

Lacy, A.C. & LaMaster, K.J. (1990). Analysis of fitness activities in junior high school physical education. *The Physical Educator*, 47, 176-179.

Laforge, R., Rossi, J., Prochaska, J., Velicer, W., Levesque, D. & McHorney, C. (1999). Stage of regular exercise and health-related quality of life. *Preventive Medicine* 28(4): 349-360. Lakka, T.A., Venäläinen, J.M., Rauramaa, R., Salonen, R., Tuomilehto, J. & Salonen, J.T. (1994). Relation of leisure-time physical activity and cardiorespiratory fitness to the risk of acute myocardial infarction in men. *New England Journal of Medicine* 330(22): 1549-1554.

Lane, N.E., Bloch, D.A., Jones, H.H., Marshall, W.H., Wood, P.D. & Fries, J,F. (1986). Long-distance running, bone density, and osteoarthritis. *Journal of the American Medical Association* 255(9):1147-51.

Lansky, D. & Brownell, K.D. (1982). Comparison of school-based treatments for adolescent obesity. *Journal of School Health* 52:384-387.

Lansky, D.& Vance, M.A. (1983) School-based intervention for adolescent obesity: analysis of treatment, randomly selected control, and self-selected control subjects. *Journal of Consulting and Clinical Psychology* 51:147-148

Lee, I. & Paffenbarger, R. (2000). Associations of light, moderate, and vigorous intensity physical activity with longevity. *American Journal of Epidemiology* 151(3): 293-299.

Leon, A.S., Myers, M.J., Connett, J., for the MRFIT Research Group.(1997). Leisure time physical activity and the 16-year risks of mortality from coronary heart disease and all-causes in the Multiple Risk Factor Intervention Trial (MRFIT). *International Journal of Sports Medicine* 18 (Suppl 3):S208-S215.

Lichtenstein, P., Holm, N.V., Varkasalo, P.K. et al. (2000). Environmental and heritable factors in the causation of cancer-analyses of cohorts of twins from Sweden, Denmark, and Finland. *New England Journal of Medicine* 343:78-85.

Liemohn, F.W., Snodgrass, L.B. & Sharpe, G.L. (1988). Unresolved controversies in back management: A review. *The Journal of Orthopaedic and Sports Physical Therapy*, 9, 239-244.

Liemohn, W.P., Sharpe, G.L. & Wasserman, J.F. (1994b). Lumbosacral movement in the sit-and-reach and in Cailliet's protective-hamstring stretch. *Spine*,19, 2127-2130.

Liemohn, W.P., Sharpe, G.L. & Wasserman, J.F. (1994a). Criterion related validity of the sit-and-reach test. *Journal of Strength and Conditioning Research* 8: 91-94. Lionis, C., Kafatos, A., Vlachonikolis, J., Vakaki, M., Tzortzi, M. & Petraki, A. (1991). The effects of a health education intervention program among Cretan adolescets. Preventive Medicine, 20: 685-699.

Lloyd, L.K., Walker, J.L., Bishop, P.A., & Richardson, M.T. (2000). The adjustment of FITESSGRAM test scores for skinfold thickness in youth. *Research Quarterly for Exercise and Sport* 71 (Suppl.), A-52.

Lohman, T.G., & Going, S.B. (1998). Assessment of body composition and energy balance. In Lamb, I. & Murray, R. (Eds.), *Perspectives in exercise science and sports medicine*, Vol. 22, Exercise, Nutrition and Control of Body Weight. Carmel, IN: Cooper Publishing Group.

Long, B.C. (1988). Stress management for school personnel: Stress-inoculation training and exercise. *Psychology in the Schools*, 25, 314-324.

Louie, L., Eston, R.G., Rowlands, A.V., Tong, K.K., Ingledew, D.K., Fu, F.H. (1999). Validity of heart rate, pedometry, and Accelerometry for estimating Energy cost of activity in Hong Kong Chinese boys. *Pediatric Exercise Science* 11:229-239.

Luepker RV, Perry CL, McKinlay SM. (1996). Outcomes of a field trial to improve children's dietary patterns and physical activity: The Child and Adolescent Trial for Cardiovascular Health (CATCH). *Journal of the American Medical Association*, 275, 768-776.

Luo, J. & Hu, F.B. (2002). Time trends of obesity in pre-school children in China from 1989 to 1997. *International journal of obesity and related metabolic disorders* 26(4):553-8.

MacConnie, S.E., Gilliam, T.B., Geenen, D.L., Pels, A.E. (1982). Daily physical activity patterns of prepubertal children involved in a vigorous exercise program. *International Journal of Sports Medicine*, 3:202-207.

Macfarlane D & Kwong WT. (2003). Children's heart rates and enjoyment levels during PE classes in Hong Kong Primary Schools. *Pediatric Exercise Science* 15:179-190.

Macrae, I.F. & Wright, V. (1969). Measurement of back movement. *Annals of Rheumatoid Disease*, 28, 584-589.

Magnusson, L.I. (1957). The effect of a specific activity program on children with low muscular fitness. Unpublished doctoral dissertation, State University of Iowa, Ames.

Malina, R.M. & Bouchard, C. (1991). Growth, maturation, and physical activity. Champaign, IL: Human Kinetics.

Malina, R.M. (1989). Growth and maturation: normal variation and effect of training. In C.V. Gisolfi & D. R. Lamb (Eds.), Perspectives in exercise science and sports medicine:Youth, exercise, and sport (pp. 223-265). Indianapolis, IN: Benchmark Press.

Malina, R.M. (1990). Growth, exercise, fitness, and later outcomes. In: Bouchard, C., Shephard, R.J., Stephens T, Shtton JR, McPherson BD eds. Exercise, Fitness, and Health: A consensus of current Knowledge Champaign, Ill: Human Kinetics. pp.637-653.

Malina, R.M. (2001). physical activity and fitness: Pathways from childhood to adulthood. *American Journal of Human Biology* 13:162-172.

Mandigout, S., Lecoq, A.M., Courteix, D., Guenon, P. & Obert, P. (2001). Effect of gender in response to an aerobic training programme in prepubertal children. *Acta Paediatrica* 90 (1): 9-15.

Mandigout, S., Melin, A., Lecoq, A.M., Courteix, D., Obert, P. (2002). Effect of two aerobic training regimens on the cardiorespiratory response of prepubertal boys and girls. *Acta Paediatrica* 91 (4): 403-408.

Manson, J. & Spelsberg, A. (1994). Primary prevention of non-insulin-dependent diabetes mellitus. *American Journal of Preventive Medicine* 10(3): 172-184.

Manson, J.E., Hu, F.B., Rich-Edwards, J.W., Colditz, G.A., Stampfer, M.J., Willett, W.C. et al. (1999). A prospective study of walking as compared with vigorous exercise in the prevention of coronary heart disease in women. *New England Journal of Medicine* 341(9): 650-658.

Marceau M, Douame N, Lacourciere Y, Cleroux J. (1993). Effects of different training intensities on 24-hour blood pressure in hypertensive subjects. *Circulation* 88(6): 2803-2811.

Marshall, S.J., Sarkin, J.A, Sallis, J.F. & McKenzie, T.L. (1998). Tracking of health-related fitness components in youth ages 9 to 12. *Medicine and Science in Sports and Exercise*. 30(6): 910-916.

Mathews, D.K., Shaw, V., Bohnen, M. (1957). Hip flexibility of college women as related to length of body segments. *Research Quarterly* 28: 352-356.

Mathews, D.K., Shaw, V., Woods, J.B. (1959). Hip flexibility of elementary school boys as related to body segments. *Research Quarterly* 30: 297-302.

Matos, M, & equipa do Projecto Aventura Social & Saúde (2003). Saúde dos adolescents portugueses (Quatro anos depois). Edições FMH: Lisboa.

Mayer, J. (1963). Exercise and prevention of heart disease. *Postgraduate Medicine*, 34:601

McGinnis JM, Kanner L, DeGraw C. (1991). Physical education's role in achieving national health objectives. *Research Quarterly for Exercise and Sport* 62(2):138-42.

McKenzie, T.L., Marshall, S.J., Sallis, J.F., Conway, T.L. (2000). Student Activity Level, Lesson Context, and Teacher Behavior During Middle School Physical Education. *Research Quarterly for Exercise and Sport* 71(3): 249-259.

McKenzie, T.L., Nader, P.R., Strikmiller, P.K., et al., (1996). School physicla eduation: the effect of the Child and Adolescent Trial for Cardiovascular Health (CATCH). *Preventive Medicine* 25:423-431.

McKenzie, T.L., Nader, P.R., Strikmiller, P.K., et al., (1996). School physicla eduation: the effect of the Child and Adolescent Trial for Cardiovascular Health (CATCH). *Preventive Medicine* 25:423-431.

McKenzie, T.L., Sallis, J.F., Faucette N, Roby JJ, Kolody B. (1993). Effects of a curriculum and inservice program on the quantity and quality of elementary physical education classes. *Research Quarterly for Exercise and Sport* 64(2): 178-187.

McKenzie, T.L., Stone, E.J., Feldman, H. et al., (2001). Effects of the CATCH physical education Intervention: Teacher Type and Lesson Location. *American Journal of Preventive medicine* 21(2): 101-109.

McManis, B.G. & Wuest, D.A. (1994). Stability reliability of the modified push-up in children. *Research Quarterly for Exercise in Sport*, 65(Suppl.), A58-A59. [Abstract].

McManis, B.G., Baumgartner, T.A., West, D.A. (2000). Objectivity and reliability of the 900 pushup test. *Measurement in Physical Education and Exercise Science*, 4, 57-67.

McMurray RG, Ainsworth BE, Harrell JS, Griggs TR, Williams OD (1998). Is physical activity or aerobic power more influential on reducing cardiovascular disease risk factors? *Medicine and Science in Sports and Exercise* 30(10): 1521-1529.

Mensink, G.B.M., Ziese, T. & Kok, F.J. (1999). Benefits of leisure-time physical activity on the cardiovascular risk profile at older age. *International Journal of Epidemiology* 28(4): 659-666.

Metzler MW. (1989). A review of research on time in sport pedagogy. *Journal of Teaching in Physical Education* 8: 87-103.

Michael, D. (1989). "Definition of Health Promotion: Part III: Expanding the Definition. *American Journal of Health Promotion* 3(3): 5

Michel, B.A., Bloch, D.A. & Fries, J.F. (1989). Weight-bearing exercise, overexercise, and lumbar bone density over age 50 years. *Archives of Internal Medicine* 149:2325-2329.

Microsoft Encarta Encyclopedia Deluxe 2003 for PC

Mirwald, R., Bailey, D. Cameron, N. Rasmussen, R. (1981). Longitudinal comparison of aerobic power in active and inactive boys aged 7 to 17 years. *Annals of Human Biology* 8:405-414.

Mitchell, J.H., Sproule, B.J., Chapman, C.B. (1958). The physiological meaning of the maximal oxygen intake test. *Journal of Clinical Investigation*, 37:538-547.

Mokdad, A.H., Serdula, M.K., Dietz, W.H., Bowman, B.A., Marks, J.S., Koplan, J.P. (2000a). The continuing epidemic of obesity in the United States. *Journal of the American Medical Association* 284:1650-1651.

Mokdad, A.H., Ford, E.S., Bowman, B.A., Nelson, D.E., Engelgau, M.M., Vinicor, F. & Marks, J.S. (2000b). Diabetes trends in the U.S.: 1990-1998. *Diabetes Care* 23:1278-1283

Mokdad, A.H., Serdula, M.K., Dietz, W.H., Bowman, B.A., Marks, J.S. & Koplan, J.P. (1999). The spread of the obesity epidemic in the United States, 1991-1998. *Journal of the American Medical Association* 282, 1519-1522.

Moody, D.L., Wilmore, J.H., Girandola, R.N., & Royce, J.P. (1972). The effects of a jogging program on the body composition of normal and obese high schoolgirls. *Medicine and Science in Sports*, 4: 210-213.

Moore, S. (1994). Physical activity, fitness and atherosclerosis. In: Bouchard, C., Shepherd R & Stephens T (eds). Physical activity, fitness and health: international proceedings and consensus statement. Champaign IL: Human Kinetics Publishers.

Morrow, J.R., Jackson, A.W. & Payne, V.G. (1999). Physical activity promotion and school physical education. Research Digest, Series 3(7), Washington, DC: President's Council on Physical Fitness and Sport.

Morrow, J.R., Jackson, A.W., Disch, J.G. & Mood, D.P. (2000). Measurement and evaluation in human performance-2nd ed Human Kinetics. pp.274-277.

Mota, J. & Esculcas, C. (2002). Leisure-Time Physical Activity behaviour: Structured and Unstructured Choices According to Sex, Age, and Level of Physical Activity. *International Journal of Behavior Medicine* 9(2): 111-121.

Mota, J. (1994). Children's physical education, activity assessed by telemetry. *Journal of Human Movement Studies* 27:245-250.

Mota, J., Guerra, S., Leandro, C., Pinto, A., Ribeiro, J. & Duarte, J.A. (2002). Association of maturation, sex, and body fat in cardiovascular fitness. *American Journal of Human Biology* 14:707-712.

Must A, Jacques, P.F., Dallal, G.E., Bajema, C.J., Dietz, W.H. (1992). Longterm morbidity and mortality of overweight adolescents. A followup of the Harvard growth study of 1922 to 1935. *New England Journal of Medicine* 327:13505.

Mutrie N & Harris DV. (1984). Comparison of mood of student enrolled in jogging and English classes. Unpublished paper, Pennsylvania State University.

Mutrie, N. & Parfitt, G. (1998). Physical activity and its link with mental, social and moral health in young people. In: Biddle S, Sallis J & Cavill N (eds). Young and active: young people and health-enhancing physical activity—evidence and implications. London: Health Education Authority.

Nader, P.R., Stone, E.J., Lytle, L.A., Perry, C.L., Osganian, S.K., Kelder, S., Webber, L.S., Elder, J.P., Montgomery, D., Feldman, H.A., Wu, M., Johnson, C., Parcel, G.S., Luepker, R.V. (1999). Three-year maintenance of improved diet and physical activity: the CATCH cohort. Child and Adolescent Trial for Cardiovascular Health. *Archives of Pediatrics and Adolescent Medicine* 153(7): 695-704.

NASPE-National Association for Sport and Physical Education. (1995). Moving into the future. National standards for physical education: A guide to content and assessment. St. Louis: Mosby.

Naughton, G., Farpour-Lambert, N.J., Carlson, J., Bradney, M. & Van Praagh, E. (2000). Physiological issues surrounding the performance of adolescent athletes. *Sports Medicine* 30 (5): 309-325.

NCCDPHP-National Center for Chronic Disease Prevention and Health Promotion. (1997). Guidelines for school and community programs to promote lifelong physical activity among young people. *Journal of School Health*, 67 (6): 202-219.

NCHS-National Center for Health Statistics. (1998). Health, United States, 1998: With Socioeconomic Status and Health Chartbook. Hyattsville, MD: U.S. Dept. of Health and Human Services.

Nicklas, T.A., Webber, L.S., Johnson, C.C., Srinivasan, S.R., Berenson, G.S. (1995). Foundations for health promotion with youth: a review of observations from the Bogalusa Heart Study. *Journal of Health Education* 26(2 suppl):S18-S26.

Nieman DC. (1998). The exercise-health connection-p4 Champaign, IL: Human Kinetics

Nieman, D.C. (2002). Exercise Testing and Prescription with Powerweb. Champaign, IL: Human Kinetics

NIH Consensus Development Panel on Physical Activity and Cardiovascular Health. (1996). Physical Activity and Cardiovascular Health. *Journal of the American Medical Association* 276:241-246.

Nixon, P.A. (1996). Role of exercise in the evaluation and management of pulmonary disease in children and youth. *Medicine and Science in Sports and Exercise* 28(4):414-420.

Noble, L. (1981). Effects of various types of situps on iEMG of the abdominal musculature. *Journal of Human Movement Studies*, 7, 124-130.

Okada, K., Hayashi, T., Tsumura, K., Suematso, C., Endo, G. & Fujii, S. (2000). Leisure time physical activity at weekends and risk of type 2 diabetes in Japanese men—the Osaka Health Survey. *Diabetic Medicine* 17: 53-58.

Okely T, Patterson J, Booth M. (1998). Promoting physical activity: Rationale and guidelines for promoting physical activity in schools. *Journal of physical education New Zealand* 31(3), 3-5

Owen, N., Lee, C. (1989). Development of behaviorally-based policy guidelines for the promotion of exercise. *Journal of Public Health Policy* 10(1):43-61.

Pangrazi, R.P. & Corbin, C.B. (1990). Age as a factor relating to physical fitness test performance. *Research Quarterly for Exercise and Sport*, 61, 410-414.

Pate RR, Ross, J.G., Baumgartner, T.A. & Sparks, E. (1987). The modified pull-up test. *Journal of Physical Education, Recreation & Dance*, 58(9), 71-73.

Pate, R.R. & Hohn, R.C. (1994). A contemporary mission for physical education. In Pate, R.R. and Hohn RC(Eds) Health and fitness through physical education (p.1-8). Champaign, IL: Human Kinetics.

Pate, R.R., (1983). A new definition of youth fitness. *Physician and Sportsmedicine* 11(4): 77-83.

Pate, R.R., Burgess, M.L., Woods, J.A., Ross, J.G. & Baumgartner, T. (1993). Validity of field tests of upper body muscular strength. Research Quarterly for *Exercise and Sport*, 64: 17-24.

Pate, R.R., Freedson, P.S., Sallis, J.F., Taylor, W.C., Sirard, J., Trost, S.G., Dowda M. (2002). Compliance with physical activity guidelines: Prevalence in apopulation of children and youth. *Annals of Epidemiology* 12: 303-308.

Pate, R.R., Pratt M, Blair, S.N., Haskell, W.L., Macera, C.A., Bouchard, C., Buchner, D., Ettinger, W., Heath, G.S., King, A.C., Kriska, A., Leon, A.S., Marcus, B.H., Morris, J., Paffenbarger, R.S., Patrick, K., Pollock, M.L., Rippe, J.M., Sallis, J., Wilmore, J.H. (1995). Physical activity and public health: a recommendation from the Centers for Disease Control and Prevention and the American College of Sports Medicine. *Journal of the American Medical Association* 273:402-407.

Pate, R.R., Ross, J.G., Baumgartner, T.A. & Sparks, E. (1987). The modified pull-up test. *Journal of Physical Education, Recreation & Dance*, 58(9): 71-73.

Paterson, D.H., Cunningham, D.A. & Donner, A. (1981). The effect of different treadmill speeds on the variability of VO2max in children. *European Journal of Applied Physiology and Occupational Physiology* 47, 113-122.

Patterson, P., Rethwisch N. & Wiksten D. (1997). Reliability of the trunk lift in high school boys and girls. *Measurement in Physical Education and Exercise Science*, 1: 145-151.

Patterson, P., Wiksten DL, Ray L, Flanders C, Sanphy D. (1996). The validity and reliability of the back saver sit-and-reach test in middle school girls and boys. *Research Quarterly for Exercise and Sport* 67: 448-451.

Payne, V.G. & Morrow, J.R. (1993). Exercise and VO2max in children: A meta-analysis. *Research Quarterly for Exercise and Sport* 64: 305-313.

PCPFS-President's Councilon Physical Fitness and Sports. (2000). Definitions: Health, Fitness, and Physical Activity. PCPFS *Research Digest*, series 3, No.9.

Perry CL, Story M, Lytle LA. (1997). Promoting healthy dietary behaviors. In Weissberg RP & Gullotta TP (Eds.), Healthy Children 2010: Enhancing Children's Wellness. Issues in Children's and Families' Lives, Vol. 8 (pp. 214-249). Thousand Oaks, CA: Sage Publications.

Perry, C.L., Kelder, S.H., Murray, D.M. & Klepp, K.I. (1992). Community-wide smoking prevention: Long-term outcomes of the Minnesota heart health program and the class of 1989 study. *American Journal of Public Health*, 82, 1210-1216.

Petruzzello, S., Landers, D., Hatfield, B., Kubitz, K. & Salazar, W. (1991). A meta-analysis on the anxiety-reducing effects of acute and chronic exercise. *Sports Medicine* 11(3): 143-182.

Pinhas-Hamiel, O., Dolan, L.M., Daniels, S.R., Standiford, D., Khoury, P.R., Zeitler, P. (1996). Increased incidence of non-insulin dependent diabetes mellitus among adolescents. *J Pediatr* 128:608-615.

Pi-Sunyer, F.X. (1991). Health implications of obesity. *American Journal of Clinical Nutrition* 53(6 Suppl):1595S-1603S.

Pi-Sunyer, F.X. (1993). Short-term medical benefits and adverse effects of weight loss. *Annals of Internal Medicine* 119(7 Pt 2):722-6.

Plowman, S.A. (1992). Physical activity, physical fitness, and low back pain. In Holloszy, J.O. (Ed.), *Exercise and sport sciences reviews*, 20: 221-242. Baltimore: Williams & Wilkins.

Power C, Lake JK, Cole TJ. (1997). Measurement and longterm health risks of child and adolescent fatness. *International Journal of Obesity* 21:507-526.

Prokhorov, A.V., Perry, C.I., Kelder, S.H. & Klepp, K.L.(1993). Lifestyle values of adolescents: results from the Minnesota Heart Health Youth Program. *Adolescence* 28(111): 537-547.

Puska P, Vartiainen E, Pallonen V, Salonen JT, Poyhia P, Koskela K, & McAlister A. (1987). The North Karelia youth project: Evaluation of two years of intervention on health behavior and CVD risk factors among 13-to 15-year old children. *Preventive Medicine* 11: 550-570,

Reiff, G.G., Dixon, W.R., Jacoby, D., Ye, G.X., Spain, C.G., Hunsicker, P.A. (1986). The President's Council on Physical Fitness and Sports 1985 National School Population Fitness Survey (HHS - Office of the Assistant Secretary for Health Research Project No. 282-84-0086). Ann Arbor, MI: The University of Michigan.

Resnicow K & Allensworth D. (1996). Conducting a comprehensive school health program. *Journal of School Health* 66(2): 59-63.

Resnicow K, Cohn L, Reinhardt J, Cross D, Futterman R, Kirschner E, Wynder EL, Allegrante JP (1992). A three-year evaluation of the Know Your Body program in inner-city schoolchildren. *Health Education Quarterly* 19: 463-480.

Ricci, B., Marchetti, M. & Figura, F. (1981). Biomechanics of sit-up exercises. *Medicine* and *Science in Sports and Exercise*, 13, 54-59.

Riddoch, C.J. & Boreham, C.A.G. (1995). The health-related physical activity of children, *Sport Medinine*. 19(2): 82-102.

Rikli, R.E., Petray, C. & Baumgartner, T.A. (1992). The reliability of distance run tests for children in grades K-4. *Research Quarterly for Exercise and Sport* 63: 270-276.

Rippe, J.M. & Hess, S. (1998). The role of physical activity in the prevention and management of obesity. *Journal of the American Dietetic Association* 98(Supp 2): S31-S38.

Robertson, L.D. & Magnusdottir, H. (1987). Evaluation of criteria associated with abdominal fitness testing. *Research Quarterly for Exercise and Sport*, 58: 355-359.

Robinson, T.N., Hammer, L.D., Killen, J.D., Kraemer, H.C., Wilson, D.M., Hayward, C. & Taylor. C.B. (1993). Does television viewing increase obesity and reduce physical activity? Cross-sectional and longitudinal analyses among adolescent girls. *Pediatrics* 91:273-280.

Roemmich, J.N., Rogol, A.D. (1995). Physiology of growth and development. *Clinical Sports Medicine* 14:483-502.

Rogers, M., King, D., Hagber, J., Ehsani, A. & Holloszy, J. (1990). Effect of 10 days of physical inactivity on glucose tolerance in master athletes. *Journal of Applied Physiology* 68: 1833-1837.

Romain, B.S. & Mahar, M.T. (2001) .Norm-Referenced and Criterion-Referenced Reliability of the Push-Up and Modified Pull-Up. *Measurement in Physical Education and Exercise Science* 5 (2): 67-80.

Ross, C.E. & Hayes, D. (1988). Exercise and psychologic well-being in the community. *American Journal of Epidemiology* 127: 762-771.

Ross, J.G. & Gilhert, G.G. (1985). The National Children and Youth Fitness Study: A summary of findings. *Journal of Physical Education, & Recreation and Dance* 56(1): 45-50.

Ross, J.G. & Pate, R.R. (1987). The National Children and Youth Fitness Study II: A summary of findings. *Journal of Physical Education, & Recreation and Dance* 58(9): 51-56.

Ross, J.G., Dotson, C.O., Gilbert, G.G. & Katz, S.J. (1985). New standards for fitness measurement. *Journal of Physical Education, Recreation and Dance*, 56(1), 62-66.

Rowland, T.W. & Boyajian, A. (1995). Aerobic response to endurance exercise training in children. *Pediatrics* 96 (4): 654-658

Rowland, T.W. (1990). *Exercise and Children's Health*. Champaign, IL: Human Kinetics Publishers.

Rowland, T.W. (1996). *Developmental exercise physiology*. Champaign : Human Kinetics, ISBN : 0-87322-640-2.

Roy, S.H., DeLuca, C.J. & Casavant, D.A. (1989). Lumbar muscle fatigue and chronic lower back pain. *Spine*, 14, 992-1001.

Roy, S.H., DeLuca, C.J., Snyder-Mackler, L., Emley, M.S., Crenshaw, R.L. & Lyons, J.P. (1990). Fatigue, recovery, and low back pain in varsity rowers. *Medicine and Science in Sports and Exercise*, 22: 463-469.

Ruderman N & Devlin JT. (1995). *The Health Professional's guide to Diabetes and Exercise*. American Diabetes Association, Alexandria

Ruppenthal, B. & Gibbs, E. (1979). Treating childhood obesity in a public school setting. *Journal of School Health*, 49, 569-571.

Rutherford, W.J. & Corbin, C.B. (1993). Measuring upper body strength and endurance: Which test is best? Kentucky *AHPERD Journal*, Fall, 20-24.

Rutherford, W.J. & Corbin, C.B. (1994). Validation of criterion-referenced standards for tests of arm and shoulder girdle strength and endurance. *Research Quarterly for Exercise and Sport* 65: 110-119.

Safrit, M.J. & Wood, TM. (1987). The test battery reliability of the health-related physical fitness test. Research Quarterly for Exercise and Sport 58: 160-167.

Safrit, M.J. (1990). An introduction to measurement in physical education St. Louis, Mirror News/ Mosby College

Safrit, M.J., Hooper, L.M., Ehlert, S.A., Costa, M.G., Patterson, P. (1988). The validity generalization of distance run tests. *Canadian Journal of Sport Sciences*, 13:, 188-196.

Saint, R.B. & Mahar, M.T. (2001). Norm-referenced and criterion-referenced reliability of the push-up and modified pull-up. *Measurement in Physical Education and Exercise Science* 5, 67-80.

Sallis, J.F. & McKenzie, T.L.(1991) Physical education's role in public health. *Research Quarterly for Exercise and Sport* 62(2): 124-137.

Sallis, J.F. & Owen, N. (1999). Physical activity & Behavior Medicine. Sage Publications Inc. Thousand Oaks, California: sage. pp.197-199.

Sallis, J.F. & Patrick, K. (1994) Physical activity guidelines for adolescents: A consensus statement. *Pediatric Exercise Science* 6:302-314.

Sallis, J.F. & Saelens, B.E. (2000). Assessment of physical activity by self-report: Status, limitation and future directions. *Research Quarterly for Exercise and Sport* 71: S1-S14.

Sallis, J.F. (1991). Self-report measures of children's physical activity. *Journal of School Health*, 61: 215-219.

Sallis, J.F. (1993). Epidemiology of physical activity and fitness in children and adolescents. *Critical Review in Food Science and Nutrition* 33:403-408.

Sallis, J.F., Calfas, K.J., Nichols, J.F., Sarkin, J.A., Johnson, M.F., Caparosa, S., Thompson, S. & Alcaraz, J.E. (1999). Evaluation of a university course to promote physical activity: Project GRAD. *Research Quarterly Exercise Sport* 70, 1-10.

Sallis, J.F., Chen, A.H., Castro, C.M. (1995). School-based intervention for childhood obesity. In Cheung, L.W.Y. & Richmond, J.B. (ed.) *Child Health, Nutrition and Physical Activity*. Human Kinetics.

Sallis, J.F., McKenzie, T.L. & Alcaraz, J.E. (1993). Habitual physical activity and health-related physical fitness in fourth-grade children. *American Journal of Diseases of Children* 147: 890-896.

Sallis, J.F., McKenzie, T.L., Alcaraz, J.E., Kolody, B., Faucette, N. & Hovell, M. (1997). The effects of a 2-year physical education program (SPARK) on physical activity and fitness in elementary school students. *American Journal of Public Healt* 87: 1328-1334.

Sallis, J.F., Simons-Morton, B.G., Stone, E.J., Corbin, C.B., Epstein, L.H., Faucette, N., Iannotti, R.J., Killen, J.D., Klesges, R.C., Petray, C.K., Rowland, T.W., Taylor, W.C. (1992). Determinants of physical activity and interventions in youth. *Medicine and Science in Sports and Exercise* 24:S248-S257.

Sarkin J.A., McKenzie, T.L. & Sallis, J.F. (1997). Gender difference in physical activity during fifth-grade physical education and recess periods. *Journal of Teaching in Physical Education* 17: 99-106.

Sasaski, J., Shindo, M., Tanaka, H., Ando, M. & Arakawa, K. (1987). A long-term aerobic exercise program decreases the obesity index and increases the high density lipoprotein cholesterol concentration in obese children. *International Journal of Obesity* 11:339-345.

Savage MP, Scott LB. Physical activity and rural middle school adolescents. J Youth Adolesc 1998; 27: 245-253

Schultz, K.H., Szlovak, C. & Schultz, H. (1998). Implementation and evaluation of an ambulatory exercise therapy based rehabilitation program for breast cancer patients. *Medical Psychology*, 48:398-407.

Seltzer CC & Mayer J. (1970). An effective we~ght control program in a public school system. *American Journal of Public Health* 60: 679-689.

Shephard, R.J. (1982). Physical activity and growth. Chicago: Year Book.

Shephard, R.J., Jequier, J.C., Lavallee, H., LaBarre, R. & Rajic, M. (1980). Habitual physical activity: Exffects of sex, milieu, season, and required activity. *Journal of Sports Medicine*, 20:55-65.

Shephard, R.J., Lavallée, H., Jéquier, et al., (1978). In Shephard, R.J. & Lavallée, H. (Eds.) *Physical assessment: Principles, practice, and applications* (pp.194-210). Springfield, IL: Charles C Thomas.

Silverman, S.(1991). Research on teaching in physical education. *Research Quarterly for Exercise and Sport* 62: 352-364.

Simonsick, E. (1991). Personal health habits and mental health in a national probability sample. *American Journal of Preventive Medicine* 7(6): 425-437.

Simons-Morton, B.G., McKenzie, T.J., Stone, E., Mitchell, P., Osganian, V., Strikmiller, P.K., Ehlinger, S., Cribb, P. & Nader, P.R. (1997). Physical activity in a multiethnic population of third graders in four states. *American Journal of Public Health*, 87, 45-50.

Simons-Morton, B.G., O'Hara NM, Parcel GS, Huang IW. (1990). Children's frequency of participation in moderate to vigorous physical activities. *Research Quarterly for Exercise and Sport* 61:307-314.

Simons-Morton, B.G., Parcel GS, O'Hara NM. (1988). Implementing organizational changes to promote healthful diet and physical activity at school. *Health Education quarterly* 15: 115-130.

Simons-Morton, B.G., Parcel, G.S., Baranowski, T., Forthofer, R. & O'Hara, N.M. (1991). Promoting physical activity and a healthful diet among children: Results of a school-based intervention study. *American Journal of Public Health*, 81: 986-991.

Simons-Morton, B.G., Taylor WC, Snider SA, Huang IW. (1993). The physical activity of fifth-grade students during physical education classes. *American Journal of Public Health* 83, 262-264.

Simons-Morton, B.G., Taylor, W.C., Snider, S.A., Huang, I.W., Fulton, J.E. (1994).Observed levels of elementary and middle school children's physical activity during physical education classes. *Preventive Medicine* 23:437-441.

Sinclair, A. & Tester, G. (1993). The sit and reach test - what does it actually measure? *The Australian Council for Health, Physical Education, and Recreation National Journal*, 115, 8-13.

Slaughter, M.H., Lohman, T.G., Boileau, R.A., Horswill, C.A., Stillman, R.J., Van Loan, M.D. & Bemben, D.A. (1988). Skinfold equations for estimation of body fatness in children and youth. *Human Biology* 60:709-723

Sparling PB, Millard-Stafford M, Snow TK. (1997). Development of a cadence curl-up test for college students. *Research Quarterly for Exercise and Sports* 68: 309-316.

Stephens T. (1988). Physical activity and mental health in the United States and Canada: evidence from four population surveys. *Preventive Medicine* 17(1): 35-47.

Stergioulas, A., Tripolitsioti, A., Messinis, D., Bouloukos, A., Nounopoulos, C. (1998). The effects of endurance training on selected coronary risk factors in children. *Acta Paediatrica* 87(4):401-4.

Stessman, J., Maaravi, Y., Hammerman-Rozenberg, R. & Cohen, A. (2000). The effects of physical activity on mortality in the Jerusalem 70-year-olds longitudinal study. *Journal of the American Geriatrics Society* 48: 499-504.

Stone E & Perry C. (1990). United States: Perspectives in School Health. *Journal of School Health*, 60, 363-369.

Stone, E.J., McKenzie, T.L., Welk, G.J. & Booth, M.L. (1998). Effects of physical activity interventions in youth: review and synthesis. *American Journal of Preventive Medicine*, 15, 298-315.

Stouffer, K. & Dorman, S.M. (1999). Childhood Obesity: A Multifaceted Etiology. *International Electronic Journal of Health Education* 2:66-72.

Stratton, G. (1996). Children's heart rates during physical education lessons: a review. *Pediatric Exercise Science* 8:215-233.

Stringer, W.W. (1999). HIV and Aerobic exercise. Sports Medicine 28(6):389-395.

Sturm, B., Quittan, M., Wiesinger, G.F., Stanek, B., Frey, B. & Pacher, R. (1999). Moderate-intensity exercise training with elements of step aerobics in patients with severe chronic heart failure. *Archives of physical medicine and rehabilitation* 80(7):746-750.

Tamir, D., Feurstein, A., Brunner, S., Halfon, S., Reshef, A. & Palti, H. (1990). Primary prevention of cardiovascu1ar disease in chi1dhood: Changes in serum total cholesterol, high density lipoprotein, and body mass index after 2 years of intervention in Jerusalem school children age 7-9 years. *Preventive Medicine* 19. 22-30.

Tanner, J.M. (1962). Growth at adolescence (2nd ed.). Oxford: Blackwell Scientific

Taylor WC, Blair, S.N., Cummings SS, Wun CC, Malina, R.M. (1999). Childhood and adolescent physical activity partterns and adult physical activity. *Medicine and Science in Sports and Exercise*. 31:118-123.

Taylor, H.L., Buskirk, E.& Henschel, A. (1955). Maximal oxygen uptake as an objective measure of cardiorespiratory performance. *Journal of Applied Physiology*, 8, 73-80.

Tell, G.S. & Vellar, O.D. (1987). *Noncommunicable disease risk factor intervention in Norwegian adolescents*: The Oslo youth study. In B. Hetzel & G.S. Berenson (Eds.), Cardiovascular risk factors in childhood:epidemiology and prevention (pp 203-217). New York: Elsevier Science Publishers. The U.S. Preventive Services Task Force. (1996). The U.S. Preventative Services Task Forces' Guide to Clinical Preventive Services (2nd edition).

Thune, I. & Furberg, A.S. (2001). Physical activity and cancer risk: dose-response and cancer, all sites and site-specific. *Medicine and Science in Sports and Exercise*. 33(6 Suppl):S530-550

Thune, I., Brenn, T., Lund, E. & Gaard, M. (1997). Physical activity and the risk of breast cancer. *New England Journal of Medicine* 336:1269-1275.

Tolfrey, K., Campbell, I.G., Batterham, A.M. (1998). Exercise training induced alterations in prepubertal children's lipid-lipoprotein profile. *Medicine and Science in Sports and Exercise* 30(12):1684-1692.

Tomassoni, T.L. (1996a). Introduction: the role of exercise in the diagnosis and management of chronic disease in children and youth. *Medicine and Science in Sports and Exercise* 28(4):403-5.

Tomassoni, T.L. (1996b). Role of exercise in the management of cardiovascular disease in children and youth. *Medicine and Science in Sports and Exercise* 28(4):406-13.

Tomkinson, G.R., Leger, L.A., Olds, T.S., Cazorla, G. (2003). Secular trends in the performance of children and adolescents (1980-2000) - An analysis of 55 studies of the 20m shuttle run test in 11 countries. *Sports Medicine* 33 (4): 285-300.

Torabi, M.R. & Yang, J.Z. (2000). Comprehensive School Health Model: An Integrated School Health Education and Physical Education Program. International Conference of Physical Education 2000 Proceedings. pp.89-104.

Troiano, R.P., Flegal, K.M., Kuczmarski, R.J., Campbell, S.M., & Johnson, C.L. (1995). Overweight prevalence and trends for children and adolescents. *Archives of Pediatrics & Adolescent Medicine* 149: 1085-1091. Trost, S.G., Pate, R.R., Dowda, M., Saunders, R., Ward, D.S., Felton, G. (1996). Gender differences in physical activity and determinants of physical activity in rural fifth grade children. *Journal of School Health*, 66, 145-150.

Trudeau, E., Laurencelle, L., Tremblay, J., Rajic, M. & Shephard, R.J. (1998). A long-term follow-up of participants in the Trois-Rivieres semi-longitudinal study of growth and development. *Pediatric Exercise Science*, 10: 366-377.

UNESCO-United Nations Educational, Scientific, Cultural Organisation-UNESCO. (1978). Charter for Physical Education and Sport. Paris, UNESCO.

USDHHS-U.S. Department of Health and Human Services. (1991). Healthy People 2000: National Health Promotion and Disease Prevention Objectives. DHHS Publication No. (PHS) 91-50212, Public Health Service, Washington, DC.

USDHHS-U.S. Department of Health and Human Services. (1996). *Physical activity and health:* a report of the Surgeon General. Atlanta, GA: U.S. Department of Health and Human Services, Centers for Disease Control and Prevention, National Center for Chronic Disease Prevention and Health Promotion.

USDHHS-U.S. Department of Health and Human Services. (2000a). Health People 2010. Washington DC.

USDHHS-U.S. Department of Health and Human Services. (2000b). *CDC's guidelines for school and community programs: Promoting lifelong physical activity: An overview* (http://www.cdc.gov/nccdphp/dash/phactaag.htm)

USDHHS-U.S. Department of Health and Human Services. (2001). *The Surgeon General's call to action to prevent and decrease overweight and obesity*, ROckville, MD: US Department of Health and Human Service, Public Health Service, Office of Surgeon General; 2001. (Available from US GPO, Washington).

Vincent, W.J. & Britten, S.D. (1980). Evaluation of the curl-up - a substitute for the bent knee situp. *Journal of Physical Education and Recreation*, 51(2): 74-75.

Viru, A., Loko, J., Volver, A., Laaneots, L., Karelson, K. & Viru M. (1998). Age periods of accelerated improvement of muscle strength, power, speed and endurance in the age interval 6-18 years. *Biology of Sport* 15 (4): 211-227.

Volpe, S.L., Rife, F.N., Melanson, E.L., Merritt, A., Witek, J. & Freedson. P.S. (2002). Physiological changes in sixth graders who trained to walk the Boston marathon, *Journal of Sports Science and Medicine*, 4, 128-135.

Vuori, I.M. (2001). Dose-response of physical activity and low back pain, osteoarthritis, and osteoporosis. *Medicine and Science in Sports and Exercise*, 33(6): S551-S586

Walker, J.L., Lloyd, L.K., Bishop, P.A., Richardson, M.T. (2000). The influence of body size and composition on the successful completion of the FITNESSGRAM pull-up test in fifth-and sixth-grad children. *Research Quarterly for Exercise and Sport*, 71 (Suppl.): A-54.

Walter, H.J., Hofman, A., Vaughn, R.D. & Wynder, E.L. (1988). Modification of risk factors for coronary heart disease. *New England Journal of Medicine*. 318, 1093-1100.

Wang, G.Y. & Pereira, B. (2003). Leisure physical activity and health related physical fitness: A randomised trial from 4 public school in Portugal. Proceeding of 8th Annual Congress European College of Sport Science. July 9-12, 2003, Salzburg, Austria.

Wang, G.Y. (1997). Searching the Way of Men's Aerobic Class in University. *Sports Science Research (in Chinese)* 10: 36-38.

Wang, G.Y., Pereira, B. & Mota, J. (2004). In door physical education measured by heart rate monitor: A case study in Portugal. *The Journal of Sports Medicine and Physical Fitness* 44:

Wannamethee SG & Shaper AG. (1999). Physical activity and the prevention of stroke. Journal of Cardiovascular Risk 6: 213-216.

Wear, C.L. (1963). Relationship of flexibility measurements to length of body segments. *Research Quarterly* 34: 234-238.

Welk, G.J. & Wood, K. (2000). Physical activity assessments in physical education: A practical review of instruments and their use in the curriculum. *Journal of Physical Education, Recreation and Dance, 71(1),* 30-40.

Welk, G.J. (2002). Physical activity assessments for health-related Research. Human Kinetics.

Wells, K.F. & Dillon, E.K. (1952). The sit and reach - a test of back and leg flexibility. *Research Quarterly* 23: 115-118.

Welsman, J.R., Armstrong, N. & Withers, S. (1997). Responses of young girls to two modes of aerobic training. *British Journal of Sport Medicine* 31(2): 139-142.

Welten, D.C., Kemper, H.C., Post, G.B., et al. (1994). Weight-bearing activity during youth is a more important factor for peak bone mass than calcium intake. *J Bone Miner Res* 9(7):1089-1096.

Weyerer S. (1992). Physical inactivity and depression in the community. *International Journal of Sports Medicine* 13(6):492-6.

Whelton, S.P., Chin, A. & He, J. (2001) Effect of Aerobic Exercise on Blood Pressure: A Meta-Analysis of Randomized Controlled Trials. *Circulation* 103:pp.1369

Whelton, S.P., Chin, A., Xin, X. & He, J. (2002). Effect of Aerobic Exercise on Blood Pressure: A Meta-Analysis of Randomized, Controlled Trials. *Annals of Internal Medicine*. 136:493-503.

Whitehead, J.R, & Corbin, C.B. (1991). Youth fitness testing: The effect of percentile-based evaluative feedback on intrinsic motivation. *Research Quarterly for Exercise and Sport*, 62, 225-231.

Whitehead, J.R., Pemberton, C.L., Corbin, C.B. (1990). Perspectives on the physical fitness testing of children: The case for a realistic educational approach. *Pediatric Exercise Science*, 2, 111-123.

WHO-World Health Organisation. (1998). Draft copy of WHO Meeting on 'Promoting "Active Living" in and through schools' Report: Guidelines for Action. WHO Dept. of Health Promotion, Social Change and Mental Health Care Cluster. Esbjerg Denmark 25-27 May 1998.

WHO-World Health Organization. (1946). Constitution. WHO, New York

WHO-World Health Organization. (1986). *Ottawa Charter for Health Promotion*: An international conference on health promotion. WHO Regional Office, Copenhagen.

WHO-World Health Organization. (1997). *Obesity - prevention and management of the global epidemic*. The WHO Consultation on Obesity, Geneva 3-5 June.

WHO-World Health Organization. (2002a). *Reducing Risks, Promoting Healthy Life*. World Health Report 2002, Geneva.

WHO-World Health Organization. (2002c). *Obesity: preventing and managing the global epidemic* Report of a WHO consultation on obesity, Geneva, 3-5, June, 1997 World Health Organisation: Geneva. 2002.

WHO-World Health Organization. (2003a). WHO Technical report Series 916-*Diet, Nutrition and the prevention of chronic diseases*. Geneva. (http://www.who.int/hpr/NPH/docs/who fao expert report.pdf)

WHO-World Health Organization. (2003b). *Annual global move for health initiative*: a concept paper. WHO/NMH/NPH/PAH/03.1

Williams, D.P., Going, S.B., Lohman, T.G., Harska, D.W., Srinivasan, S.R., Webber, L.S.
& Berenson, G.S. (1992). Body fatness and risk for elevated blood pressure, total cholesterol and serum lipoprotein ratios in children and adolescents. American Journal of Public Health, 82, 358-363.

Williams, M.H. (1986). Weight control through exercise and diet for children and young athletes. In: G.A. Stull and H.M. Eckert (eds.) Effects of physical activity on children. *Am. Acad. Phys. Educ. Papers* 19:88-113.

Wing, R.R. (1999). Physical activity in the treatment of the adulthood overweight and obesity: current evidence and research issues. *Medicine and Science in Sports and Exercise* 31(11): S547-S552.

Wright, C.M., Parker, L., Lamont, D., Craft, A.W. (2001). Implications of childhood obesity for adult health: findings from thousand families cohort study. *British Medicial Journal* 323: 1280-1284.

Zakus, G., Chio, M.L., Cooper, H., Makovsky, E. & Merrill, C. (1981). Treating adolescent obesity: A pilot project in a school. *Journal of School Health*, 51: 663-666.

Zorn, R.L. (1992). Selected tests of muscular strength and endurance for children. Unpublished master's thesis, Arizona State University, Tempe, AZ.