

REFERENCES

- Abdullah, T. A.; Popplewell, K. & Page, C. J. (2003). A review of the support tools for the process of assembly method selection and assembly planning. *International Journal of Production Research* 41 (11): 2391-2410.
- Achilias, D. S.; Roupakias, C.; Megalokonomos, P.; Lappas, A. A. & Antonaku, E. V. (2007). Chemical recycling of plastic wastes made from polyethylene (LDPE and HDPE) and polypropylene (PP). *Journal of Hazardous Materials* 149: 536-542.
- ADAS (2007). *Composting Wood or Cardboard Waste with Green Garden or Household Kitchen Waste*. Banbury: Waste & Resources Action Programme.
- ADAS (2007a). *Feasibility of Composting Wood and Cardboard Waste with Green Garden or Household Kitchen Waste*. Banbury: Waste & Resources Action Programme.
- AI: see Athena Sustainable Materials Institute.
- Allcorn, W. & Welch, J. (2007). *Scoping Study for the Use of Recycled Gypsum in Cement Manufacture*. Banbury: Waste & Resources Action Programme.
- Amato, A. & Eaton, K. (1997). A comparative life-cycle assessment of steel and concrete framed office buildings. In *Buildings and the Environment*. Proceedings of the Second International Conference Buildings and the Environment. June 9-12 1997, Paris. 133-140. Paris: CIB Task Group 8.
- Amianti, M. & Botaro, V. R. (2008). Recycling of EPS: A new methodology for production of concrete impregnated with polystyrene (CIP). *Cement & Concrete Composites* 30: 23-28.
- Anderson, J.; Shiers, D. & Sinclair, M. (2002). *The Green Guide to Specification an Environmental profiling System for Building Materials and Components*. Oxford: Blackwell Science.
- Arandes, J.; Ereña, J.; Azkoiti, M.; Olazar, M. & Bilbao, J. (2003). Thermal recycling of polystyrene and polystyrene-butadiene dissolved in a light cycle oil. *Journal of Anal. Appl. Pyrolysis* 70: 747-760.
- Aravind, K. & Das, A. (2007). Pavement design with central plant hot-mix recycled asphalt mixes. *Construction and Building Materials* 21: 928-936.
- ARGUS (2000). *The Behaviour of PVC in Landfill*. European Commission DGXI.E.3. Brussels: European Commission.
- Arima, T. (2001). Recycling of wood and fiber products. In D. N-S. Hon & N. Shiraishi (eds.), *Wood and Cellulosic Chemistry*. 849-858. New York: Marcel Dekker Inc.
- Ashworth, A. (1996). *Assessing the Life Expectancies of Buildings and Their Components in Life Cycle Costing*. London: The Royal Institute of Chartered Surveyors.
- Athena Sustainable Materials Institute (AI) (2006). *Service Life Considerations in relation to Green Building rating Systems. An Exploratory Study*. Merrickville, Ontario: Athena Sustainable Materials Institute.
- Awaja, F. & Pavel, D. (2005). Recycling of PET. *European Polymer Journal* 41: 1453-1477.
- Ayres, R. U. (1989). Industrial metabolism. In J. H. Ausubel & H. E. Sladovich (eds.), *Technology and Environment*. 23-49. Washington, DC: National Academy Press.
- Ayres, R. U. (1994). Industrial metabolism: theory and policy. In B. R. Allenby & D. J. Richards (eds.), *The Greening of Industrial Ecosystems*. 23-37. Washington, DC: National Academy Press.
- Ayres, R. U. (1997). Metals recycling: economic and environmental implications. *Resources, Conservation and Recycling* 21: 145-173.
- Ayres, R. U. (1998). Eco-thermodynamics: economics and the second law. *Ecological Economics* 26: 189-209.
- Ayres, R. U. (1999). The second law, the fourth law, recycling and limits to growth. *Ecological Economics* 29: 473-483.
- Ayres, R. U. & Warr, B. (2005). Accounting for growth: the role of physical work. *Structural Change and Economic Dynamics* 16: 181-209.
- Ayres, R. U.; Ayres, L. W. & Rade, (2002). *The Life Cycle of Copper, its Co-products and By-products*. London: International Institute for Environment and Development.
- Ayres, R. U.; Ferrer, G.; Van Leynseele, T. (1997). Eco-efficiency, asset recovery and remanufacturing. *European Management Journal* 15 (5): 557-574.
- Azapagic, A.; Emsley, A. & Hamerton, I. (2003). *Polymers, the Environment and Sustainable Development*. Chichester: John Wiley & Sons.

- Azzouz, L.; Bouhicha, M. & Kenai, S. (2002). Recycling of waste bricks in the fabrication of dune sand concrete. In R. Dhir *et al.* (eds.) *Sustainable Concrete Construction*. Proceedings of the International Conference. September 9-11, 2002, Dundee, U.K. 665-672. London: Thomas Telford Publishing.
- Baitz, M.; Kreibig, J.; Byrne, E.; Makishi, C.; Kupfer, T.; Frees, N.; Bey, N.; Hansen, M.; Hansen, A.; Bosch, T.; Borghi, V.; Watson, J. & Miranda, M. (2004). *Life Cycle Assessment of PVC and of Principal Competing Materials*. Luxembourg: European Commission.
- Baker, A-M. & Mead, J. (2002). Thermoplastics. In C. Harper (ed.) *Handbook of Plastics, Elastomers & Composites*. 1-108. New York: McGraw-Hill.
- Barclay, F. J. (1995). *Combined Power and Process - An Exergy Approach*. London: Professional Engineering Publishing.
- Bargigli, S. & Ulgiati, S. (2003). Emergy and Life-Cycle Assessment of steel production in Europe. In M. T. Brown *et al.* (eds.), *Emergy Synthesis 2 – Theory and Applications of the Emergy Methodology*. Proceedings of the Second Biennial Emergy Conference. September, 2001, Gainesville, Florida. 141-155. Gainesville, FL: The Center for Environment Policy, University of Florida.
- Bartelmus, P. (2002). *Dematerialization and Capital Maintenance: Two Sides of the Sustainability Coin*. Wuppertal: Wuppertal Institute for Climate, Environment and Energy.
- Bastianoni, S. & Marchettini, N. (1997). Emergy/exergy ratio as a measure of the level of organization of systems. *Ecological Indicators* 99: 33-40.
- Bastianoni, S., Marchettini, N., Panzieri, M. & Tiezzi, E. (2001). Sustainability assessment of a farm in the Chianti area (Italy). *Journal of Cleaner Production* 9: 365-373.
- Batayneh, M.; Marie, I. & Asi, I. (2007). Use of selected waste materials in concrete mixes. *Waste Management* 27: 1870-1876.
- Berge, B. (1992). *Ecology of Building Materials*. Oxford: Architectural Press, 2000.
- Berglund, L. & Rowell, R. (2005). Wood composites. In R. M. Rowell (ed.), *Handbook of Wood Chemistry and Wood Composites*. Boca Raton, FL: CRC Press.
- Bernard, J.; Ole, H. & Jurgen, V. (2000). *The Influence of PVC on the Quantity and Hazardousness of Flue Gas Residues From Incineration*. Tarnos: Bertin Technologies.
- Bianchini, G.; Marrocchino, E.; Tassinari, R. & Vaccaro, C. (2005). Recycling of construction and demolition waste materials: a chemical-mineralogical appraisal. *Waste Management* 25: 149-159.
- Biggs, A. (2007). *Use of recycled Plasterboard in Unfired Clay-Gypsum Blocks*. Banbury: Waste & Resources Action Programme.
- Bjorklund, J.; Geber, U. & Rydberg, T. (2001). Emergy analysis of municipal wastewater treatment and generation of electricity by digestion of sewage sludge. *Resources, Conservation and Recycling* 31: 293-316.
- Blengini, G. A. (2009). Life cycle of buildings, demolition and recycling potential. A case study in Turin, Italy. *Building and Environment* 44 (2): 319-330.
- Bloom, N. (2006). *Reliability Centered Maintenance (RCM)*. New York: McGraw-Hill.
- Bokstein, B.; Mendeleev, M. & Srolovitz, D. (2005). *Thermodynamics and Kinetics in Materials*. Oxford: Oxford University Press.
- Boustead, I. (1999). *Eco-Profiles of Plastics and Related Intermediates: Polystyrene*. Brussels: The Association of Plastics Manufacturers in Europe.
- Brandon, D. G. & Kaplan W. D. (1997). *Joining Processes - An Introduction*. Chichester: John Wiley & Sons.
- Brandrup, J. (2003). Polymers, polymer recycling, and sustainability. In A. L. Andrady. (ed.), *Plastics and the Environment*. 523-562. Hoboken, NJ: John Wiley & Sons.
- Brandt, S. (1994). *How Buildings Learn*. London: Phoenix Illustrated, 1997.
- Brandt-Williams, S. (1999). *Evaluation of Watershed Control of Two Central Florida Lakes: Newnans Lake and Lake Weir*. Gainesville, FL: University of Florida.
- BRE: see Building Research Establishment.
- Bringezu, S. (2002). *Towards Sustainable Resource Management in the European Union*. Wuppertal: Wuppertal Institute for Climate, Environment and Energy.
- Bringezu, S. & Schutz, H. (2001). *Total Materials Requirement of the European Union*. Technical Report n.º 55. Copenhagen: European Environmental Agency.

- Brischke, C; Bayerbach, R. & Rapp, A. (2006). Decay-influencing factors: a basis for service life prediction of wood based products. *Wood Material Science and Engineering* 1: 91-107.
- Brown, K.; Holland, M.; Boyd, R.; Thresh, S.; Jones, H. & Ogilvie, S. (2000). *Economic Evaluation of PVC Waste Management. A Report Produced for European Commission Environment Directorate*. Oxfordshire: AEA Technology.
- Brown, M. T.; Brandt-Williams, S.; Tilley, D. & Ulgiati, S. (2000). Emergy synthesis: an introduction. In M. T. Brown *et al.* (eds.), *Emergy Synthesis – Theory and Applications of the Emergy Methodology*. Proceedings of the First Biennial Emergy Analysis Research Conference. September, 1999, Gainesville, Florida. 1-14. Gainesville, FL: The Center for Environment Policy, University of Florida.
- Brown, M. T. & Buranakarn, V. (2000). Emergy evaluation of materials cycles and recycle options. In M. T. Brown *et al.* (eds.), *Emergy Synthesis – Theory and Applications of the Emergy Methodology*. Proceedings of the First Biennial Emergy Analysis Research Conference. September, 1999, Gainesville, Florida. 141-154. Gainesville, FL: The Center for Environment Policy, University of Florida.
- Brown, M. T. & Buranakarn, V. (2003). Emergy indices and ratios for sustainable materials cycles and recycle options. *Resources, Conservation and Recycling* 38: 1-22.
- Brown, M. T. & Herendeen, R. A. (1996). Embodied energy analysis and EMERGY analysis: a comparative view. *Ecological Economics* 19: 219-235.
- Brown, M. T.; Green, P.; Gonzalez, A. & Venegas, J. (1992). *Emergy Analysis Perspectives, Public Policy Option, and Development Guidelines for the Coastal Zone of Navarit, Mexico*. Gainesville, FL: Center for Wetlands and Water Resources, University of Florida.
- Brown, M. T. & McClanahan, T. R. (1996). Emergy analysis perspectives of Thailand and Mekong River dam proposals. *Ecological Modelling* 91: 105-130.
- Brown, M. T.; Odum, H. Y. & Jorgensen, S. E. (2004). Energy hierarchy and transformity in the universe. *Ecological Modelling* 178: 17-28.
- Brown, M. T. & Ulgiati, S. (2002). Emergy evaluations and environmental loading of electricity production systems. *Journal of Cleaner Production* 10: 321-334.
- Brown, M. T. & Ulgiati, S. (2004). Energy quality, emergy, and transformity: H. T. Odum's contributions to quantifying and understanding systems. *Ecological Modelling* 178: 201-213.
- Brydson, J. A. (1999). *Plastics Materials*. Oxford: Butterworth-Heinemann.
- Buekens, A. (2006). Introduction to feedstock recycling of plastics. In J. Scheirs & W. Kaminsky (eds.), *Feedstock recycling and Pyrolysis of Waste Plastics: Concerting Waste plastics into Diesel and Other Fuels*. 3-44. Chichester: John Wiley & Sons.
- Buenfil, A. (2001). *Emergy Evaluation of Water*. PhD Thesis. Gainesville, FL: University of Florida.
- Building Research Establishment (BRE) (2008). *Recycling of Mineral Wool Composite Panels Into New Raw Materials*. Banbury: Waste & Resources Action Programme.
- Buranakarn, V. (1998). *Evaluation of Recycling and Reuse of Building Materials Using the Emergy Analysis Method*. PhD Thesis. Gainesville, FL: University of Florida.
- Campbell, D.; Brandt-Williams, S. & Meisch, M. (2005). *Environmental Accounting Using Emergy: Evaluation of the State of West Virginia*. Narragansett, RI: U. S. Environmental Protection Agency.
- Carroll, D.; Stone, R.; Sirignano, A.; Saindon, R.; Gose, S. & Friedman, M. (2003). Structural properties of recycled HDPE plastic lumber decking planks. *International Journal of Polymeric Materials* 52: 709-724.
- Cartwright, P. (2007). *Recycled Gypsum as Soil Treatment in Potato Production*. Banbury: Waste & Resources Action Programme.
- Caruso, C.; Catenacii, G.; Marchettini, N.; Principi, I.V. & Tiezzi, E. (2001). Emergy based analysis of Italian electricity production system. *Journal of Thermal Analysis and Calorimetry* 66: 265-272.
- Carvalho, A. (1997). *Madeiras Portuguesas*. Lisboa: Direcção-Geral das Florestas.
- Castellini, C., Bastianoni, S., Granai, C., Dal Bosco, A. & Brunetti, M. (2006). Sustainability of poultry production using the emergy approach: Comparison of conventional and organic rearing systems. *Agriculture, Ecosystems and Environment* 114: 343-350.
- Castro, M.; Remmerswaal, J.; Brezet, J. & Reuter, M. (2007). Emergy losses during recycling and the resource efficiency of product systems. *Resources, Conservation and Recycling* 52: 219-233.

- Caulfield, D.; Clemons, C.; Jacobson, R. & Rowell, R. M. (2005). Wood thermoplastic composites. In R. M. Rowell (ed.), *Handbook of Wood Chemistry and Wood Composites*. Boca Raton, FL: CRC Press.
- CICCP: see Colegio de Ingenieros de Caminos, Canales y Puertos.
- Chanda, M. & Roy, S. (2007). *Plastics Technology Handbook*. Boca Raton, FL: CRC Press.
- Chiu, C.-T. (2008). Use of ground tire rubber in asphalt pavements: field trial and evaluation in Taiwan. *Resources, Conservation and Recycling* 52: 522-532.
- Chini, A. & Acquaye, L. (2001). Grading and mechanical properties of salvaged lumber. In A. Chini (ed.), *Deconstruction and Materials Reuse Technology, Economic, and Policy*. 138-162. CIB Publication 266. Amsterdam: International Council for Research and Innovation in Building Construction.
- Chini, A. & Bruening, S. (2005). Deconstruction and materials reuse in the United States. In A. Chini (ed.), *Deconstruction and Materials Reuse – An International Overview*. CIB Publication 300. Amsterdam: International Council for Research and Innovation in Building Construction.
- Chini, A. & Nguyen, H. (2003). Optimizing deconstruction of lightwood framed construction. In A. Chini (ed.), *Deconstruction and Materials Reuse*. CIB Publication 287. Amsterdam: International Council for Research and Innovation in Building Construction.
- Chiu, C.-T.; Hsu, T.-H. & Yang, W.-F. (2008). Life cycle assessment on using recycled materials for rehabilitating asphalt pavements. *Resources, Conservation and Recycling* 52: 545-556.
- Ciarga (2008). *Argamassas Secas para a Construção*. Alhandra: Ciarga – Grupo Cimpor.
- Cinca (2004). *Technical Cinca*. Santa Maria da Feira: Cinca – Companhia Industrial de Cerâmica.
- Clamp, F. (2008). *Trials For the Use of Recycled Gypsum in Cement Manufacture*. Banbury: Waste & Resources Action Programme.
- Clapham, M.; Foo, S. & Quadir, J. (2008). Development of a Canadian National Standard on Design for Disassembly and Adaptability for Buildings. *Journal of ASTM International* 5(2): 1-5.
- Clegg, A. J. & Williams, D. J. (1994). The strategic and competitive implications of recycling and design for disassembly. *IEEE International Symposium on Electronics and the Environment, 1994*: 6-12.
- Coatanlem, P.; Jauberthie, R. & Rendell, F. (2006). Lightweight wood chipping concrete durability. *Construction and Building Materials* 20: 776-781.
- Cole, R. J. (2005). Building environmental assessment methods: redefining intentions and roles. *Building Research & Information* 35 (5): 455-467.
- Colegio de Ingenieros de Caminos, Canales y Puertos (CICCP) (1997). *Demolición y Reutilización de Estructuras de Hormigón*. Madrid: Colegio de Ingenieros de Caminos, Canales y Puertos.
- Collins, R. (2003). Recycled concrete. In J. Newman and B. S. Choo (eds.) *Advanced Concrete Technology Processes*. 8/1-8/13. Oxford: Elsevier.
- Corinaldesi, V. & Moriconi G. (2009). Influence of mineral additions on the performance of 100% recycled aggregate concrete. *Construction and Building Materials* 23 (8): 2869-2876.
- Cornell, D. (2003). Recycling polyesters by chemical depolymerization. In J. Scheirs & T. Long (eds.), *Modern Polyesters: Chemistry and Technology of Polyesters and Copolyesters*. 565-590. Chichester: John Wiley & Sons.
- Costa, M.; Schaeffer, R. & Worrell, E. (2001). Exergy accounting of energy and materials flows in steel production systems. *Energy* 26: 363-384.
- Coventry, C. & Guthrie, P. (1998). *Waste Minimisation and Recycling in Construction – Design Manual*. London: CIRIA.
- Coventry, C.; Woolveridge, C. & Hillier, S. (1999). *The Reclaimed and Recycled Construction Materials Handbook*. London: CIRIA.
- Craig, P. (2001). Energy limits on recycling. *Ecological Economics* 36: 373-384.
- Craven, D; Okraglik, H. & Eilenberg, I. (1994). Construction waste and a new design methodology. In C. J. Kibert (ed.) *Sustainable Construction*. Proceedings of the First International Conference of CIB TG 16. November 6-9, 1994, Tampa, FL, U.S.A.. 89-98. Gainesville, FL: University of Florida.
- Crowell, B. W. (2007). *Conservation Laws*. Fullerton, CA: Light and Matter.
- Crowther, P. (2000). Building deconstruction in Australia. In C. J. Kibert & A. Chini (eds.), *Overview of Deconstruction in Selected Countries*. 14-44. CIB Publication 252. Amsterdam: International Council for Research and Innovation in Building Construction.

- Crowther, P. (2001). Developing an inclusive model for design for deconstruction. In A. Chini (ed.), *Deconstruction and Materials Reuse: Technology, Economic, and Policy*. CIB Publication 266. Amsterdam: International Council for Research and Innovation in Building Construction.
- Crowther, P. (2003). *Design for Disassembly: An Architectural Strategy for Sustainability*. PhD Thesis. Brisbane: Queensland University of Technology.
- Crowther, P. (2005). The state of building deconstruction in Australia. In A. Chini (ed.), *Deconstruction and Materials reuse. An International Overview*. CIB Publication 300. Amsterdam: International Council for Research and Innovation in Building Construction.
- Cruz, H.; Eusébio, I. & Rodrigues, M. (1997). *Revestimentos por Pintura de Madeira Para Exteriores*. Lisboa: Laboratório Nacional de Engenharia.
- Cui, Y.; Lee, S.; Noruziaan, B.; Cheung, M. & Tao, J. (2008). Fabrication and interfacial modification of wood/recycled plastic composite materials. *Composites Part A: Applied Science and Manufacturing* 39: 665-661.
- Danosa (1999). *Soluções de Impermeabilização e de Isolamento*. Amadora: Danosa.
- Davis, S. C. & Diegel, S. W. (2007). *Transportation Energy Data Book*. Oak Ridge, Tennessee: U.S. Department of Energy.
- Das, S. K.; Yedlarajiah, P. & Narendra, T. (2000). An approach for estimating the end-of-life product disassembly effort and cost. *International Journal of Production Research* 38 (3): 657-673.
- Dhir, R. & Paine, K. (2007). *Performance Related Approach to Use of Recycled Aggregates*. Banbury: Waste & Resources Action Programme.
- Dincer, I. & Rosen, M. (2005). Thermodynamic aspects of renewable and sustainable development. *Renewable and Sustainable Energy Reviews* 9: 169-189.
- Dini, G.; Failli, F. & Santochi, M. (2001). A disassembly planning software system for the optimization of recycling processes. *Production Planning & Control* 12 (1): 2-12.
- Dorsthorst, B. & Kowalczyk, T. (2002). Design for recycling. In A. Chini & F. Schultmann (eds.), *Design for Deconstruction and Materials Reuse*. CIB Publication 272. Amsterdam: International Council for Research and Innovation in Building Construction.
- Dow (1994). *O Plano Styrofoam*. Lisboa: Dow Portugal.
- Durmisevic, E. (2008). The Netherlands. In J. B. Storey (ed.), *Construction Materials Stewardship – The Status Quo in Selected Countries*. CIB Report 318. Amsterdam: International Council for Research and Innovation in Building Construction.
- Durmisevic, E. & Brouwer, T. (2002). Design aspects of decomposable building structures. In A. Chini & F. Schultmann (eds.), *Design for Deconstruction and Materials Reuse*. CIB Publication 272. 83-91. Amsterdam: International Council for Research and Innovation in Building Construction.
- Durmisevic, E. & Dorsthorst, B. (2002). Buildings transformation capacity as the indicator of sustainability. A way to measure the environmental impact of flexible housing. In O. Ural *et al.* (eds.) *Housing Construction. An Interdisciplinary Task*. XXX IAHS World Congress on Housing. September 9-13, 2002, Coimbra, Portugal. 931-940. Coimbra: University of Coimbra.
- Durmisevic, E. & Iersel, T. (2003). Life cycle coordination of materials and their functions at connections design for total service life of buildings and its materials. In A. Chini (ed.), *Deconstruction and Materials Reuse*. CIB Publication 287. Amsterdam: International Council for Research and Innovation in Building Construction.
- Durmisevic, E. & Noort, N. (2003). Re-use potential of steel in building construction. In A. Chini (ed.), *Deconstruction and Materials Reuse*. CIB Publication 287. Amsterdam: International Council for Research and Innovation in Building Construction.
- Durmisevic, E.; Ciftcioglu, O. & Anumba, J. (2003). Knowledge model for assessing disassembly potential of structures. In A. Chini (ed.), *Deconstruction and Materials Reuse*. CIB Publication 287. Amsterdam: International Council for Research and Innovation in Building Construction.
- Dumitru, I.; Munn, R. & Smorchevsky, G. (2000). Progress towards achieving ecologically sustainable concrete and road pavements in Australia. In G. R. Woolley *et al.* (eds.), *Waste Materials in Construction WASCON 2000*. Proceedings of the International Conference on the Science and Engineering of Recycling for Environmental Protection, May 31, June 2, 2000, 107-102. Harrogate, England. Amsterdam: Pergamon.

- Dunster, A. (2008). *Recycled Gypsum in Concrete Construction Product Applications*. Banbury: Waste & Resources Action Programme.
- Dwight, J. (1999). *Aluminium Design and Construction*. London: E & FN Spon.
- EAFGM: see European Association of Flat Glass Manufacturers.
- EC: see European Commission.
- EEA: see European Environmental Agency.
- El-Haggar, S. (2007). *Sustainable Industrial Design and Waste Management – Cradle to Cradle for Sustainable Development*. Burlington, MA: Elsevier Academic Press.
- Environmental Protection Agency (EPA) (1998). *Characterization of Building-Related Construction and Demolition Debris in the United States*. Prairie Village, KS: U. S. Environmental Protection Agency.
- Enviros (2003). *Recycled Glass Market Study & Standards Review – 2003 Update*. Banbury: Waste & Resources Action Programme.
- Enviros (2004). *Recycled Glass Market Study & Standards Review – 2004 Update*. Banbury: Waste & Resources Action Programme.
- EOTA: see European Organisation for Technical Approvals.
- EPA: see Environmental Protection Agency.
- Erdos, G.; Kis, T. & Xirouchakis, P. (2001). Modelling and evaluating product end-of-life options. *International Journal of Production Research* 39 (6): 1203-1220.
- Erkelens, P. (2003). Re-use of building components (towards zero waste in renovation). In A. Chini (ed.), *Deconstruction and Materials Reuse*. CIB Publication 287. Amsterdam: International Council for Research and Innovation in Building Construction.
- Erkman, S. (1997). Industrial ecology: an historical view. *Journal of Cleaner Production* 5: 1-10.
- ESYS (2006). *Recycled Wood in Landscaping*. Banbury: Waste & Resources Action Programme.
- ESYS (2007). *Recycled Wood in Equine Bedding – The Commercial Case*. Banbury: Waste & Resources Action Programme.
- Estévez, B.; Aguado, A. & Josa, A. (2003). Environmental impact of concrete recycling, coming from construction and demolition waste (C&DW). In A. Chini (ed.), *Deconstruction and Materials Reuse*. CIB Publication 287. Amsterdam: International Council for Research and Innovation in Building Construction.
- EU: see European Union.
- European Association of Flat Glass Manufacturers (EAFGM) (2005). *Recycling of Glass From Construction and Demolition Waste*. European Association of Flat Glass Manufacturers.
- European Commission (EC) (2004). *Durability and the Construction Products Directive*. Guidance Paper F concerning the Construction Products Directive – 89/106/EEC (Revision December 2004). Brussels: European Commission.
- European Environmental Agency (EEA) (2005). *Sustainable Use and Management of Natural Resources*. Copenhagen: European Environmental Agency.
- European Environmental Agency (EEA) (2007). *The Road From Landfilling to Recycling: Common Destination, Different Routes*. Copenhagen: European Environmental Agency.
- European Organisation for Technical Approvals (EOTA) (1999). *Assumption of Working Life of Construction Products in Guidelines for European Technical Approval, European Technical Approvals and Harmonized Standards*. EOTA Guidance Document 003. Brussels: European Organisation for Technical Approvals.
- European Organisation for Technical Approvals (EOTA) (1999a). *Assessment of Working Life of Products*. EOTA Guidance Document 002. Brussels: European Organisation for Technical Approvals.
- European Union (EU) (1994). European Parliament and Council Directive 94/62/EC on packaging waste. *Official Journal of the European Communities* L 365: 10-23.
- European Union (EU) (1999). Council directive 1999/31/EC on the landfill of waste. *Official Journal of the European Communities* L182: 1-18.
- European Union (EU) (2000). Directive 2000/53/EC of the European Parliament and of the Council on end of life vehicles. *Official Journal of the European Communities* L269: 34-42.

- European Union (EU) (2003). Directive 2002/96/EC of the European Parliament and of the Council on waste electrical and electronic equipment (WEEE). *Official Journal of the European Communities* L37: 24-38.
- Falk, R. & McKeever, D. (2004). Recovering wood for reuse and recycling. A United States perspective. In C. Gallis (ed.) *Management of Recovered Wood Recycling, Bioenergy and Other Options*. European COST E31 Conference. April 22-24, 2004, Thessaloniki, Greece. 29-40. Thessaloniki: University Studio Press.
- Farinha, J. S. B. & Reis, A. C. (1993). *Tabelas Técnicas*. Setúbal: P.O.B.
- Fatta, D. & Moll, S. (2003). *Assessment of Information Related to Waste and Material Flows*. Technical Report n.º 96. Copenhagen: European Environmental Agency.
- Fiksel, J.; Cook, K.; Roberts, S. & Tsuda, D. (1996). Design for environment at Apple Computer: a case study of the new Power Macintosh 7200. *Electronics and the Environment* 1996: 218-223.
- Fiksel, J. & Wapman, K. (1994). How to design for environment and minimize life cycle cost. *IEEE International Symposium on Electronics and the Environment*, 1994: 75-80.
- Fisher, K. (2008). *Life Cycle Assessment of Plasterboard*. Technical Report. Banbury: Waste & Resources Action Programme.
- Flanagan, R. & Jewell, C. (2005). *Whole Life Appraisal for Construction*. Oxford: Blackwell Publishing.
- Forest Products Research Centre (FPRC) (2007). *Assessment of the Mechanical and Physical Properties of Recycled Wood Products: Field Tests – Final Report*. Banbury: Waste & Resources Action Programme.
- Forest Products Research Centre (FPRC) (2007a). *Assessment of the Mechanical and Physical Properties of Recycled Wood Products: Laboratory Tests – Final Report*. Banbury: Waste & Resources Action Programme.
- FPRC: see Forest Products Research Centre.
- Frosch, R. A. (1992). Industrial ecology: a philosophical introduction. *Proc. National Academy Sciences* 89: 800-803.
- Frosch, R. A. & Gallopoulos, N. E. (1989). Strategies for manufacturing. *Scientific American* 261 (3): 144-152.
- GAA: see German Aluminium Association.
- Gadh, R.; Srinivasan, H.; Nuggehalli, S. & Figueroa, R. (1998). Virtual disassembly – a software tool for developing product dismantling and maintenance. *Annual Reliability and Maintainability Symposium 1998*: 120-125.
- Ganguly, J. (2008). *Thermodynamics in Earth and Planetary Sciences*. Berlin: Springer Verlag.
- Ganjian, E.; Claisse, P. & Pouya, H. (2007). *Use of Recycled Gypsum in Road Foundation Construction*. Banbury: Waste & Resources Action Programme.
- Gao, W.; Ariyama, T.; Ojima, T. & Meier, A. (2001). Energy impacts of recycling disassembly material in residential buildings. *Energy and Buildings* 33: 553-562.
- Gardner, G. & Sampat, P. (1998). *Mind Over Matter: Recasting the Role of Materials in Our Lives*. Worldwatch Paper 144. Washington, DC: Worldwatch Institute.
- Gardner, J. (2009). *Demonstration of End Uses for Recovered PVC Flooring*. Banbury: Waste & Resources Action Programme.
- Garner, A. & Keolsian, G. A. (1995). *Industrial Ecology: An Introduction*. Ann Arbor, MI: University of Michigan.
- Gerlach, L.; Eibl, J. & Stempniewski, L. (2002). Removal of gypsum plaster by use of microwaves. In R. Dhir *et al.* (eds.) *Sustainable Concrete Construction*. Proceedings of the International Conference. September 9-11, 2002, Dundee, U.K.. 543-554. London: Thomas Telford Publishing.
- German Aluminium Association (GAA) (1999). *Aluminium in the Building and Construction Industry – Ecological and Sustainable*. Dusseldorf: GAA.
- Geyer, R. & Jackson, T. (2004). Supply loops and their constraints: the industrial ecology of recycling and reuse. *California Review Management* 46 (2): 55-73.
- Goel, N. (2008). Ultimate analysis of biomass fuels. In D. Y. Goswami & F. Kreith (eds.), *Energy Conversion*. A4-1-A4-2. Boca Raton, FL: CRC Press.

- Goggin, K. & Browne, J. (2000). The resource level decision for end-of-life products. *Production Planning & Control* 11 (7): 628-640.
- Gómez-Soberón, J. (2002). Porosity of recycled concrete with substitution of recycled concrete aggregate. An experimental study. *Cement and Concrete Research* 32: 1301-1311.
- Gong, M. & Wall, G. (2001). On exergy and sustainable development – Part 2: Indicators and methods. *Exergy, an International Journal* 1(4): 217-233.
- Goodship, V. (2001). *Introduction to Plastics Recycling*. Shropshire: Smithers Rapra Technology, 2007.
- Gottfredsen, F. & Thogersen, F. (1994). Recycling of concrete in aggressive environment. In E. K. Lauritzen (ed.), *Demolition and Reuse of Concrete and Masonry. Guidelines for Demolition and Reuse of Concrete and Masonry*. Proceedings of the Third International RILEM Symposium on Demolition and Reuse of Concrete and Masonry, October 24-27, 1993, 362-370. London: Chapman & Hall.
- Graedel, T. E. (1996). On the concept of industrial ecology. *Annual Review of Energy and the Environment* 21: 69-98.
- Graham, P. (2003). *Building Ecology - First Principles For a Sustainable Built Environment*. Oxford: Blackwell Science.
- Gronostajski, J.; Marciniak, H. & Matuszak, A. (2000). New methods of aluminium and aluminium-alloy chips recycling. *Journal of Materials Processing Technology* 106: 34-39.
- Guerra, I.; Vivar, I.; Llamas, B. & Moran, J. (2009). Eco-efficient concretes: the effects of using recycled ceramic materials from sanitary installations on the mechanical properties of concrete. *Waste Management* 29 (2): 643-646.
- Gungor, A. (2006). Evaluation of connection types in design for disassembly (DfD) using analytic network process. *Computers & Industrial Engineering* 50: 35-54.
- Gungor, A. & Gupta, S. (1997). An evaluation methodology for disassembly processes. *Computers & Industrial Engineering* 33: 329-332.
- Gungor, A. & Gupta, S. (1999). Issues in environmentally conscious manufacturing and product recovery: a survey. *Computers & Industrial Engineering* 36: 811-853.
- Gungor, A. & Gupta, S. (2001). Disassembly sequence plan generation using a branch-and-bound algorithm. *International Journal of Production Research* 39: 481-509.
- Gungor, A. & Gupta, S. (2002). Disassembly line in product recovery. *International Journal of Production Research* 40: 2569-2589.
- Gupta, S. & McLean, C. (1996). Disassembly of products. *Computers and Industrial Engineering* 31: 225-228.
- Guy, B. & Ohlsen, M. (2003). Creating business opportunities through the use of a deconstruction feasibility tool. In A. Chini (ed.), *Deconstruction and Materials Reuse*. CIB Publication 287. Amsterdam: International Council for Research and Innovation in Building Construction.
- Guy, B. & Ciarimboli, N. (2006). *DfD Design for Disassembly in the Built Environment: A Guide to Closed-Loop Design and Building*. Philadelphia: Hamer Center for Community Design – The Pennsylvania State University.
- Haironville (2007). *Arclad Perfil 13.76.18 H*. Cartaxo: Haironville Portugal.
- Halliwell, S. M. (2002). *Polymers in Building and Construction*. Rapra Review Reports. Report 154. Shropshire: Smithers Rapra Technology.
- Hansel, H. (1994). A method for total reutilization of masonry by crushing, burning, shaping and autoclaving. In E. K. Lauritzen (ed.), *Demolition and Reuse of Concrete and Masonry. Guidelines for Demolition and Reuse of Concrete and Masonry*. Proceedings of the Third International RILEM Symposium on Demolition and Reuse of Concrete and Masonry, October 24-27, 1993, 473-477. London: Chapman & Hall.
- Harper, C. & Petrie, E. (2003). *Plastics Materials and Processes – A Concise Encyclopedia*. Hoboken, NJ: John Wiley & Sons.
- Hendriks, Ch. F., Nijkerk, A. A. & van Koppen, A. E. (2000). *The Building Cycle*. Aj Best: Aeneas.
- Hendriks, Ch. F.; Fraaij, A. & Vogtlander, J. (2002). Sustainable use of recycled materials in building construction. In R. Dhir *et. al.* (eds.) *Sustainable Concrete Construction*. Proceedings of the International Conference. September 9-11, 2002, Dundee, U.K.. 535-544. London: Thomas Telford Publishing.

- Herendeen, R. A. (2004). Energy analysis and EMERGY analysis – a comparison. *Ecological Modelling* 178: 227-237.
- Hertwich, E. G. (2005). Consumption and industrial ecology. *Journal of Industrial Ecology* 9: 1-6.
- Hesselbach, J. & Kuhn, M. (1998). Disassembly evaluation of electronic and electrical products. *IEEE International Symposium on Electronics and the Environment, 1998*. 79-81.
- Hill, C. (2006). *Wood Modification. Chemical, Thermal and Other Processes*. Chichester: John Wiley & Sons.
- Hive Modular. *Hive Modular B-Line*. URL: www.hivemodular.com. Accessed on February 10 2006.
- Hobbs, G. & Hurley, J. (2001). Deconstruction and the reuse of construction materials. In A. Chini (ed.), *Deconstruction and Materials Reuse Technology, Economic, and Policy*. 98-124. CIB Publication 266. Amsterdam: International Council for Research and Innovation in Building Construction.
- Homem de Mello, L. S. & Sanderson, A. C. (1986). *AND/OR Graph Representation of Assembly Plans*. Pittsburgh, PA: Carnegie-Mellon University.
- Homem de Mello, L. S. & Sanderson, A. C. (1988). *Automatic Generation of Mechanical Assembly Sequences*. Pittsburgh, PA: Carnegie-Mellon University.
- Homem de Mello, L. S. & Sanderson, A. C. (1990). AND/OR graph representation of assembly plans. *IEEE Transactions on Robotics and Automation* 6 (2): 188-199.
- Homem de Mello, L. S. & Sanderson, A. C. (1991). Representations of mechanical assembly sequences. *IEEE Transactions on Robotics and Automation* 7 (2): 211-227.
- Homem de Mello, L. S. & Sanderson, A. C. (1991a). A correct and complete algorithm for the generation of mechanical assembly sequences. *IEEE Transactions on Robotics and Automation* 7 (2): 228-240.
- Hovde, P. (2004). Factor methods for service life prediction. In P. Hovde & K. Moser (eds.), *Performance Based Methods for Service Life Prediction*. 1-51. CIB Publication 294. Rotterdam: International Council for Research and Innovation in Building Construction.
- Huang, S-L. & Hsu, W.-L. (2003). Materials flow analysis and emergy evaluation of Taipei's urban construction. *Landscape and urban Planning* 63: 61-74.
- Huang, Y. M. & Huang, C.-T. (2002). Disassembly matrix for disassembly processes of products. *International Journal of Production Research* 40 (2): 255-273.
- Huang, W.-L.; Lin, D.-H.; Chang, N.-B. & Lin, K.-S. (2002). Recycling of construction and demolition waste via a mechanical sorting process. *Resources, Conservation and Recycling* 37: 23-37.
- Huang, Y.; Bird, R. & Heidrich, O. (2007). A review of the use of recycled solid waste materials in asphalt pavements. *Resources, Conservation and Recycling* 52: 58-73.
- Hurley, J. (2003). Valuing the pre-demolition process. In A. Chini (ed.), *Deconstruction and Materials Reuse*. CIB Publication 287. Amsterdam: International Council for Research and Innovation in Building Construction.
- Hurley, J.; Goodier, C.; Garrod, E.; Grantham, R; Lennon, T. & Waterman, A. (2002). Design for deconstruction – tools and practices. In A. Chini & F. Schutmann (eds.), *Design for Deconstruction and Materials Reuse*. CIB Publication 272. Amsterdam: International Council for Research and Innovation in Building Construction.
- IAI: see International Aluminium Institute.
- Iberplaco (2004). *Manual de Iberplaco – Soluções Construtivas*. Lisboa: Iberplaco.
- International Aluminium Institute (IAI) (2000). *Life Cycle Inventory of the Worldwide Aluminium Industry with Regard to energy Consumption and Emissions of Greenhouse Gases*. London: International Aluminium Institute.
- International Aluminium Institute (IAI) (2003). *Life Cycle Assessment of Aluminium: Inventory Data for the Worldwide Primary Aluminium Industry*. London: International Aluminium Institute.
- Irfan, M. (1998). *Chemistry and Technology of Thermosetting Polymers in Construction Applications*. Dordrecht: Kluwer Academic Publishers.
- Irlle, M.; Maher, K.; Fru, C. & Sawyer, G. (2004). *The Chromazurol S Colour Indicator Technique to detect Copper Contamination in Wood Waste for Recycling*. Banbury: Waste & Resources Action Programme.
- Iselin, D. & Lemer, A. (1993). *The Fourth Dimension in Building: Strategies for Minimizing Obsolescence*. Washington, D.C.: National Academy Press.

- J. Soares Correia Armazéns de Ferro SA. (2004). *J. Soares Correia Armazéns de Ferro SA*. Maia: J. Soares Correia Armazéns de Ferro SA.
- Jacobsen, H. & Kristoffersen, M. (2002). *Case Studies on Waste Minimisation Practices in Europe*. Topic Report 2/2002. Copenhagen: European Environmental Agency.
- Janlovic, K. (2002). Using recycled brick as concrete aggregate. In R. Dhir *et al.* (eds.) *Sustainable Concrete Construction*. Proceedings of the International Conference. September 9-11, 2002, Dundee, U.K.. 231-240. London: Thomas Telford Publishing.
- Jelinsky, L. W.; Graedel, T. E.; Laudise, R. A.; McCall, D. W. & Patel, C. N. K. (1992). Industrial ecology: concepts and approaches. *Proc. National Academy Sciences* 89: 793-797.
- Jernberg, P.; Sjoström, C.; Lacasse, M.; Brandt, E. & Siemes, T. (2004). Service life and durability research. In P. Jerberg *et al.* (eds.), *Guide and Bibliography to Service Life and Durability Research for Building Materials and Components*. 1/1-1/59. CIB Publication 295. Rotterdam: International Council for Research and Innovation in Building Construction.
- Johnson, J.; Reck, B.; Wang, T. & Graedel, T. E. (2008). The energy benefit of stainless steel recycling. *Energy Policy* 36: 181-192.
- Johnson, M. R. & Wang, M. H. (1998). Economical evaluation of disassembly operations for recycling, remanufacturing and reuse. *International Journal of Production Research* 36 (12): 3227-3252.
- Jonsson, A.; Tillman, A-M.; & Svensson, T. (1997). Life cycle assessment of flooring materials: case study *Building and Environment* 32: 245-255.
- Jorgensen, S. E. & Svirezhev, Y. M (2004). *Towards a Thermodynamic Theory for Ecological Systems*. Amsterdam: Elsevier.
- Jorgensen, S. E.; Nielsen, S. N. & Mejer, H. (1995). Emergy, environ, exergy and ecological modelling. *Ecological Modelling* 77: 99-109.
- Jorgensen, S. E.; Odum H. T. & Brown, M. T. (2004). Emergy and exergy stored in genetic information. *Ecological Modelling* 178: 11-16.
- JSC: see J. Soares Correia Armazéns de Ferro SA.
- Kan, A. & Demirboga, R. (2009). A new technique of processing for waste-expanded polystyrene foams as aggregates. *Journal of Materials Processing Technology* 209 (6):2994-3000.
- Kanai, S.; Sasaki, R.; & Kishinami, T. (1999). Representation of product and processes for planning disassembly, shredding, and materials sorting. *IEEE International Symposium on Assembly and Task Planning, 1999*. 123-128.
- Kasai, Y. (2004). Recent trends in recycling of concrete waste and use of recycled aggregate concrete in Japan. In T. Liu & C. Meyer (eds.), *Recycling Concrete and Other Materials for Sustainable Development*. 11-33. Farmington Hills, MI: American Concrete Institute.
- Kernan, P. (2001). *Best Practices Guide. Material Choices for Sustainable Design*. Vancouver: Greater Vancouver Regional.
- Kernan, P. (2002). *Old to New. Design Guide. Salvaged Building Materials in New Construction*. Vancouver: Greater Vancouver Regional.
- Kibert, C. J. (2002). Deconstruction's role in an ecology of construction. In A. Chini & F. Schultmann (eds.), *Design for Deconstruction and Materials Reuse*. CIB Publication 272. Amsterdam: International Council for Research and Innovation in Building Construction.
- Kibert, C. J. (2003). Deconstruction: the start of a sustainable materials strategy for the built environment. *Industry and Environment* 26: 84-88.
- Kibert, C. J. (2005). *Sustainable Construction – Green Building Design and Delivery*. Hoboken: John Wiley & Sons.
- Kibert, C. J. & Chini, A. (2000). Introduction: deconstruction as an essential component of sustainable construction. In C. J. Kibert & A. Chini (eds.), *Overview of Deconstruction in Selected Countries*. 6-13. CIB Publication 252. Amsterdam: International Council for Research and Innovation in Building Construction.
- Kibert, C. J. & Languell, J. (2000). *Implementing Deconstruction in Florida: Materials Reuse Issues, Disassembly Techniques, Economics and Policy*. Gainesville, FL: University of Florida.
- Kibert, C.J., Sendzimir, J. & Guy, B. (2002). Defining an ecology of construction. In C. J. Kibert *et al.* (eds.), *Construction Ecology - Nature as the Basis For Green Buildings*. 7-28. London: Spon Press.
- Klyosov, A. (2007). *Wood-Plastic Composites*. Hoboken, NJ: John Wiley & Sons.

- Krause, D. (2005). Glasses. In W. Martienssen & H. Warlimont. (eds.), *Springer Handbook of Condensed Matter and Materials Data*. 523-572. Berlin: Springer.
- Krezel, Z. & McManus, K. (2000). Recycled concrete barriers for urban freeways. In G. R. Woolley *et al.* (eds.), *Waste Materials in Construction WASCON 2000*. Proceedings of the International Conference on the Science and Engineering of Recycling for Environmental Protection. May 31, June 2, 2000, 884-892. Harrogate, England. Amsterdam: Pergamon.
- Krikke, H. R.; van Harten, A. & Schuur, P. C. (1998). On a medium term of product recovery and disposal strategy for durable assembly products. *International Journal of Production Research* 36 (1): 111-139.
- Kristensen, P. (1994). Recycling of clay bricks. In E. K. Lauritzen (ed.), *Demolition and Reuse of Concrete and Masonry. Guidelines for Demolition and Reuse of Concrete and Masonry*. Proceedings of the Third International RILEM Symposium on Demolition and Reuse of Concrete and Masonry, October 24-27, 1993, 478-481. London: Chapman & Hall.
- Kroll, E. & Carver, B. S. (1999). Disassembly analysis through time estimation and other metrics. *Robotics and Computer Integrated Manufacturing*. 15: 191-200.
- Kronenburg, R. (1995). *Houses in Motion – The Genesis, History and Development of the Portable Buildings*. Chichester: John Wiley & Sons, 2002.
- Kronenburg, R. (1996). *Portable Architecture*. Oxford: Elsevier/Architectural Press, 2003.
- Krygiel, E. & Niels, B. (2008). *Green BIM: Successful Sustainable Design with Building Information Modeling*. Indianapolis, IN: Wiley Publishing.
- Kuo, T. C. (2000). Disassembly sequence and cost analysis for electromechanical products. *Robotics and Computer Integrated Manufacturing* 16: 43-54.
- Kuo, T. C. (2006). Enhancing disassembly and recycling planning using life-cycle analysis. *Robotics and Computer Integrated Manufacturing* 22: 420-428.
- Kuo, T. C.; Zhang, H. C. & Huang, S. H. (2000). Disassembly analysis for electromechanical products: a graph-based heuristic approach. *International Journal of Production Research* 38 (5): 993-1007.
- Kymmell, W. (2008). *Building Information Modeling: Modeling and Managing Construction Projects with 4D CAD and Simulations*. New York: McGraw-Hill.
- Lambert, A. J. D. (1997). Optimal disassembly of complex products. *International Journal of Production Research* 35 (9): 2509-2523.
- Lambert, A. J. D. (1999). Linear programming in disassembly/clustering sequence generation. *Computers & Industrial Management* 43: 553-575.
- Lambert, A. J. D. (2001). Automatic determination of transition matrices in optimal disassembly sequence generation. *IEEE International Symposium on Assembly and Task Planning, 2001*: 220-225.
- Lambert, A. J. D. (2002). Determining optimum disassembly sequences in electronic equipment. *Computers & Industrial Engineering* 36: 723-738.
- Lambert, A. J. D. (2003). Disassembly sequencing: a survey. *International Journal of Production Research* 41 (16): 3721-3759.
- Lambert, A. J. D. (2003a). Optimum disassembly sequence with sequence-dependent disassembly costs. *IEEE International Symposium on Assembly and Task Planning, 2003*. 151-156.
- Lambert, A. J. D. (2006). Exact methods in optimum disassembly sequence search for problems subject to sequence dependent costs. *Omega* 34: 538-549.
- Lambert, A. J. D. (2007). Optimizing disassembly processes subjected to sequence-dependent costs. *Computers & Operations Research* 34: 536-551.
- Lambert, A. J. D. & Gupta, S. M. (2005). *Disassembly Modeling for Assembly, Maintenance, Reuse, and Recycling*. Boca Raton: CRC Press.
- Larbi, J; Heijnen, W.; Brower, J. & Mulder, E. (2000). Preliminary laboratory investigation of thermally treated recycled concrete aggregate for general use in concrete. In G. R. Woolley *et al.* (eds.), *Waste Materials in Construction WASCON 2000*. Proceedings of the International Conference on the Science and Engineering of Recycling for Environmental Protection, May 31, June 2, 2000, 129-139. Harrogate, England. Amsterdam: Pergamon.
- Lauritzen, E. (2004). Recycling concrete – an overview of challenges and opportunities. In T. Liu & C. Meyer (eds.), *Recycling Concrete and Other Materials for Sustainable Development*. 1-10. Farmington Hills, MI: American Concrete Institute.

- Lawson, D. (2007). *Recycled Gypsum for Slope Stabilisation*. Banbury: Waste & Resources Action Programme.
- Lee, M.-Y.; Ko, C.-H.; Chang, F.-C.; Lo, S.-L.; Lin, J.-D.; Shan, M.-Y. & Lee, J.-C. (2008). Artificial stone slab production using waste glass, stone fragments and vacuum vibratory compaction. *Cement & Concrete Composites* 30: 583-587.
- Lee, P. (2006). *Recycling Plasterboard Waste from Refurbishment Sites*. Banbury: Waste & Resources Action Programme.
- Lee, S. G.; Lye, S. W. & Khoo, M. K. (2001). A multi-objective methodology for evaluating product end-of-life options and disassembly. *International Journal of Advanced Manufacturing Technology* 18: 148-156.
- Lee, S.-T.; Park, C. & Ramesh, N. (2007). *Polymeric Foams. Science and Technology*. Boca Raton, FL: CRC Press.
- Leupen, B. (2005). Towards time-based architecture. In B. Leupen *et al.* (eds.) *Time-Based Architecture*. 12-21. Rotterdam: 010 Publishers.
- Lifset, R. & Graedel, T. E. (2002). Industrial ecology: goals and definitions. In R. U. Ayres & L. W. Ayres (eds.), *A Handbook of Industrial Ecology*. 3-37. Cheltenham: Edward Elgar Publishing.
- Linb, E. & Mueller, A. (2003). The electro-hydraulic comminution for the separation of old concrete. In A. Chini (ed.), *Deconstruction and Materials Reuse*. CIB Publication 287. Amsterdam: International Council for Research and Innovation in Building Construction.
- Lippiatt, B. (2007). *BEES 4. Building for Environmental and Economic Sustainability. Technical Manual and User Guide*. Gaithersburg, MD: National Institute of Standard and Technology.
- Lotka, A. J. (1922). Contribution to the energetics of evolution. *Proc. National Academy Sciences* 8: 147-151.
- Lundquist, L.; Leterrier, Y.; Sunderland, P. & Manson, J.-A. (2001). *Life Cycle Engineering of Plastics: Technology, Economy and Environment*. Amsterdam: Elsevier Science & Technology Books.
- Lykidis, C. & Grigoriou, A. (2008). Hydrothermal recycling of waste and performance of the recycled wooden particleboards. *Waste Management* 28: 57-63.
- MacKenzie, C.; Wang, C.-H.; Foliente, G. & Nguyen, M. (2007). *Timber Service Life Design Guide*. Victoria: Forest and Wood Products Australia.
- Macozoma, D. (2001). *Building Deconstruction*. Rotterdam: International Council for Research and Innovation in Building and Construction (CIB).
- Macozoma, D. (2002). Understanding the concept of flexibility in design for deconstruction. In A. Chini & F. Schultmann (eds.), *Design for Deconstruction and Materials Reuse*. CIB Publication 272. Amsterdam: International Council for Research and Innovation in Building Construction.
- Manso, A. C.; Fonseca, M. S. & Espada, J. C. (2005). *Informação Sobre Custos – Fichas de Rendimentos*. Lisboa: Laboratório Nacional de Engenharia Civil.
- Marceau, M. L.; Nisbet, M. A. & Van Geem, M. G. (2006). *Life Cycle Inventory of Portland Cement Manufacture*. Slokie, IL: Portland Cement Association.
- Marteinsson, B. (2003). *Assessment of Service Lives in the Design of Buildings. A Development of the Factor Method*. Gavle: University of Gavle.
- Marteinsson, B. (2005). *Service Life Estimation in the Design of Buildings. A Development of the Factor Method*. Doctoral Thesis. Gavle: University of Gavle.
- Marmash, B. & Elliott, K. (2000). The properties of recycled precast concrete hollow core slabs for use as replacement aggregate in concrete. In G. R. Woolley *et al.* (eds.), *Waste Materials in Construction WASCON 2000*. Proceedings of the International Conference on the Science and Engineering of Recycling for Environmental Protection, May 31, June 2, 2000, 769-781. Harrogate, England. Amsterdam: Pergamon.
- Marvin, E. (2000). *Gypsum Wallboard Recycling and Reuse Opportunities in the State of Vermont*. Vermont: Vermont Agency of Natural Resources.
- Mazumdar, S. (2002). *Composites Manufacturing. Materials, Product, and Process Engineering*. Boca Raton, FL: CRC Press.
- Mehta, P. K. & Monteiro P. J. M. (2006). *Concrete – Microstructure, Properties, and Materials*. New York: McGraw-Hill.

- Meillaud, F.; Gay, J.-B. & Brown, M. T. (2004). Evaluation of a building using the emergy method. *Solar Energy* 79: 204-212.
- Merlet, J. & Pimienta, P. (1994). Mechanical and physico-chemical properties of concrete produced with coarse and fine recycled concrete aggregates. In E. K. Lauritzen (ed.), *Demolition and Reuse of Concrete and Masonry. Guidelines for Demolition and Reuse of Concrete and Masonry*. Proceedings of the Third International RILEM Symposium on Demolition and Reuse of Concrete and Masonry, October 24-27, 1993, 400-411. London: Chapman & Hall.
- Messler Jr., R. W. (2004). *Joining of Materials and Structures*. Burlington, MA: Elsevier Butterworth-Heinemann.
- Meyer, C. & Shimanovich, S. (2004). Use of recycled glass as aggregate for architectural concrete. In T. Liu & C. Meyer (eds.), *Recycling Concrete and Other Materials for Sustainable Development*. 77-84. Farmington Hills, MI: American Concrete Institute.
- Michaelis, P.; Jackson, T. & Clift, R. (1997). Exergy analysis of the life cycle of steel. *Energy* 23: 213-230.
- Mo, J.; Cai, J.; Zhang, Z. & Lu, Z. (1999). DFA-oriented assembly relation modelling. *International Journal of Computer Integrated Manufacturing* 12 (3): 238-250.
- Moore, K. E.; Gungor, A. & Gupta, S. M. (1998). A Petri net approach to disassembly process planning. *Computers and Industrial Engineering* 35 (1-2): 165-168.
- Moore, K. E.; Gungor, A. & Gupta, S. M. (1998a). Disassembly process planning using Petri nets. *IEEE International Symposium on Electronics and the Environment, 1998*. 88-93.
- Moore, K. E.; Gungor, A. & Gupta, S. M. (2001). Petri net approach to disassembly process planning for products with complex AND/OR precedence relationships. *European Journal of Operational Research* 135: 428-449.
- Morgan, C. & Stevenson, F. (2005). *Design and Detailing for Deconstruction*. Scotland: SEDA.
- Moser, K. (2004). Engineering design methods for service life prediction. In P. Hovde & K. Moser (eds.), *Performance Based Methods for Service Life Prediction*. 52-95. CIB Publication 294. Rotterdam: International Council for Research and Innovation in Building Construction.
- Mueller, A. & Stark, U. (2002). Recycling of clay brick debris. In A. Chini & F. Schuttmann (eds.), *Design for Deconstruction and Materials Reuse*. CIB Publication 272. Amsterdam: International Council for Research and Innovation in Building Construction.
- Mulder, E.; Blaakmeer, J.; Nijland, T. & Tamboer, L. (2002). A closed materials cycle for concrete as part of an integrated process for the reuse of the total flow of C&D waste. In R. Dhir *et al.* (eds.) *Sustainable Concrete Construction*. Proceedings of the International Conference. September 9-11, 2002, Dundee, U.K.. 555-562. London: Thomas Telford Publishing.
- Musson, S.; Xu, Q. & Townsend, T. (2008). Measuring the gypsum content of C&D debris fines. *Waste Management* 28: 2091-2096.
- Nakajima, S. (2005). The state of deconstruction in Japan. In A. Chini (ed.), *Deconstruction and Materials Reuse – An International Overview*. CIB Publication 300. Amsterdam: International Council for Research and Innovation in Building Construction.
- Nakajima, S. & Murakami, T. (2007). Comparison of two structural reuse options of two-by-four salvaged lumbers. In L. Bragança *et al.* (eds.) *Portugal SB07. Sustainable Construction, Materials and Practices*. 561-568. Amsterdam: IOS Press.
- Newenhouse, S.; Kunde, J. & Fuller, A. (2003). Overture Project deconstruction in Madison, WI achieves 74% recycling rate. In A. Chini (ed.), *Deconstruction and Materials Reuse*. CIB Publication 287. Amsterdam: International Council for Research and Innovation in Building Construction.
- Nicoletti, G. M., Notarnicola, B. & Tassielli, G. (2002). Comparative life cycle assessment of flooring materials: ceramic versus marble tiles. *Journal of Cleaner Production* 10: 283-296.
- Nordby, A.; Berge, B. & Hestnes, A. (2007). Reusability of massive wood components. In L. Bragança *et al.* (eds.) *Portugal SB07. Sustainable Construction, Materials and Practices*. 600-606. Amsterdam: IOS Press.
- Odum, H. T. (1996). *Environmental Accounting – Emergy and Environmental Decision Making*. New York: John Wiley & Sons.
- Odum, H. T. (2000). *Handbook of Emergy Evaluation – Folio 2 – Emergy of Global Processes*. Gainesville, FL: Center for Environmental Policy, University of Florida.

- Odum, H. T. (2000a). An energy hierarchy law for biogeochemical cycles. In M. T. Brown *et al.* (eds.), *Emergy Synthesis – Theory and Applications of the Emergy Methodology*. Proceedings of the First Biennial Emergy Analysis Research Conference. September, 1999, Gainesville, Florida. 235-248. Gainesville, FL: The Center for Environment Policy, University of Florida.
- Odum, H. T. (2001). *Environment, Power, and Society and the Hierarchy of Emergy*. Gainesville, FL: University of Florida.
- Odum, H. T. (2002). Material circulation, energy hierarchy, and building construction. In C. J. Kibert *et al.* (eds.), *Construction Ecology - Nature as the basis for green buildings*: 7-28. London: Spon Press.
- Odum, H. T.; Brown, M. T. & Brandt-Williams, S. (2000). *Handbook of Emergy Evaluation – Folio 1 - Introduction and Global Budget*. Gainesville, FL: Center for Environmental Policy, University of Florida.
- OECD: see Organization for Economic Co-Operation and Development.
- O'Neill, T. (2003). *Life Cycle Assessment and Environmental Impact of Polymeric Products*. Rapra Review Reports. Report 156. Shropshire: Smithers Rapra Technology.
- OPTIMAT (2003). *Wood Plastic Composites Study – Technologies and UK Market Opportunities*. Banbury: Waste & Resources Action Programme.
- Organization for Economic Co-Operation and Development (OECD) (2003). *Environmentally Sustainable Buildings – Challenges and Policies*. Paris: OECD.
- Patel, M.; von Thiene, N.; Jochem, E. & Worrrell, E. (2000). Recycling of plastics in Germany. *Resources, Conservation and Recycling* 29: 65-90.
- Petkovic, G.; Engelsen, C.; Haoya, A-O. & Breedveld, G. (2004). Environmental impact from the use of recycled materials in road construction: method for decision-making in Norway. *Resources, Conservation and Recycling* 42: 249-264.
- Pickering, S. (2006). Recycling technologies for thermoset composite materials – current status. *Composites Part A: Applied Science and Manufacturing* 37 (8): 1206-1215.
- Piper, J. E. (2004). *Handbook of Facility Assessment*. Lilburn, GA: Fairmont Press.
- Plinke, E.; Wenk, N.; Wolf, G.; Castiglione, D. & Palmark, M. (2000) *Mechanical Recycling of PVC Wastes*. Base/Milan/Lyngby: European Commission.
- Poon, C. S. & Chan, D. (2007). The use of recycled aggregate in concrete in Hong Kong. *Resources, Conservation and Recycling* 50: 293-305.
- Poon, C. S. & Jaillon, L. (2001). *A Guide for Minimizing Construction and Demolition Waste at the Design Stage*. Hong Kong: The Hong Kong Polytechnic University.
- Popo-Ola, S.; Biddle, A. & Lawson, R. (2000). *Durability of Light Steel Framing in Residential Building*. Berkshire: The Steel Construction Institute.
- Porteous, J. & Kermani, A. (2007). *Structural Timber Design to Eurocode 5*. Oxford: Blackwell Publishing.
- Pulselli, R.; Simoncini, E.; Oulselli, F. & Bastianoni, S. (2007). Emergy analysis of building manufacturing, maintenance and use: Em-building indices to evaluate housing sustainability. *Energy and Buildings* 39 (5): 620-628.
- Preceram (2008). *Tijolos Cerâmicos*. Pombal: Preceram Indústrias de Construção SA.
- Rathmann, K. (1998). *Recycling and Reuse of Building Materials*. Ann Arbor, MI: National Pollution Prevention Center for Higher Education.
- Reddy, B. V. & Jagadish, K. (2003). Embodied energy of common and alternative building materials and technologies. *Energy and Buildings* 35: 129-137.
- Reinhold, M. & Mueller, A. (2002). Lightweight aggregate produced from fine fractions of construction and demolition waste. In A. Chini & F. Schutmann (eds.), *Design for Deconstruction and Materials Reuse*. CIB Publication 272. Amsterdam: International Council for Research and Innovation in Building Construction.
- Renzo Piano. *IBM Travelling Exhibition Pavillion*. URL: www.freewebs.com. Accessed on March 21 2006.
- Rheinzink (1988). *Architecture with Rheinzink*. Datteln: Rheinzink GmbH.
- Robbialac (2008). *Tinta Plástica para Interior e o Exterior REP*. CC 053 08.2. Bobadela: Tintas Robbialac SA.
- Robbialac (2008a). *Verniz Aquoso para Madeira para Exterior XILOVIP AQUOSO*. CC-VIP 128 08.1. Bobadela: Tintas Robbialac SA.

- Robbialac (2008b). *Esmalte para Metal e para Interior e Exterior FERROVIP*. Bobadela: Tintas Robbialac SA.
- Robbialac (2008c). *Sistema de Isolamento Térmico pelo Exterior CAPPOTTO*. Bobadela: Tintas Robbialac SA.
- Robinson Jr., G.; Menzie, W. & Hyun, H. (2004). Recycling of construction debris as aggregate in the Mid-Atlantic region, USA. *Resources, Conservation and Recycling* 42: 275-294.
- Roodman, D. M. & Lenssen, N. (1995). *A Building Revolution: How Ecology and Health Concerns Are Transforming Construction*. Worldwatch Paper 124. Washington, DC: Worldwatch Institute.
- Ron, A. & Penev, K. (1995). Disassembly and recycling of electronic consumer products: an overview. *Technovation* 15 (6): 363-374.
- Sagoe-Crentsil, K.; Brown, T. & Taylor, A. (2001). Performance of concrete made with commercially coarse recycled concrete aggregate. *Cement and Concrete Research* 31: 707-712.
- Sánchez de Juan, M. & Alaejos Gutiérrez, P. (2008). Study on the influence of attached mortar content on the properties of recycled concrete aggregate. *Construction and Building Materials*. Doi:10.1016/j.conbuildmat.2008.04.012.
- Sassi, P. C. (2006). *Strategies for Sustainable Architecture*. Abingdon, Oxon: Taylor & Francis.
- Sato, N. (2004). *Chemical Energy and Exergy: An Introduction to Chemical Thermodynamics for Engineers*. Amsterdam: Elsevier.
- Sawyer, G. & Irle, M. (2005). *The PAN Colour Indicator Technique to Detect Copper Contamination in Wood Waste for Recycling. A Guide for Use*. Banbury: Waste & Resources Action Programme.
- Sawyer, G. & Irle, M. (2005a). *Development of Colour Indicator Techniques to detect Chemical Contamination in Wood Waste for Recycling*. Banbury: Waste & Resources Action Programme.
- Sawyer, G. & Irle, M. (2005b). *The Chromazurol S Colour Indicator Technique to detect Copper Contamination in Wood Waste for Recycling*. Banbury: Waste & Resources Action Programme.
- Schneider, E. & Kay, J. (1994). Life as a manifestation of the second law of thermodynamics. *Mathematical and Computer Modelling* 19: 25-48.
- Schneider, E. & Kay, J. (1994a). Complexity and thermodynamics: towards a new ecology. *Futures* 24: 626-647.
- Schneider, E. & Kay, J. (1995). Order from disorder: the thermodynamics of complexity in biology. In M. Murphy & L. O'Neill (eds.), *What is Life: The Next Fifty Years. Reflections on the Future of Biology*. 161-172. Cambridge: Cambridge University Press.
- Schlesinger, M. (2007). *Aluminium Recycling*. Boca Raton, FL: CRC Press.
- Schultmann, F. (2005). Deconstruction in Germany. In A. Chini (Ed.), *Deconstruction and Materials reuse. An International Overview*. CIB Publication 300. Rotterdam: International Council for Research and Innovation in Building Construction.
- Sciubba, E. & Ulgiati, S. (2005). Emergy and exergy analyses: Complementary methods or irreducible ideological options?. *Energy* 30: 1953-1988.
- Scott, G. (1999). *Polymers and the Environment*. Cambridge: The Royal Society of Chemistry.
- Seemann, A.; Schultmann, F. & Rents, O. (2002). Cost-effective deconstruction by a combination of dismantling, sorting, and recycling processes. In A. Chini & F. Schultmann (eds.), *Design for Deconstruction and Materials Reuse*. CIB Publication 272. Amsterdam: International Council for Research and Innovation in Building Construction.
- Selke, S. (2004). Plastics recycling. In C. Harper (ed.), *Handbook of Plastics, Elastomers, & Composites*. New York: McGraw-Hill.
- Shen, D.-H. & Du, J.-C. (2004). Evaluation of building materials on HMA permanent deformation. *Construction and Building Materials* 18: 391-397.
- Siddique, R. (2008). *Waste Materials and By-Products in Concrete*. Berlin: Springer.
- Siddique, R.; Khatib, J. & Kaur, I. (2008). Use of recycled plastic in concrete: A review. *Waste Management* 28: 1835-1852.
- Sobolev, K.; Turker, P.; Soboleva, S. & Iscioglu, G. (2007). Utilization of waste glass in ECO-cement: Strength properties and microstructural observations. *Waste Management* 27: 971-976.
- Storton, S. & Meaden, R. (2007). *Plasterboard Collection Trials at Household Waste Recycling Centres*. Banbury: Waste & Resources Action Programme.

- Suárez, C. (2003). Recommendations for the use of aggregates from recycled construction and demolition waste in Venezuela. In A. Chini (ed.), *Deconstruction and Materials Reuse*. CIB Publication 287. Amsterdam: International Council for Research and Innovation in Building Construction.
- Sunke, N. & Schultmann, F. (2008). Germany. In J. B. Storey (ed.), *Construction Materials Stewardship – The Status Quo in Selected Countries*. CIB Report 318. 11-19. Amsterdam: International Council for Research and Innovation in Building Construction.
- Symonds: see Symonds Group Ltd.
- Symonds Group Ltd. (Symonds) (1999). *Construction and Demolition Waste Management Practices, and Their Economic Impacts*. Report to DGXI, European Commission.
- Thierry, M.; Salomon, M.; van Nunen, J. & van Nunen, L. (1995). Strategic issues in product recovery management. *California Management Review* 37 (2): 114-135.
- Thomas, R. (1996). Materials and construction. In R. Thomas (ed.), *Environmental Design – An Introduction for Architects and Engineers*. 71-90. London: Spon Press, 1999.
- Thomas, R. & Stevens, B. (1996). The Environmental Building Research Establishment. In R. Thomas (ed.), *Environmental Design – An Introduction for Architects and Engineers*. 245-251. London: Spon Press, 1999.
- Thompson, C. (2005). *Window of Opportunity. The Environmental and Economic Benefits of Specifying Timber Window Frames*. United Kingdom: World Wild Life.
- Thomson, T. (2005). *Polyurethanes as Specialty Chemicals*. Boca Raton, FL: CRC Press.
- Thormark, C. (1998). *Potential Energy Savings in Buildings Designed for Recycling*. Report TABK–97/3050. Lund: Lund Institute of Technology.
- Thormark, C. (2000). Including recycling potential in energy use into the life-cycle of buildings. *Building Research & Information* 28 (3): 176-183.
- Thormark, C. (2001). *Recycling Potential and Design for Disassembly in Buildings*. Lund: Lund Institute of Technology.
- Thormark, C. (2001a). Conservation of energy and natural resources by recycling building waste. *Resources, Conservation and Recycling* 33: 113-130.
- Thormark, C. (2001b). Assessing the recycling potential in buildings. In A. Chini (ed.), *Deconstruction and Materials Reuse: Technology, Economic, and Policy*. CIB Publication 266. Amsterdam: International Council for Research and Innovation in Building Construction.
- Thormark, C. (2002). A low energy building in a life cycle – its embodied energy, energy need for operation and recycling potential. *Building and Environment* 37: 429-435.
- Thormark, C. (2006). The effect of materials choice on the total energy need and recycling potential of a building. *Building and Environment* 41 (8): 1019-1026.
- Topçu, I. & Canbaz, M. (2004). Properties of concrete containing waste glass. *Cement and Concrete research* 34: 267-274.
- Topçu, I. & Sengel, S. (2004). Properties of concretes produced with waste concrete aggregate. *Cement and Concrete research* 34: 1307-1312.
- Touran, A.; Wang, J.; Christoforou, C. & Dantata, N. (2003). A system for estimating residential construction and demolition debris. In A. Chini (ed.), *Deconstruction and Materials Reuse*. CIB Publication 287. Amsterdam: International Council for Research and Innovation in Building Construction.
- Townsend, G. & Cochran, K. (2003). Recycling gypsum drywall recovered from deconstruction projects. A technology and market overview. In A. Chini (ed.), *Deconstruction and Materials Reuse*. CIB Publication 287. Amsterdam: International Council for Research and Innovation in Building Construction.
- Triunus, W. & Sjoström, C. (2005). Service life planning and performance requirements. *Building Research & Information* 33 (2): 173-181.
- Tucker, A. (2002). *Plastics Waste – Feedstock Recycling, Chemical recycling and Incineration*. Rapra Review Reports. Report 148. Shropshire: Smithers Rapra Technology.
- Tucker, A.; de Groot, H.; Simons, L. & Wiegersma, S. (1999). *Chemical Recycling of Plastics Waste (PVC and Other Resins)*. TNO-Report STB-99-55. Delft: TNO Institute of Strategy, Technology and Policy.
- Turgut, P. (2007). Cement composites with limestone dust and different grades of wood sawdust. *Building and Environment* 42: 3801-3807.

- Ulgiati, S. (2000). Energy, emergy and embodied exergy: diverging approaches?. In M. T. Brown *et al.* (eds.), *Emergy Synthesis – Theory and Applications of the Emergy Methodology*. Proceedings of the First Biennial Emergy Analysis Research Conference. September, 1999, Gainesville, Florida. 15-31. Gainesville, FL: The Center for Environment Policy, University of Florida.
- Ulgiati, S. & Brown, M. T. (1998). Monitoring patterns of sustainability in natural and man-made ecosystems. *Ecological Modelling* 108: 23-36.
- Ulgiati, S. & Brown, M. T. (2002). Quantifying the environmental support for dilution and abatement of process emissions: The Case of electricity production. *Journal of Cleaner Production* 10: 335-348.
- United States Department of Agriculture (1999). Wood Handbook – Wood as an Engineering Material. General Technical Report FPL-GTR-113. Madison, WI: USDA.
- University of Wellington. *Centre for Building Performance*. URL: www.ac.nz/cbpr/index.aspx. Accessed on April 04 2005.
- USDA: see United States Department of Agriculture.
- van Dijk, K.; Boedianto, P. & Kowalczyk, A. (2000). State of the art deconstruction in The Netherlands. In C. J. Kibert & A. Chini (eds.), *Overview of Deconstruction in Selected Countries*. 95-143. CIB Publication 252. Amsterdam: International Council for Research and Innovation in Building Construction.
- van Dijk, K.; Fraaij, A.; Hendriks, Ch. F.; Mulder, E. & van der Zwan, J. (2002). Sustainable use of recycled materials in building construction. In R. Dhir *et. al.* (eds.) *Sustainable Concrete Construction*. Proceedings of the International Conference. September 9-11, 2002, Dundee, U.K.. 291-304. London: Thomas Telford Publishing.
- van Ness, H. C. (1969). *Understanding Thermodynamics*. New York: Dover Publications.
- Vezzoli, C. & Manzini, E. (2008). Design for Environmental Sustainability. London: Springer-Verlag London.
- Viljoen, A. & Bohn, K. (2001). The environmental impacts of building materials. In Sue Roaf (ed.), *Eco-house: A Design Guide*. 38-62. Oxford: Architectural Press.
- Villalba, G.; Segarra, M.; Chimenos, J. M. & Espiell, F. (2004). Using the recyclability index of materials as a tool for design for disassembly. *Ecological Economics* 50: 195-200.
- Vranken, K. & Lathem, B. (2000). Recycling options for gypsum from construction and demolition waste. In G. R. Woolley *et al.* (eds.), *Waste Materials in Construction WASCON 2000*. Proceedings of the International Conference on the Science and Engineering of Recycling for Environmental Protection, May 31, June 2, 2000, 325-331. Harrogate, England. Amsterdam: Pergamon.
- Wainwright, P.; Trevorrow, A.; Yu, Y. & Wang, Y. (1994). Modifying the performance of concrete made with coarse and fine recycled concrete aggregates. In E. K. Lauritzen (ed.), *Demolition and Reuse of Concrete and Masonry. Guidelines for Demolition and Reuse of Concrete and Masonry*. Proceedings of the Third International RILEM Symposium on Demolition and Reuse of Concrete and Masonry, October 24-27, 1993, 371-383. London: Chapman & Hall.
- Wall, G. (1998). Exergy flows in industrial processes. *Energy* 13: 197-208.
- Wang, L., Ni, W. & Li, Z (2006). Emergy evaluation of combine heat and power plant eco-industrial park (CHP plant Eip). *Resources, Conservation and Recycling* 48: 56-70.
- Waste & Resources Action Programme (WRPA) (2006). *International Practice in Plasterboard Recycling: Canada. Gypsum Recycling International*. Banbury: Waste & Resources Action Programme.
- Waste & Resources Action Programme (WRPA) (2006a). *International Practice in Plasterboard Recycling: Denmark. Gypsum Recycling International*. Banbury: Waste & Resources Action Programme.
- Way, A. (2005). *Operational Trials For Use of Recovered Fibre as Cellulose Fibre Insulation in Applications Relating to Metallic and Modular Structures*. Banbury: Waste & Resources Action Programme.
- Wiendahl, H.-P.; Seliger, G.; Perlewitz, H. & Burkner, S. (1999). A general approach to disassembly planning and control. *Production Planning & Control* 10 (8): 718-726.
- Williams, R., & Feist, W (1993). Durability of paint or solid-color stain applied to preweathered wood. *Forest Products Journal* 43: 8-14.
- Woolley, T; Kimmins, S.; Harrison, P. & Harrison, R. (1997). *Green Building Handbook*. London: Spon Press.
- WRAP: see Waste & Resources Action Programme.
- Wright, R. (2004). Thermosets, reinforced plastics, and composites. In C. Harper (ed.) *Handbook of Plastics, Elastomers & Composites*. 109-188. New York: McGraw-Hill.

- Yang, L. (2007). *Life Cycle Reliability Engineering*. Hoboken, NJ: John Wiley & Sons.
- Yarahmadi, N.; Jakubowicz, I. & Martinsson, L. (2003). PVC floorings as post-consumer products for mechanical recycling and energy recovery. *Polymer Degradation and Stability* 79: 439-448.
- Zhang, L. (2005). *Engineering Properties of Rocks*. Amsterdam: Elsevier.
- Zia, K.; Bhatti, H. & Bhatti, I. (2007). Methods for polyurethane and polyurethane composites recycling and recovery: A review. *Reactive & Functional Polymers* 67: 675-692.