



The 2nd International Energy Storage Conference

SUSTAINABLE ENERGY STORAGE IN BUILDINGS

19-21st June 2013, Trinity College Dublin



Conference Proceedings

Final Conference of COST Action TU0802: Next generation cost effective phase change materials for increased energy efficiency in renewable energy systems in buildings (NeCoE-PCM)



TRINITY COLLEGE DUBLIN
COLÁISTE NA TRÍONÓIDE, BAILE ÁTHA CLIATH

THE
UNIVERSITY
OF DUBLIN



SESIE

Solar Energy Society of Ireland

CONTENTS

PAGE

A numerical investigation of advanced systems integrated into SolarXXI building façade. Aelenei, L., Gonçalves, H. and Pereira, R.	7
Energy saving potential of a hybrid BIPV-T system integrated with heat storage material. Aelenei, L., Gonçalves, H., Pereira, R. and Rocha & Silva, A.	12
Comparative analysis of photovoltaic modules: an experimental study. Agrawal, S, Singh, G.K. Tiwari-G.N.	17
Design and Study of holographic optical elements lenses for solar storage applications. Akbari, H., Kennedy, M, Doran, J, Naydenova, I, Martin, S.	21
Characterization of two new shape stabilized phase change material (PCM) including electrical arc furnace dust (EAFD) with polymeric matrix used as dense sheet for building applications. Barreneche, C., Navarro, M. E., Niubó, M., Cabeza, L. F., Fernández, A. I.	25
Benefits of phase change material in conjunction with ground heat exchangers. Bottarelli, M, Bortolon, M, Georgiev, A, Alper Aydin, A, Su, Y, Yousif, C.	29
Short term corrosion testing of metals and plastics in a PCM environment for use in latent heat storage. Browne, M, Barbesino, A, & McCormack, S. J.	34
System design and experimental set up for a PV/PCM hybrid system. Browne, M, McCormack, S. J, Norton, B	39
Tube-in-tank PCM storage system for domestic space cooling applications. Bruno, F., Tay N.H.S. & Belusko M.	43
Enhancing thermal properties of concrete mixtures with phase change materials. Cellat, K., Varkal, I, Paksoy, H, Gungor, C, Konuklu, Y, Karahan, O, Dündar, C.	48
Simulation of the performance of a solar air heating system with latent heat thermal storage. Charvat, P, Klimes, L, Mauder, T, & Ostry, M.	54
Solar thermal storage technologies. Chwieduk, D.	56
Economic analysis of a low energy house combined with solar thermal heating. Colclough, S, Griffiths, P, Hewitt, N. J.	60
Numerical comparison of three cold thermal energy storage systems. Delgado, M, Lázaro, A, Dolado, P & Zalba, B.	65
CFD modelling of a ventilated active façade including PCM. Diarce, G., K. Martín, A. Campos-Celador, A. Urresti, A. García-Romero, J.M Sala	71
Design criteria for PCM-air heat exchangers to improve the efficiency in air conditioning installations. Dolado, P, Lazaro, A, Delgado, M, Peñalosa, C, Maria Marin, J, Zalba, B.	78

Characterization of PCM conventional and non-conventional technologies. Fernández , A. I., Solé, A., Giró-Paloma I., J., Barreneche, C., Martínez, M., Martorell, I., Miró, L., Hadjieva, M., Boudenne, A., Sari-Bey, S., Fois, M., Constantinescu, M., Anghel, E., Malikova, M., Krupa, I., Peñalosa, C., Delgado, M., Dolado, P., Lázaro, A., Paksoy, H., O., Yilmaz, S., Beyhan, B., Vecstaudža, J., Bajare, D., Sumiga, B., Boh, B., Haussmann, T., Gschwander S, Weber, R., Furmanski, P., Jaworski, M., Cabeza, L. F.	84
Design of a modular 3 kWh thermochemical heat storage system for space heating application. Finck , C, van 't Spijker, H, de Jong, A, Henquet, E, Oversloot, H, Cuypers, R.	92
Sugar alcohol microencapsulation by solvent evaporation technique for thermal energy seasonal storage. Fuensanta , M., Romero-Sánchez, M.D., Forrat, V.J., Baeza, N., Guillem, C. & López-Buendía, A.M.	98
Experimental study on variations in polyethers to investigate their potential as phase change materials. Hennemann , P, Rathgeber, C, Hiebler, S.	102
Thermophysical properties of gypsum mortar-PCM composite for building applications. Jaworski M. & Abeid S.	106
Experimental investigation of the thermal performance of ceiling panel made of gypsum mortar-PCM composite. Jaworski , M, Popławski, W, Wardziak, L.	110
Heat exchange measurements of phase change slurries. Kappels , T, Sarosiek, K., Hanu, L. & Pollerberg, C.	116
Experimental investigation of PCM activation on a Greek residential building with PCM gypsum board walls. Katsourinis , D. I. Mandilaras, M. Stamatiadou, G. Zannis, M. Founti	120
Building PCM heat storage system with distributed parameters and heat pipes. (T3_I_WG3) Kirikov , R. Stefchev, P, Dikov, Hr, Hadjieva, M.	127
Simulation of PCM behaviour in buildings for Latvia climate conditions. Korjakins , A, Kazjonovs, J, Bajare, D, Ozolins, A, Jakovics, A.	131
Phase change materials on the base of low density polyethylene and paraffin waxes. Kratochvíla, J., Nógellová, Z., Špitalský, Z., Malíková, M., AlMaadeed, M.A Krupa , I., Rathgeber, C., & Schmit, H., & Hiebler, S.	138
Experimental assessment of a PCM to air heat exchanger for heating peak loads shaving. Labat M, Virgone J, David D, Kuznik F.	140
A kinetic model for surface nucleation and isotropic growth processes on grain scale. Lan , S.; Zondag, H.A., Rindt, C.C.M.	146
Mathematical and numerical modeling of ceiling panel with ventilation channels	

made of gypsum and PCM composite. Łapka, P., Jaworski, M., & Furmański, P.	151
Round robin test for DSC characterisation of PCM. Lazaro, A, Peñalosa, C, Solé, A, Diarce, G, Haussmann, T, Fois, M, Zalba, B, Gschwander, S, Cabeza, L. F.	158
Experiment and numerical simulation of open chemical thermal energy storage system using developed mesoporous composite filter. Liu, H. Z., Nagano, K., & Sugiyama, D	165
Towards passive humidity control for an office building: modeling and spreadsheet simulation of a regeneration strategy for interior surfaces laden with a desiccant. Manyumbu, E.,* & Martin, V.	171
Theoretical study of heat and mass transfer in a thermo chemical heat storage bed. Metchueng Kamdem, S, Johannes, K, Kuznik, F, Bouia, H Roux, J. J.	176
Using PCM to improve building's thermal performance. Monteiro da Silva, S, & Almeida, M.	181
Sustainable energy storage optimisation in architectural precast concrete sandwich panels. O'Hegarty, R & Kinnane, O.	187
Contribution of microencapsulated phase change materials to effective operation of chilled structures. Ostrý, M, Klubal, T & Charvát, P.	193
Investigation of the effect of applying Phase Change Materials (PCM) on the envelope of a typical dwelling in Cyprus. Panayiotou G.P., Kalogirou S.A.	195
Characterisation of PV for temperature regulation using latent heat storage. Patil, P., Severino, I, Browne, M., O'Farrell, K., Clancy, E., & McCormack, S. J.	200
SCADA system for study of the installation with solar collectors, charging phase change materials and borehole storage. Popov, R & Georgiev, A.	206
Calibration of a T-history calorimeter for phase change materials in the temperature range from 40 °C to 200 °C. Rathgeber, C, Hennemann, P., & Hiebler, S.	212
Mixtures of alkanes, fatty acids and alcohols as novel phase change materials: preparation and characterization with DSC and T-history. Rathgeber, C, Schmit, H, Hiebler, S.	217
Passive energy storage potential of a novel prototype home. Reynolds, J, Kinnane, O, Grey, T., Dyer, M.	223
Comparative life cycle assessment of extensive green roofs with recycled rubber or pozzolana as drainage layer. Rincón, L, Coma, J, Pérez, G, Castell, A, Boer, D, Cabeza, L. F.	229
Analysis of latent heat storage devices with fins. Rozenfeld, T., Kozak, Y., Ziskind, G.	235

Application oriented investigation on PCS on thermal and hydraulic properties. Rudolph, J., Vorbeck L., Gschwander S., Haussmann T., Neumann H., Schossig P.	239
Determining thermal conductivity and diffusivity of paraffin composites as phase change materials for thermal energy storage. Şahan, N., Fois, M., Paksoy, H.	243
Experimental investigation on the temperature regulation of concentrated photovoltaic using heat spreading and PCM cooling method. Sarwar, J., Browne, M., McCormack, S.J., Huang, M.J., Norton, B.	246
Investigation of natural ventilation impact on the effectiveness of PCM boards installed in a Mediterranean Residential Building. Stamatiadou, M, Katsourinis, D, Founti, M & Antonopoulos, K.	252
Preparation of microencapsulated paraffinic PCMs by in situ polymerization. Šumiga, B., & Boh, B	256
RootZone heating for energy conservation in greenhouses using latent heat storage. Sutterlin, W. R.	261
Thermal energy storage systems in closed greenhouse with component and phase change material design. Vadiee, A, Chiu, J. N, Nimali Gunasekara, S & Martin, V.	262
Analysing and optimising energy storage potentials in non-domestic buildings in respect to urban form and environmental characters using FenestraPro software, Case study: Liberty Hall, Dublin, Ireland. Vaisi, S, Whelan, S & Palmer, D.	267
Characterization of wood/PCM composites for building applications. Vecstaudza, J., Locs, J., Bajare, D., Barreneche, C., Fernández, A. I.	273
PCM elements for ceiling panels. Weber, R.	278
A new approach for testing corrosion behavior of various metals in contact with phase change materials. Yilmaz S., Altunbaş Şahin E., Kardas G., Paksoy H. O.	282
Mathematical modelling of a phase change material TES tank for space cooling applications. Zsembinszki, G, Moreno, P, Solé, C, Castell, A, Cabeza, L. F.	285
===	
Shape stabilized Nano composite Elements based on Phase Change Materials (PCM)-Epoxy for Houses with low Energy Consumption Constantinescu, M, Anghel, E.M, Buixaderas, E, Pavel P. M & Popa V.T	292
Design and performance of a thermal energy storage for a ventilated BIPV system. (T4_2_WG4) Gilbert, J.	294