

Erratum to: Optimization of Xylanase Production by Filamentous Fungi in Solid-State Fermentation and Scale-up to Horizontal Tube Bioreactor

N. Pérez-Rodríguez · F. Oliveira · B. Pérez-Bibbins ·
I. Belo · A. Torrado Agrasar · J. M. Domínguez

Published online: 21 March 2015

© Springer Science+Business Media New York 2015

Erratum to: Appl Biochem Biotechnol (2014) 173:803–825 DOI 10.1007/s12010-014-0895-1

The original version of this article unfortunately contained a mistake in the pictures depicted in the right column of Fig. 4 regarding the SEM photographs showing the morphology of lignocellulosic surface of a) raw corncob, b) destarched corncob, c) destarched corncob followed by NaOH treatment, d) destarched corncob followed by NH₄OH treatment, e) destarched corncob treated by autoclave, and f) destarched corncob treated by autoclave and microwave.

The correct Figure should be the following:

The online version of the original article can be found at <http://dx.doi.org/10.1007/s12010-014-0895-1>.

N. Pérez-Rodríguez · F. Oliveira · B. Pérez-Bibbins · J. M. Domínguez
Department of Chemical Engineering, Faculty of Sciences, University of Vigo (Campus Ourense), As Lagoas s/n, 32004 Ourense, Spain

N. Pérez-Rodríguez · F. Oliveira · B. Pérez-Bibbins · J. M. Domínguez (✉)
Laboratory of Agro-food Biotechnology, CITI (University of Vigo)-Tecnópole, Parque Tecnológico de Galicia, San Cibrao das Viñas, Ourense, Spain
e-mail: jmanuel@uvigo.es

F. Oliveira · I. Belo
Centre of Biological Engineering, University of Minho, Campus de Gualtar, 4710-057 Braga, Portugal

A. T. Agrasar
Bromatology Group, Department of Analytical and Food Chemistry, Faculty of Sciences, University of Vigo (Campus Ourense), As Lagoas s/n, 32004 Ourense, Spain




Fig. 4 Visual aspect and SEM photographs showing the morphology of lignocellulosic surface of **a** raw corncob, **b** destarched corncob, **c** destarched corncob followed by NaOH treatment, **d** destarched corncob followed by NH₄OH treatment, **e** destarched corncob treated by autoclave, and **f** destarched corncob treated by autoclave and microwave




Fig. 4 (continued)