

STALKED PROTOZOA IDENTIFICATION BY IMAGE ANALYSIS AND MULTIVARIABLE STATISTICAL TECHNIQUES

António Luís Pereira Amaral^{1,2}, Yovanka Perez Ginoris², Ana Nicolau³, Maria Alice Zarur Coelho², Eugénio Campos Ferreira³

¹ Instituto Politécnico de Bragança, Departamento de Tecnologia Química e Biológica, Escola Superior de Tecnologia e de Gestão
Campus de Santa Apolónia - Apartado 1038, PT-5301-854 Bragança, Portugal
lpamaral@ipb.pt

³ UFRJ, Escola de Química, Departamento de Engenharia Bioquímica, Centro de Tecnologia, E-113, Cidade Universitária, Ilha do Fundão, Rio de Janeiro – Brazil

³ Universidade do Minho, IBB – Institute for Biotechnology and Bioengineering, Centre of Biological Engineering, Braga, Portugal

Protozoa are considered good indicators of the treatment quality in activated sludge systems as they are sensitive to physical, chemical and operational processes. Therefore, it is possible to correlate the predominance of certain species or groups and several operational parameters of the plant. This work presents a semi-automatic image analysis procedure for the recognition of the stalked protozoa species most frequently found in WWTP by determining the physical, morphological and signature data and subsequent processing by discriminant analysis and neural network techniques. Physical descriptors were found to be responsible the largest identification ability and the crucial *Opercularia* and *V. microstoma* micro-organisms identification provided some degree of confidence to establish their presence in WWTP.