

## **References**

- Abadias, M., Teixidó, N., Usall, J., Viñas, I. and Magan, N.** (2001) Improving water stress tolerance of the biocontrol yeast *Candida sake* grown in molasses-based media by physiological manipulation. *Canadian Journal of Microbiology* 47,123-129
- Abebe, T., Guenzi, A.C., Martin B. and Cushman, J.C.** (2003) Tolerance of mannitol-accumulating transgenic wheat to water stress and salinity. *Plant Physiology* 13,1748-1755
- Adams, A.E.M. and Pringle, J.R.** (1984) Relationship of actin and tubulin distribution to bud growth in wild type and morphogenetic mutant of *Saccharomyces*. *Journal of Cell Biology* 98,934-945
- Adler, L. and Gustafsson, L.** (1980) Polyhydric alcohol production and intracellular amino acid pool in relation to halotolerance of the yeast *Debaryomyces hansenii*. *Archives of Microbiology* 124,123-130
- Adler, L., Blomberg, A. and Nilsson, A.** (1985) Glycerol metabolism and osmoregulation in the salt-tolerant yeast *Debaryomyces hansenii*. *Journal of Bacteriology* 162,300-306
- Adler, L., Pedersen, A. and Tunblad-Johansson, I.** (1982) Polyol accumulation by two filamentous fungi grown at different concentrations of NaCl. *Physiologia Plantarum* 56,139
- Adomako, D., Kaye, M.A.G. and Lewis, D.H.** (1972) *New Phytologist* 71,467- Cited in Jennings, 1984.
- Aiba, H., Yamada, H., Ohmiya, R. and Mizuno, T.** (1995) The osmo-inducible *gpdI<sup>+</sup>* gene is a target of the signalling pathway involving Wis1 MAP-kinase in fission yeast. *FEBS Letters* 376,199-201
- Akhtar, N., Blomberg, A. and Adler, L.** (1997) Osmoregulation and protein expression in a *pbs2Δ* mutant of *Saccharomyces cerevisiae* during adaptation to hypersaline stress. *FEBS Letters* 403,173-180
- Albers, E., Larsson, C., Lidén, G., Niklasson, C. and Gustafsson, L.** (1996) Influence of the nitrogen source on *Saccharomyces cerevisiae* anaerobic growth and product formation. *Applied and Environmental Microbiology* 62,3187-3195
- Albers, E., Lidén, G., Larsson, C. and Gustafsson, L.** (1998) Anaerobic redox balance and nitrogen metabolism in *Saccharomyces cerevisiae*. *Recent Research Development Microbiology* 2,253-279
- Albert, A., Yenush, L., Gil-Mascarell, M.R., Rodriguez, P.L., Patel, S., Martínez-Ripoll, M., Blundell, T.L. and Serrano, R.** (2000) X-ray structure of yeast Hal2p, a major target of lithium and sodium toxicity, and identification of framework interactions determining cation sensitivity. *Journal of Molecular Biology* 295,927-938
- Albertyn, J., Hohmann, S. and Prior, B.A.** (1994a) Characterization of the osmotic-stress response in *Saccharomyces cerevisiae*: osmotic stress and glucose repression regulate glycerol-3-phosphate dehydrogenase independently. *Current Genetics* 25,12-18
- Albertyn, J., Hohmann, S. and Prior, B.A.** (1994b) *GPD1*, which encodes glycerol-3-phosphate dehydrogenase, is essential for growth under osmotic stress in *Saccharomyces cerevisiae* and its expression is regulated by high-osmolarity glycerol response pathway. *Molecular and Cellular Biology* 14,4135-4144
- Albertyn, J., van Tonder, A. and Prior, B.A.** (1992) Purification and characterization of glycerol-3-phosphate dehydrogenase of *Saccharomyces cerevisiae*. *FEBS Letters* 308,130-132
- Ali, R., Pascual-Ahuir, A., Marquez, J.A., Malik, K.A. and Serrano, R.** (2001) Identification of *Candida tropicalis HSR1*, a gene of the heat-shock factor-related family, which confers salt tolerance in *Saccharomyces cerevisiae*. *Yeast* 18,605-610
- Almagro, A. and Ramos, J.** (2003) Salt tolerance in *Debaryomyces hansenii*. Effect of sodium on growth at high temperature and at extreme pH. In *Non-conventional yeasts in genetics, biochemistry and biotechnology*, pp. 65-68, Edited by Wolf, K., Breunig, K. and Barth, G., Springer-Verlag
- Almagro, A., Prista, C., Benito, B., Loureiro-Dias, M.C. and Ramos, J.** (2001) Cloning and expression of two genes coding for sodium pumps in the salt-tolerant yeast *Debaryomyces hansenii*. *Journal of Bacteriology* 183,3251-3255
- Almagro, A., Prista, C., Castro, S., Quintas, C., Madeira-Lopes, A., Ramos, J. and Loureiro-Dias, M.C.** (2000) Effects of salts on *Debaryomyces hansenii* and *Saccharomyces cerevisiae* under stress conditions. *International Journal of Food Microbiology* 56,191-197
- Almeida, J. (1999)** Ecologia fisiológica da população de leveduras numa salina solar. PhD Thesis, New University of Lisbon
- Alonso-Monge, R., Real, E., Wojda, I., Bebelman, J-P., Mager, W.H. and Siderius, M.** (2001) Hyperosmotic stress response and regulation of cell wall integrity in *Saccharomyces cerevisiae* share common functional aspects. *Molecular Microbiology* 41,717-730

- Ambesi, A., Miranda, M., Petrov, V.V. and Slayman, C.W.** (2000) Biogenesis and function of the yeast plasma-membrane H<sup>+</sup>-ATPase. *The Journal of Experimental Biology* 203,155-160
- Ames, B.N.** (1966) Assay of inorganic phosphate, total phosphate and phosphatases. In *Methods in Enzymology*, pp. 115-117, Edited by Neufeld, E.F. and Ginsburg, V. Eds, London Academic Press
- Ames, B.N., Shigenaga, M.K. and Hagen, T.M.** (1993) Oxidants, antioxidants, and the degenerative diseases of aging. *Proceedings of the National Academy of Sciences USA* 90,7915-7922
- Amtmann, A., Fischer, M., Marsh, E.L., Stefanovic, A., Sanders, D. and Schachtman, D.P.** (2001) The wheat cDNA *LCT1* generates hypersensitivity to sodium in a salt-sensitive yeast strain. *Plant Physiology* 126,1061-1071
- Anand, J.C. and Brown, A.D.** (1968) Growth rate patterns of the so-called osmophilic and non-osmophilic yeasts in solutions of polyethylene glycol. *Journal of General Microbiology* 52,205-212
- Anderlund, M., Nissen, T.L., Nielsen, J., Villadsen, J., Rydström, J., Hahn-Hägerdal, B. and Kielland-Brandt, M.C.** (1999) Expression of the *Escherichia coli* *pntA* and *pntB* genes, encoding nicotinamide nucleotide transhydrogenase, in *Saccharomyces cerevisiae* and its effects on product formation during anaerobic glucose fermentation. *Applied and Environmental Microbiology* 65,2333-2340
- Andersen, K.B. and von Meyenburg, K.** (1976) Charges of nicotinamide adenine nucleotides and adenylate energy charge as regulatory parameters of the metabolism of *Escherichia coli*. *Journal of Biological Chemistry* 252,4151-4156
- Anderson, J.A., Best, L.A. and Gaber, R.F.** (1991) Structural and functional conservation between the high-affinity K<sup>+</sup> transporters of *Saccharomyces uvarum* and *Saccharomyces cerevisiae*. *Gene* 99,39-46
- Anderson, J.A., Huprikar, S.S., Kochian, L.V., Lucas, W.J. and Gaber, R.F.** (1992) Functional expression of a probable *Arabidopsis thaliana* potassium channel in *Saccharomyces cerevisiae*. *Proceedings of the National Academy of Sciences USA* 89,3736-3740
- Anderson, R.M., Bitterman, K.J., Wood, J.G., Medvedik, O. and Sinclair, D.A.** (2003) Nicotinamide and *PNC1* govern lifespan extension by calorie restriction in *Saccharomyces cerevisiae*. *Nature* 423,181-185
- Anderson, R.M., Bitterman, K.J., Wood, J.G., Medvedik, O., Cohen, H., Lin, S.S., Manchester, J.K., Gordon, J.I. and Sinclair, D.A.** (2002) Manipulation of a nuclear NAD<sup>+</sup> salvage pathway delays aging without altering steady-state NAD<sup>+</sup> levels. *The Journal of Biological Chemistry* 277,18881-18890
- André, B.** (1995) An overview of membrane transport protein in *Saccharomyces cerevisiae*. *Yeast* 11,1575-1611
- André, L., Hemming, A. and Adler, L.** (1991) Osmoregulation in *Saccharomyces cerevisiae*. Studies on the osmotic induction of glycerol production and glycerol-3-phosphate dehydrogenase (NAD<sup>+</sup>). *FEBS Letters* 286,13-17
- André, L., Nilsson, A. and Adler, L.** (1988) The role of glycerol in osmotolerance of the yeast *Debaryomyces hansenii*. *Journal of General Microbiology* 134,669-677
- Andreishcheva, E.N., Isakova, E.P., Sidorov, N.N., Abramova, N.B., Ushakova, N.A., Shaposhnikov, G.L., Soares, M.I.M. and Zvyagilskaya, R.A.** (1999) Adaptation to salt stress in a salt-tolerant strain of the yeast *Yarrowia lipolytica*. *Biochemistry (Moscow)* 64,1061-1067
- Andrews, S. and Pitt, J.I.** (1987) Further studies on the water relations of xerophilic fungi, including some halophiles. *Journal of General Microbiology* 133,233-238
- Ansell, R.** (1997) Redox and osmoregulation in *Saccharomyces cerevisiae*: the role of the two isogenes encoding NAD<sup>+</sup>-dependent glycerol-3-phosphate dehydrogenase. PhD Thesis, Department of General and Marine Microbiology, Göteborg University, Sweden.
- Ansell, R., Granath, K., Hohmann, S., Thevelein, J.M. and Adler, L.** (1997) The two isoenzymes for yeast NAD<sup>+</sup>-dependent glycerol-3-phosphate dehydrogenase encoded by *GPD1* and *GPD2* have distinct roles in osmoadaptation and redox regulation. *The EMBO Journal* 16,2179-2187
- Antón, J., Rosselló-Mora, R., Rodríguez-Valera, F. and Amann, R.** (2000) Extremely halophilic bacteria in crystallizer ponds from solar salterns. *Applied and Environmental Microbiology* 66,3052-3057
- Aramburu, J., Rao, A. and Klee, C.B.** (2000) Calcineurin: from structure to function. *Current Topics in Cell Regulation* 36,237-95
- Argüelles, J.C.** (2000) Physiological roles of trehalose in bacteria and yeasts. A comparative analysis. *Archives of Microbiology* 174,217-24

- Arie, M., Matsuda, H. and Takagi, M.** (2003) Characterization of the 26S-rRNA gene to classify an industrial strain to be *Candida maltosa*. In *Non-conventional yeasts in genetics, biochemistry and biotechnology*, pp. 21-28, Edited by Wolf, K., Breunig, K. and Barth, G., Springer-Verlag
- Armstrong, W. McD. and Rothstein, A.** (1964) Discrimination between alkali metal cations by yeast. I. Effect of pH on uptake. *The Journal of General Physiology* 48,61-71
- Arrillaga, I., Gil-Mascarell, R., Gisbert, C., Sales, E., Montesinos, C., Serrano, R. and Moreno, V.** (1998) Expression of the yeast *HAL2* gene in tomato increases the *in vitro* salt tolerance of transgenic progenies. *Plant Science* 136,219-226
- Arthur, L.Y., Kruckeberg, A.L., Berden, J.A. and van Dam, K.** (1999) Growth and glucose repression are controlled by glucose transport in *Saccharomyces cerevisiae* cells containing only one glucose transporter. *Journal of Bacteriology* 181,4673-4675
- Ashe, M.P., de Long, S.K. and Sachs, A.B.** (2000) Glucose depletion rapidly inhibits translation initiation in yeast. *Molecular Biology of the Cell* 11,833-848
- Attfield, P.V.** (1997) Stress tolerance: the key to effective strains of industrial baker's yeast. *Nature Biotechnology* 15,1351-1357
- Auling, G.** (1994) Manganese: function and transport in fungi. In *Metal ions in fungi*, pp. 215-236, Edited by Winkelman, G. and Winge, D., Marcel Dekker, New York, USA
- Averet N., Aguilaniu, H., Bunoust, O., Gustafsson, L. and Rigoulet, M.** (2002) NADH is specifically channeled through the mitochondrial porin channel in *Saccharomyces cerevisiae*. *Journal of Bioenergetics and Biomembranes* 34,499-506
- Ayscough, K.R. and Drubin, D.G.** (1998) A role for the yeast actin cytoskeleton in pheromone receptor clustering and signaling. *Current Biology* 8,927-930
- Babel, W. and Hofmann, K.H.** (1982) The relation between the assimilation of methanol and glycerol in yeasts. *Archives of Microbiology* 132,179-184
- Babel, W. and Loffhagen, N.** (1979) Assimilation of methanol by yeasts, a new approach. *Zeitschrift für Allgemeine Mikrobiologie* 19,299-302
- Bacon, J.S.D., Farmer, V.C., Jones, D. and Taylor, I.F.** (1969) The glucan components of the cell wall of baker's yeast considered in relation to its ultrastructure. *Biochemistry* 114,557-567
- Baek, H., Song, K.H., Park, S.M., Kim, S.Y. and Hyun, H.H.** (2003) Role of glucose in the bioconversion of fructose into mannitol by *Candida magnoliae*. *Biotechnology Letters* 25,761-765
- Bakker, B.M., Bro, C., Kötter, P., Luttik, M.A.H., van Dijken, J.P. and Pronk, J.T.** (2000) The mitochondrial alcohol dehydrogenase Adh3p is involved in a redox shuttle in *Saccharomyces cerevisiae*. *Journal of Bacteriology* 182,4730-4737
- Bakker, B.M., Overkamp, K.M., van Morris, A.J.A., Kötter, P., Luttik, M.A.H., van Dijken, J.P. and Pronk, J.T.** (2001) Stoichiometry and compartmentation of NADH metabolism in *Saccharomyces cerevisiae*. *FEMS Microbiology Reviews* 25,15-37
- Bakker, R., Dobbelmann, J. and Borst-Pauwels, G.W.F.H.** (1986) Membrane potential in the yeast *Endomyces magnusii* measured by microelectrodes and TPP<sup>+</sup> distribution. *Biochimica et Biophysica Acta* 861,205-209
- Balcells, L., Calero, F., Gómez, N., Ramos, J. and Ariño, J.** (1999) The *Schizosaccharomyces pombe* Pzh1 protein phosphatase regulates Na<sup>+</sup> ion influx in a Trk1-independent fashion. *European Journal of Biochemistry* 260,31-37
- Bañuelos, M.A., Klein, R.D., Alexander-Bowman, S.J. and Rodríguez-Navarro, A.** (1995a) A potassium transporter of the yeast *Schwanniomyces occidentalis* homologous to the Kup system of *Escherichia coli* has a high concentrative capacity. *EMBO Journal* 14,3021-3027
- Bañuelos, M.A., Madrid, R. and Rodríguez-Navarro, A.** (2000) Individual functions of the HAK and TRK potassium transporters of *Schwanniomyces occidentalis*. *Molecular Microbiology* 37,671-679
- Bañuelos, M.A., Ramos, J., Calero, F., Braun, V. and Potier, S.** (2002) Cation/H<sup>+</sup> antiporters mediate potassium and sodium fluxes in *Pichia sorbitophila*. Cloning of the *PsNHA1* and *PsNHA2* genes and expression in *Saccharomyces cerevisiae*. *Yeast* 19,1365-1372
- Bañuelos, M.A. and Rodriguez-Navarro, A.** (1998) P-Type ATPases mediate sodium and potassium effluxes in *Schwanniomyces occidentalis*. *The Journal of Biological Chemistry* 273,1640-1646
- Bañuelos, M.A., Ruiz, M.C., Jiménez, A., Souciet, J-L., Potier, S. and Ramos, J.** (2002) Role of the Nhal antiporter in regulating K<sup>+</sup> influx in *Saccharomyces cerevisiae*. *Yeast* 19,9-15

- Bañuelos, M.A., Sychrová, H., Bleykasten-Grosshans, C., Soucit, J-L. and Potier, S.** (1998) The Nha1 antiporter of *Saccharomyces cerevisiae* mediates sodium and potassium efflux. *Microbiology* 144,2749-2758
- Barnett, J.A.** (1968) The catabolism of acyclic polyols by yeasts. *Journal of General Microbiology* 52,131-159
- Barnett, J.A.** (1981) The utilization of disaccharides and some other sugars by yeasts. *Advances in Carbohydrate Chemistry and Biochemistry* 39,347-404
- Barnett, J.A., Payne, R.W. and Yarrow, D.** (2000) Yeasts, characteristics and identification. 3<sup>rd</sup> Ed., Cambridge University Press.
- Barnett, J.A., Payne, R.W. and Yarrow, D.** (1990) Yeasts, characteristics and identification. 2<sup>nd</sup> Ed. Cambridge University Press
- Barth, G. and Gaillardin, C.** (1996) *Yarrowia lipolytica*. In *Nonconventional yeasts in biotechnology*, pp. 313-388, Edited by Wolf, K., Springer-Verlag
- Barth, G. and Kunkel, W.** (1979) Alcohol dehydrogenase (ADH) in yeasts. II NAD<sup>+</sup> and NADP<sup>+</sup>-dependent alcohol dehydrogenases in *Saccharomyces lipolytica*. *Zeitschrift für Allgemeine Mikrobiologie* 19,381-390
- Bayley, R.M. and Morton, R.A.** (1978) Recent developments in the molecular biology of extremely halophilic bacteria. *Critical Reviews in Microbiology* 6,151-205
- Beever, R.E. and Laracy, E.P.** (1986) Osmotic adjustment in the filamentous fungus *Aspergillus nidulans*. *Journal of Bacteriology* 168,1358-1365
- Ben-Amotz, A and Avron, M.** (1973) The role of glycerol in the osmotic regulation of the halophilic alga *Dunaliella parva*. *Plant Physiology* 51,675-878
- Ben-Amotz, A. and Avron, M.** (1979) Osmoregulation in the halophilic algae *Dunaliella* and *Asteromonas*. *Basic Life Sciences* 14,91-9
- Benaroudj, N., Lee, D.H. and Goldberg, A.L.** (2001) Trehalose accumulation during cellular stress protects cells and cellular proteins from damage by oxygen radicals. *The Journal of Biological Chemistry* 276,24261-24267
- Beney, L. and Gervais, P.** (2001) Influence of the fluidity of the membrane on the response of the microorganisms to environmental stresses. *Applied and Microbiology Biotechnology* 57,34-42
- Benito, B., Garcíadeblás, B and Rodríguez-Navarro, A.** (2002) Potassium- or sodium-efflux ATPase, a key enzyme in the evolution of fungi. *Microbiology* 148,933-941
- Benito, B., Garcíadeblás, B. and Rodríguez-Navarro, A.** (2000) Molecular cloning of the calcium and sodium ATPases in *Neurospora crassa*. *Molecular Microbiology* 35,1079-1088
- Bergmeyer, H.U.** (1985) Methods of enzymatic analysis. VII volume, 3<sup>rd</sup> Edition, VCH Publishers, Germany.
- Bertl, A. and Slayman, C.L.** (1992) Complex modulation of cation channels in the tonoplast and plasma membrane of *Saccharomyces cerevisiae*: single-channel studies. *Journal of Experimental Biology* 172,271-287
- Bertram, G., Swoboda, R.K., Gooday, G.W., Gow, N.A. and Brown, A.J.** (1996) Structure and regulation of the *Candida albicans* ADH1 gene encoding an immunogenic alcohol dehydrogenase. *Yeast* 12,115-127
- Bewley, G.C., Cook, J.L., Kusakabe, S., Mukai, T., Rigby, D.L., and Chambers, G.K.** (1989) Sequence, structure and evolution of the gene coding for *sn*-glycerol-3-phosphate dehydrogenase in *Drosophila melanogaster*. *Nucleic Acids Research* 17,8553-8567
- Bhandal, I.S. and Malik, C.P.** (1988) Potassium estimation, uptake, and its role in the physiology and metabolism of flowering plants. *International Review of Cytology* 110,205-254
- Bianchi, M.M., Tizzani, L., Destruelle, M., Frontali, L. and Wésolowski-Louvel, M.** (1996) The “petite negative” yeast *Kluyveromyces lactis* has a single gene expressing pyruvate decarboxylase activity. *Molecular Microbiology* 19,27-36
- Bihler, H., Slayman, C.L. and Bertl, A.** (1998) NSC1: a novel high-current inward rectifier for cations in the plasma membrane of *Saccharomyces cerevisiae*. *FEBS Letters* 432,59-64
- Bihler, H., Slayman, C.L. and Bertl, A.** (2002) Low-affinity uptake by *Saccharomyces cerevisiae* is mediated by NSC1, a calcium-blocked non-specific cation channel. *Biochimica et Biophysica Acta* 1558,109-118
- Bill, R.M., Hedfalk, K., Karlgren, S., Mullins, J.G.L., Rydström, J. and Hohmann, S.** (2001) Analysis of the pore of the unusual major intrinsic protein channel, yeast Fps1p. *The Journal of Biological Chemistry* 276,36543-36549

- Billard, P., Ménart, S., Blaisonneau, J., Bolotin-Fukuhara, M., Fukuhara, H. and Wésolowski-Louvel, M.** (1996) Glucose uptake in *Kluyveromyces lactis*: role of the *HGT1* gene in glucose transport. *Journal of Bacteriology* 178,5860-5866
- Birken, S. and Pisano, M.** (1976) Purification and properties of a polyol dehydrogenase from *Cephalosporium chrysogenus*. *Journal of Bacteriology* 125,225-232
- Bisson, L.F.** (1988) High-affinity glucose transport in *Saccharomyces cerevisiae* is under general glucose repression control. *Journal of Bacteriology* 170,4838-4845
- Bisson, L.F. and Fraenkel, D.G.** (1983) Involvement of kinases in glucose and fructose uptake by *Saccharomyces cerevisiae*. *Proceedings of the National Academy of Sciences USA* 80,1730-1734
- Bisson, L.F., Coons, D.M., Kruckeberg, A.L. and Lewis, D.A.** (1993) Yeast sugars transporters. *Critical Reviews in Biochemistry and Molecular Biology* 28,259-308
- Björkqvist, S., Ansell, R., Adler, L. and Lidén, G.** (1997) Physiological response to anaerobicity of glycerol-3-phosphate dehydrogenase mutants of *Saccharomyces cerevisiae*. *Applied and Environmental Microbiology* 63,128-132
- Blaha, G., Stelzl, U., Spahn, C.M.T., Agrawal, R.K., Frank, J. and Nierhaus, K.H.** (2000) Preparation of functional ribosomal complexes and effect of buffer conditions on tRNA positions observed by cryoelectron microscopy. *Methods in Enzymology* 317,292-309
- Blakely, E.R. and Spencer, J.F.T.** (1962) Studies on the formation of D-arabitol by osmophilic yeasts. *Canadian Journal of Biochemistry and Physiology* 40,1737-1748
- Blásquez, M.A., Lagunas, R., Gancedo, C. and Gancedo, J.** (1993) Trehalose-6-phosphate, a new regulator of yeast glycolysis that inhibits hexokinases. *FEBS Letters* 329,51-54
- Blatt, M.R. and Slayman, C.L.** (1987) Role of "active" potassium transport in the regulation of cytoplasmic pH by nominal cells. *Proceedings of the National Academy of Sciences USA* 84,2737-2741
- Blázquez, M.A., Stucka, R., Feldmann, H. and Gancedo, C.** (1994) Trehalose-6-P synthase is dispensable for growth on glucose but not for spore germination in *Schizosaccharomyces pombe*. *Journal of Bacteriology* 176,3895-3902
- Blomberg, A.** (1988) Osmoregulation and osmotolerance in yeasts. PhD Thesis, Department of Marine Microbiology, University of Göteborg, Sweden
- Blomberg, A.** (1995) Global changes in protein synthesis during adaptation of the yeast *Saccharomyces cerevisiae* to 0.7 M NaCl. *Journal of Bacteriology* 177,3563-3572
- Blomberg, A.** (1997) The osmotic hypersensitivity of the yeast *Saccharomyces cerevisiae* is strain and growth media dependent: quantitative aspects of the phenomenon. *Yeast* 13,529-539
- Blomberg, A.** (2000) Metabolic surprises in *Saccharomyces cerevisiae* during adaptation to saline conditions: questions, some answers and a model. *FEMS Microbiology Letters* 182,1-8
- Blomberg, A. and Adler, L.** (1992) Physiology of osmotolerance in fungi. In *Advances in Microbial Physiology*, pp. 145-212, Edited by Rose, A.H., Vol 33, Academic Press
- Blomberg, A. and Adler, L.** (1989) Roles of glycerol and glycerol-3-phosphate dehydrogenase ( $\text{NAD}^+$ ) in acquired osmotolerance of *Saccharomyces cerevisiae*. *Journal of Bacteriology* 171,1087-1092
- Blomberg, A., Larsson, C. and Gustafsson, L.** (1988) Microcalorimetric monitoring of growth of *Saccharomyces cerevisiae*: osmoregulation in relation to physiological state. *Journal of Bacteriology* 72, 4562-4568
- Boekhout, T. and Kurtzman, C.P.** (1996) Principles and methods used in yeasts classification, and an overview of currently accepted yeast genera. In *Nonconventional yeasts in biotechnology*, pp. 1-81, Edited by Wolf, K., Springer-Verlag
- Boekhout, T. and Robert, V.** (2003) Yeasts in Food. Beneficial and detrimental aspects. Woodhead Publishing Limited in Food Science and Technology, BEHR'S Verlag, Cambridge, England
- Boles, E. and Hollenberg, C.P.** (1997) The molecular genetics of hexose transport in yeasts. *FEMS Microbiology Reviews* 21,85-111
- Bonhivers, M., Carbrey, J.M., Gould, S.J. and Agre, P.** (1998) Aquaporins in *Saccharomyces*. Genetic and functional distinctions between laboratory and wild-type strains. *The Journal of Biological Chemistry* 273,27565-27572
- Boonsaeng, V., Sullivan, P.A. and Shepherd, M.** (1976) Mannitol production in fungi during glucose catabolism. *Canadian Journal of Microbiology* 22,808-816
- Borst-Pauwels, G.W.F.H.** (1981) Ion transport in yeast. *Biochimica et Biophysica Acta* 650,88-127

- Bostian, K.A., and Betts, G.F.** (1978) Kinetics and reaction mechanism of potassium activated aldehyde dehydrogenase from *Saccharomyces cerevisiae*. *Biochemical Journal* 173,787-798
- Botham, P.A. and Ratledge, C.** (1979) A biochemical explanation for lipid accumulation in *Candida* 107 and other oleaginous microorganisms. *Journal of General Microbiology* 114, 361-375
- Boucherié, H., Bataille, N., Fitch, I.T., Perrot, M. and Tuite, M.F.** (1995) Differential synthesis of glyceraldehyde-3-phosphate dehydrogenase polypeptides in stressed yeast cells. *FEMS Microbiology Letters* 125,127-134
- Boutelje, J., Hult, K., and Gatenbeck, S.** (1983) *European Journal of Applied Microbiology and Biotechnology* 17,7- Cited in Jennings, 1984.
- Boyer, J.S.** (1982) Plant productivity and environment. *Science* 218,443-448
- Boy-Marcotte, E., Lagniel, G., Perrot, M., Bussereau, F., Boudsocq, A., Jacquet, M. and Labarre, J.** (1999) The heat shock response in yeast: differential regulations and contributions of the Msn2p/Msn4p and Hsf1p regulons. *Molecular Microbiology* 33,274-283
- Breunig, K.D., Bolotin-Fukuhara, M., Bianchi, M.M., Bourgarel, D., Falcone, C., Ferrero, I., Frontali, L., Goffrini, P., Krijger, J.J., Mazzoni, C., Milkowski, C., Steensma, H.Y., Wésolowski-Louvel, M. and Zeeman, A.M.** (2000) Regulation of primary carbon metabolism in *Kluyveromyces lactis*. *Enzyme and Microbial Technology* 26,771-780
- Brewster, J.L. and Gustin M.C.** (1994) Positioning of cell growth and division after osmotic stress requires a MAP kinase pathway. *Yeast* 10,425-439
- Brewster, J.L., De Valoir, T., Dwyer, N.D., Winter, E., and Gustin, M.C.** (1993) An osmosensing signal transduction pathway in yeast. *Science* 259,1760-1763
- Brisson, D., Vohl, M-C., St-Pierre, J., Hudson, T.J. and Gaudet, D.** (2001) Glycerol: a neglected variable in metabolic processes? *BioEssays* 23,534-542
- Brown, A.D.** (1976) Microbial water Stress. *Bacteriological Reviews* 40,803-846
- Brown, A.D.** (1978) Compatible solutes and extreme water stress in eukaryotic micro-organisms. *Advances in Microbial Physiology* 17,181-242
- Brown, A.D.** (1990) Microbial water stress physiology. Principles and perspectives. John Wiley & Sons, Ltd., Chichester, United Kingdom
- Brown, A.D. and Simpson, J.R.** (1972) Water relations of sugar-tolerant yeasts, the role of intracellular polyols. *Journal of General Microbiology* 72,598-591
- Brown, A.D., Mackenzie, K.F. and Singh, K.K.** (1986) Selected aspects of microbial osmoregulation. *FEMS Microbiology Reviews* 39,31-36
- Brown, D.E. and Edgley, M.** (1980) Osmoregulation in yeast. In *Genetic engineering of osmoregulation*, pp. 75-89, Edited by Rains, D.W., Valentine, R.D. and Hollander, A., Eds, Plenum Press, New York
- Bruinenberg, P.M., Van Dijken, J.P. and Scheffers, W.A.** (1983a) A theoretical analysis of NADPH production and consumption in yeasts. *Journal of General Microbiology* 129,953-964
- Bruinenberg, P.M., van Dijken, J.P. and Scheffers, W.A.** (1983b) An enzymic analysis of NADPH production and consumption in *Candida utilis*. *Journal of General Microbiology* 129,965-971
- Bruinenberg, P.M., van Dijken, J.P. and Scheffers, W.A.** (1986) A radiorespirometric study on the contribution of the hexose monophosphate pathway to glucose metabolism in *Candida utilis* CBS 621 grown in glucose-limited chemostat cultures. *Journal of General Microbiology* 132,221-229
- Bruinenberg, P.M., Van Dijken, J.P., Kuenen, J.G., and Scheffers, W.A.** (1985) Oxidation of NADH and NADPH by mitochondria from the yeast *Candida utilis*. *Journal of General Microbiology* 131,1043-1051
- Buchalo, A.S., Nevo, E., Wasser, S.P., Oren, A. and Molitoris, H.P.** (1998) Fungal life in the extremely hypersaline water of the Dead Sea: first records. *Proceedings of the Royal Society of London* 265,1461-1465
- Burke, R. M. and Jennings, D.H.** (1990) Effect of sodium chloride on growth characteristics of the marine yeast *Debaryomyces hansenii* in batch and continuous culture under carbon and potassium limitation. *Mycology Research* 94,378-388
- Busch, W. and Saier, M.H. Jr.** (2002) The transporter classification (TC) system, 2002. *Critical Review in Biochemical Molecular Biology* 37,287-337

- Leão, C. and van Uden, N.** (1984) Effects of ethanol and other alkanols on passive proton influx in the yeast *Saccharomyces cerevisiae*. *Biochimica et Biophysica Acta* 774,43-48
- Cabib, E., Bowers, B., Sburlati, A. and Silverman, S.J.** (1988) Fungal cell wall synthesis: the construction of a biological structure. *Microbiology Science* 5,370-375
- Calahorra, M., Martínez, G.A., Hernández-Cruz, A. and Peña, A.** (1998) Influence of monovalent cations on yeast cytoplasmatic and vacuolar pH. *Yeast* 14,501-515
- Calero, F., Gómez, N., Ariño, J. and Ramos, J.** (2000) Trk1 and Trk2 define the major K<sup>+</sup> transport system in fission yeast. *Journal of Bacteriology* 182,394-399
- Calleja, G.B., Walker, T., Levy-rick, S. and Johnson, B.F.** (2003) Ethanol production from starch by *Schwanniomyces occidentalis*. In *Non-conventional yeasts in genetics, biochemistry and biotechnology*, pp. 279-282, Edited by Wolf, K., Breunig, K. and Barth, G., Springer-Verlag
- Camacho, M., Ramos, J. and Rodríguez-Navarro, A.** (1981) Potassium requirements of *Saccharomyces cerevisiae*. *Current Microbiology* 6,295-299
- Camarasa, C., Prieto, S., Ros, R., Salmon, J-M. and Barre, P.** (1996) Evidence for a selective and electroneutral K<sup>+</sup>/H<sup>+</sup>-exchange in *Saccharomyces cerevisiae* using plasma membrane vesicles. *Yeast* 12,1301-1313
- Canh, D.S., Horák, J., Kotyk, A. and Rihová, L.** (1975) Transport of acyclic polyols in *Saccharomyces cerevisiae*. *Folia Microbiologica* 20,320-325
- Cansado, J., Soto, T., Fernandez, J., Vicente-Soler, J. and Gacto, M.** (1998) Characterization of mutants devoid of neutral trehalase activity in the fission yeast *Schizosaccharomyces pombe*: partial protection from heat shock and high-salt stress. *Journal of Bacteriology* 180,1342-1345
- Cantley, L.C., Resh, M.D. and Guidotti, G.** (1978) Vanadate inhibits the red cell (Na, K) ATPase from the cytoplasmic side. *Nature* 272,552-554
- Carlson, M.** (1998) Regulation of glucose utilization in yeast. *Current Opinion in Genetics & Development* 8,560-564
- Cartwright, C.P., Juroszek, J-R., Beavan, M.J., Ruby, F.M.S., de Morais, S.M.F. and Rose, A.H.** (1986) Ethanol dissipates the proton motive force across the plasma membrane of *Saccharomyces cerevisiae*. *Journal of General Microbiology* 132,369-377
- Casal, M.** (1995) Estudos fisiológicos and moleculares sobre o transporte de ácido láctico and de outros ácidos monocarboxílicos em *Saccharomyces cerevisiae* and *Torulaspora delbrueckii*. PhD Thesis, Department of Biology, University of Minho, Braga, Portugal
- Cássio, F.** (1994) Estudos sobre sistemas de transporte de ácidos carboxílicos de cadeia curta na levedura *Candida utilis*. Mecanismos de regulação. PhD Thesis, Department of Biology, University of Minho, Braga, Portugal
- Castro, I.M. and Loureiro-Dias, M.C.** (1991) Glycerol utilization in *Fusarium oxysporum* var. *lini*: regulation transport and metabolism. *Journal of General Microbiology* 137,1497-1502
- Caubet, R., Guerin, B. and Guerin, M.** (1988) Comparative studies on the glycolytic and hexose monophosphate pathways in *Candida parapsilosis* and *Saccharomyces cerevisiae*. *Archives of Microbiology* 149,324-329
- Caumette, P., Cohen, Y. and Matheson, R.** (1991) Isolation and characterization of *Desulfovibrio halophilus* sp. Nov. a halophilic sulphate-reducing bacteria isolated from Solar Lake (Sinai). *Systematic and Applied Microbiology* 14,33-38
- Causton, H.C., Ren, B., Koh, S.S., Harbison, C.T., Kanin, E., Jennings, E.G., Lee, T.I., True, H.L., Lander, E.S. and Young R.A.** (2001) Remodeling of yeast genome expression in response to environmental changes. *Molecular Biology of the Cell* 12,323-337
- Cendrin, F., Chroboczek, J., Zaccai, G., Eisenberg, H. and Mevarech, M.** (1993) Cloning, sequencing, and expression in *Escherichia coli* of the gene coding for malate dehydrogenase of the extremely halophilic Archaeabacterium *Haloarcula marismortui*. *Biochemistry* 32,4310-4313
- Charles, A.** (2001) Industrial applications of non-conventional yeasts. Personal communication in ISSY
- Chasteen, N.D.** (1984) The biochemistry of vanadium. *Struct Bonding* 53,104-138
- Chaturvedi, V., Flynn, T., Niehaus, W.G. and Wong, B.** (1996) Stress tolerance and pathogenic potential of a mannitol mutant of *Cryptococcus neoformans*. *Microbiology* 142,937-943

- Chaturverdi, V., Bartiss, A. and Wong, B.** (1997) Expression of bacterial mtlD in *Saccharomyces cerevisiae* results in mannitol synthesis and protects a glycerol-defective mutant from high-salt and oxidative stress. *Journal of Bacteriology* 179,157-162
- Chen, D., Toone, W.M., Mata, J., Lyne, R., Burns, G., Kivinen, K., Brazma, A., Jones, N. and Bähler, J.** (2003) Global transcriptional responses of fission yeast to environmental stress. *Molecular Biology of the Cell* 14,214-229
- Chen, X.J., Wésolowski-Louvel, M. and Fukuhara, H.** (1992) Glucose transport in the yeast *Kluyveromyces lactis*. II. Transcriptional regulation of the glucose transporter gene *RAG1*. *Molecular and General Genetics* 233,97-105
- Chervitz, S.A., Aravind, L., Sherlock, G., Ball, C.A., Koonin, E.V., Dwight, S.S., Harris, M.A., Dolinski, K., Morh, S., Smith, T., Weng, S., Cherry, J.M. and Botstein, D.** (1998) Comparison of the complete protein sets of worm and yeast: orthology and divergence. *Science* 282,2022-2028
- Chiang, C. and Knight, S.G.** (1959) D-Xylose metabolism by cell-free extracts of *Penicillium chrysogenum*. *Biochimica et Biophysica Acta*, 35,454-463
- Cho, J-Y. and Jeffries, T.W.** (1998) *Pichia stipitis* genes for alcohol dehydrogenase with fermentative and respiratory functions. *Applied and Environmental Microbiology* 64,1350-1358
- Choi, J.H., Adames, N.R., Chan, T.F., Zeng, C., Cooper, J.A. and Zheng, X.F.** (2000) TOR signaling regulates microtubule structure and function. *Current Biology* 10,861-864
- Chowdhury, S., Smith, K.W. and Gustin, M.C.** (1992) Osmotic stress and the yeast cytoskeleton: phenotype-specific suppression of an actin mutation. *The Journal of Cell Biology* 118,561-571
- Cioci, F. and Lavecchia, R.** (1994) Effect of polyols and sugars on heat-induced flavin dissociation in glucose oxidase. *Biochemical and Molecular Biology International* 34,705-712
- Clancy, F.G. and Coffey, M.D.** (1980) Polyol dehydrogenases in the Rust fungus, *Melampsora lini* (Ehrenb.) lénv. *Journal of General Microbiology* 120,85-88
- Combs, T.J., Guarneri, J.J. and Pisano, M.A.** (1968) The effect of sodium chloride on the lipid content and fatty acid composition of *Candida albicans*. *Mycologia* 60,1232-1239
- Conway, E.J. and Armstrong, W.M.** (1961) The total intracellular concentration of solutes in yeast and other plant cells and the distensibility of the plant-cell wall. *Biochemical Journal* 81,631-639
- Conway, E.J. and Downey, M.** (1950) An outer metabolic region of the yeast cell. *Biochemical Journal* 47,347-355
- Costenoble, R., Valadi, H., Gustafsson, L. and Franzén, C.J.** (2000) Microaerobic glycerol formation in *Saccharomyces cerevisiae*. *Yeast* 16,1483-1495
- Cottrell, M., Viljoen, B.C., Kock, J.L.F. and Lategan, P.M.** (1986) The long-chain fatty acid compositions of species representing the genera *Saccharomyces*, *Schwanniomyces* and *Lipomyces*. *Journal of General Microbiology* 132,2401-2403
- Coury, L.A., McGeoch, J.E.M., Guidotti, G. and Brodsky J.L.** (1999) The yeast *Saccharomyces cerevisiae* does not sequester chloride but can express a functional mammalian chloride channel. *FEMS Microbiology Letters* 179,327-332
- Crowe, J.H., Crowe, L.M. and Chapman, D.** (1984) Preservation of membranes in anhydrobiotic organisms. The role of trehalose. *Science* 223,701-703
- Csonka, L.N.** (1989) Physiological and genetic responses of bacteria to osmotic stress. *Microbiological Reviews* 53,121-147
- Csonka, L.N. and Hanson, L.N.** (1991) Prokaryotic osmoregulation: genetics and physiology. *Annual Review on Microbiology* 45,569-606
- Cullen, P.J., Schultz, J., Horecka, J., Stevenson, B.J., Jigami Y. and Sprague, G.F., Jr.** (2000) Defects in protein glycosylation cause SHO1-dependent activation of a STE12 signaling pathway in yeast. *Genetics* 155,1005-1018
- Cunningham, K.W. and Fink, G.R.** (1996) Calcineurin inhibits VCX1-dependent  $H^+/Ca^{2+}$  exchange and induces  $Ca^{2+}$  ATPases in *Saccharomyces cerevisiae*. *Molecular Cell Biology* 16,2226-2237
- Cupp, J. R. and McAlister-Henn, L.** (1991) NAD( $\text{^+}$ )-dependent isocitrate dehydrogenase. Cloning, nucleotide sequence and disruption of the *IDH2* gene from *Saccharomyces cerevisiae*. *Journal of Biological Chemistry* 266,22199-22205
- Cupp, J. R. and McAlister-Henn, L.** (1992) Cloning and characterization of the gene encoding the *IDH1* subunit of NAD( $\text{^+}$ )-dependent isocitrate dehydrogenase from *Saccharomyces cerevisiae*. *Journal of Biological Chemistry* 267,16417-16423

- da Costa, M.S. and Niederpruem, D.J.** (1980) Temporal accumulation of mannositol and arabitol in *Geotrichum candidum*. *Archives of Microbiology* 126,57-64
- da Costa, M.S. and Niederpruem, D.J.** (1982) Arabitol accumulation in *Geotrichum candidum*. *Archives of Microbiology* 131,283-286
- da Costa, S.M. and Nobre M.F.** (1989) Polyol Accumulation in Yeasts in Response to Water Stress. In, *Microbiology of Extreme Environments and its Potential for Biotechnology*, pp. 310-327, Edited by da Costa, M.S., Duarte, J.C. and Williams, R.A.D. Eds, Elsevier Applied Science, London, England
- Darley, C.P., van Wuytswinkel, O.C.M., van der Woude, K., Mager, W.H. and de Boer, A.H.** (2000) *Arabidopsis thaliana* and *Saccharomyces cerevisiae* *NHX1* genes encode amiloride sensitive electroneutral  $\text{Na}^+/\text{H}^+$  exchangers. *Biochemical Journal* 351,241-249
- Daum, G., Lees, N.D., Bard, M. and Dickson, R.** (1998) Biochemistry, cell biology and molecular biology of lipids of *Saccharomyces cerevisiae*. *Yeast* 14,1471-1510
- Davenport, K.R., Sohaskey, M., Kamada, Y., Levin, D.E. and Gustin, M.C.** (1995) A second osmosensing signal transduction pathway in yeast. *The Journal of Biological Chemistry* 270,30157-30161
- Dawson, R.M.C., Elliott, D.C., Elliott, W.H. and Jones, K.M.** (1986) Data for biochemical research. 3<sup>rd</sup> Edition, Oxford Science Publication
- de Jong-Gubbels, P., van der Berg, M.A., Luttk, M.A.H., Steensma, H.Y., van Dijken, JP. and Pronk, J.T.** (1998) Overproduction of acetyl-coenzyme A synthetase isoenzymes in respiring *Saccharomyces cerevisiae* cells does not reduce acetate production after exposure to glucose excess. *FEMS Microbiology Letters* 165,15-20
- de Jong-Gubbels, P., van der Berg, M.A., Steensma, H.Y., van Dijken, JP. and Pronk, J.T.** (1997) The *Saccharomyces cerevisiae* acetyl-coenzyme A synthetase encoded by the *ACS1* gene, but not the *ACS2*-encoded enzyme, is subject to glucose catabolite inactivation. *FEMS Microbiology Letters* 153,75-81
- de la Peña, P., Barros, F., Gascón, S., Lazo, P.S. and Ramos, S.** (1981) Effect of yeast killer toxin on sensitive cells of *Saccharomyces cerevisiae*. *The Journal of Biological Chemistry* 256,10420-10425
- de la Peña, P., Barros, F., Gascon, S., Ramos., S.P. and Lazo, S.** (1982) The electrochemical proton gradient of *Saccharomyces*. The role of potassium. *European Journal of Biochemistry* 123,447-453
- de Marañon, I.M., Marechal, P-A. and Gervais, P.** (1996) Passive response of *Saccharomyces cerevisiae* to osmotic shifts: cell volume variations depending on the physiological state. *Biochemical and Biophysical Research Communications* 227,519-523
- de Nobel, J.G., Dijkers, C., Hooijberg, E. and Klis, F.M.** (1989) Increased cell wall porosity in *Saccharomyces cerevisiae* after treatment with dithiothreitol or EDTA. *Journal of General Microbiology* 135,2077-2084
- de Nobel, J.G., Klis, F.M., Munnik, T., Priem, J. and van den Ende, H.** (1990a) An assay of relative cell wall porosity in *Saccharomyces cerevisiae*, *Kluyveromyces lactis* and *Schizosaccharomyces pombe*. *Yeast* 6,483-490
- de Nobel, J.G., Klis, F.M., Priem, J., Munnik, T. and van den Ende, H.** (1990b) The glucanase-soluble mannoproteins limit cell wall porosity in *Saccharomyces cerevisiae*. *Yeast* 6,491-499
- de Sousa, R.H., Madeira-Lopes, A. and Spencer-Martins, I.** (1995) The significance of active fructose transport and maximum temperature for growth in the taxonomy of *Saccharomyces sensu stricto*. *Systematic Applied Microbiology* 18,44-51
- de Vries, R.P., Flitter, S.J., van de Vondervoort, P.J., Chaveroche, M.K., Fontaine, T., Fillinger, S., Ruijter, G.J., d'Enfert, C. and Visser, J.** (2003) Glycerol dehydrogenase, encoded by *gldB* is essential for osmotolerance in *Aspergillus nidulans*. *Molecular Microbiology* 49,131-141
- de Vries, S. and Marres, C.A.M.** (1987) The mitochondrial respiratory chain of yeast. Structure and biosynthesis and the role in cellular metabolism. *Biochimica et Biophysica Acta* 895,205-239
- de Zeeuw, J.R. and Tynan, E.J. III** (1973) D-mannitol. *US patent US 3736229*
- Dejean, L., Beauvoit, B., Guérin, B. and Rigoulet, M.** (2000) Growth of the yeast *Saccharomyces cerevisiae* on a non-fermentable substrate: control of energetic yield by the amount of mitochondria. *Biochimica et Biophysica Acta* 1457,45-56
- Delgado, M.L., O'Connor, J.E., Azorín, I., Renau-Piquer, J., Gil, M.L. and Gozalbo, D.** (2001) The glyceraldehyde-3-phosphate dehydrogenase polypeptides encoded by the *Saccharomyces cerevisiae* *TDH1*, *TDH2* and *TDH3* genes are also cell wall proteins. *Microbiology* 147,411-417

- DeLuna, A., Avendaño, A., Riego, L. and González, A.** (2001) NADP-glutamate dehydrogenase isoenzymes of *Saccharomyces cerevisiae*. *The Journal of Biological Chemistry* 276,43775-43783
- Demaureaux, N. and Grinstein, S.** (1994)  $\text{Na}^+/\text{K}^+$  antiport, modulation by ATP and role in cell volume regulation. *Journal of Experimental Biology* 196,389-404
- Denor, P.F. and Courtright, J.B.** (1982) Genetic and enzymatic characterization of the inducible glycerol dissimilatory system of *Neurospora crassa*. *Journal of Bacteriology* 151,912-917
- DeVoe, R.D. and Maloney, P.C.** (1980) Principles of cell homeostasis. In *Medical Physiology*, pp. 3-45, Edited by Mountcastle, V.B., 14th Ed. , C.V. Mosby Company, London, England
- Dichtl, B., Stevens, A. and Tollervey, D.** (1997) Lithium toxicity in yeast is due to the inhibition of RNA processing enzymes. *The EMBO Journal* 16,7184-7195
- Dickinson, F.M.** (1996) The purification and some properties of the  $\text{Mg}^{2+}$ -activated cytosolic aldehyde dehydrogenase of *Saccharomyces cerevisiae*. *Biochemical Journal* 351,393-399
- Diderich, J.A., Schepper, M., van Hoek, P., Luttik, M.A.H., van Dijken, J.P., Pronk, J.T., Klaassen, P., Boelens, H.F.M., Mattos, M.J.T., van Dam, K. and Kruckeberg, A.L.** (1999a) Glucose uptake kinetics and transcription of *HXT* genes in chemostat cultures of *Saccharomyces cerevisiae*. *The Journal of Biological Chemistry* 274,15350-15359
- Diderich, J.A., Teusink, B., Valkier, J., Anjos, J., Spencer-Martins, I., van Dam, K. and Walsh, M.C.** (1999b) Strategies to determine the extend of control exerted by glucose transport on glycolytic flux in the yeast *Saccharomyces bayanus*. *Microbiology* 145,3447-3454
- Does, A.L. and Bisson, L.F.** (1989) Comparison of glucose uptake kinetics in different yeasts. *Journal of Bacteriology* 171,1303-1308
- Domagk, G.F. and Chilla, R.** (1975) Glucose-6-phosphate dehydrogenase from *Candida utilis*. *Methods of Enzymology* 41,205-208
- Domínguez, A., Fermiñán, E., Sánchez, M., González, F.J., Pérez-Campo, F., García, S., Herrero, A.B., Vicente, A.S., Cabello, J., Prado, M., Iglesias, F.J., Choupin, A., Burguillo, F.J., Fernández-Lago, L. and López, C.** (1998) Non-conventional yeasts as hosts for heterologous protein production. *International Microbiology* 1,131-142
- Dubois, E., Scherens, B., Vierendeels, F., Ho, M.M.W., Messenguy, F. and Shears, S.B.** (2002) In *Saccharomyces cerevisiae*, the inositol polyphosphate kinase activity of Kcs1p is required for resistance to salt stress, cell wall integrity, and vacuolar morphogenesis. *The Journal of Biological Chemistry* 277,23755-23763
- Dupont, P.F.** (1995) *Candida albicans*, the opportunist. A cellular and molecular perspective. *Journal of American Podiatric Medical Association* 85,104-115
- Dutler, H., van der Baan, J.L., Hochuli, E., Kis, Z., Taylor, K.E. and Prelog, V.** (1977) Dihydroxyacetone reductase from *Mucor javanicus*. *European Journal of Biochemistry* 75,423-432
- Eddy, A.A.** (1982) Mechanisms of solute transport in selected eukaryotic microorganisms. *Advances in Microbiol Physiology* 23,1-79
- Edgley, M. and Brown, A.D.** (1978) Response of xerotolerant and non-tolerant yeasts to water stress. *Journal of General Microbiology* 104,343-345
- Edgley, M., and Brown, A.D.** (1983) Yeast water relations: Physiological changes induced by solute stress in *Saccharomyces cerevisiae* and *Saccharomyces rouxii*. *Journal of General Microbiology* 129,3453-3463
- Edmondowicz, J.M. and Wriston, J.C., Jr** (1963) Mannitol dehydrogenase from *Agaricus campestris*. *Journal of Biological Chemistry* 238,3539-3541
- Egli, T., Lendenmann, U. and Snozzi, M.** (1993) Kinetics of microbial growth with mixtures of carbon sources. *Antonie van Leeuwenhoek* 63,289-298
- Eglinton, J.M., Heinrich, A.J., Pollnitz, A.P., Langridge, P., Henschke, P.A. and Lopes, M.B.** (2002) Decreasing acetic acid accumulation by a glycerol overproducing strain of *Saccharomyces cerevisiae* by deleting the *ALD6* aldehyde dehydrogenase gene. *Yeast* 19,295-301
- Eisenberg, H.** (1995) Life in unusual environments, progress in understanding the structure and function of enzymes from extreme halophilic bacteria. *Archives of Biochemistry and Biophysics* 318,1-5
- Elion, E.A.** (2000) Pheromone response, mating and cell biology. *Current Opinion in Microbiology* 3,573-581

- el-Kady, I., el-Maraghy, S. and Zohri, A.N.** (1994) Mycotoxin producing potential of some isolates of *Aspergillus* *flavus* and *Eurotium* groups from meat products. *Microbiology Research* 149,297-307
- Elliot, B and Futcher, B.** (1993) Stress resistance of yeast cells is largely independent of cell cycle phase. *Yeast* 9,33-42
- English, M.P.** (1954) The physiology of *Saccharomyces rouxii*. *Journal of General Microbiology* 10,328-336
- Eraso, P. and Gancedo, C.** (1987) Activation of yeast plasma membrane ATPase by acid pH during growth. *FEBS Letters* 224,187-192
- Eriksson, P.** (1996) Identification of the two *GPD* isogenes of *Saccharomyces cerevisiae* and characterization of their response to hyper-osmotic stress. PhD Thesis, Department of General and Marine Microbiology, Göteborg University, Sweden
- Eriksson, P., André, L., Ansell, R., Blomberg, A. and Adler, L.** (1995) Cloning and characterization of *GPD2*, a second gene encoding sn-glycerol-3-phosphate dehydrogenase ( $\text{NAD}^+$ ) in *Saccharomyces cerevisiae*, and its comparison with *GPD1*. *Molecular Microbiology* 17,95-107
- Estruch, F.** (2000) Stress-controlled transcription factors, stress-induced genes and stress tolerance in budding yeast *FEMS Microbiology Reviews* 24,469-486
- Fairman, C., Zhou, X-L. and Kung, C.** (1999) Potassium uptake through the TOK1  $\text{K}^+$  channel in the budding yeast. *The Journal of Membrane Biology* 168,149-157
- Fan, J., Chaturvedi, V. and Shen, S.H.** (2002) Identification and phylogenetic analysis of a glucose transporter gene family from the human pathogenic yeast *Candida albicans*. *Journal of Molecular Evolution* 55,336-346
- Fernandes, P.A., Sena-Esteves, M. and Moradas-Ferreira, P.** (1995) Characterization of the glyceraldehyde-3-phosphate dehydrogenase gene family from *Kluyveromyces marxianus*. Polymerase chain reaction-single-strand conformation polymorphism as a tool for the study of multigenic families. *Yeast* 11, 725-733
- Fichtner, L., Jablonowski, D., Frohloff, F. and Schaffrath, R.** (2003) Phenotypic analysis of the *Kluyveromyces lactis* killer phenomenon. In *Non-conventional yeasts in genetics, biochemistry and biotechnology*, pp. 179-183, Edited by Wolf, K., Breunig, K. and Barth, G., Springer-Verlag
- Fiechter, A. and Seghezzi, W.** (1992) Regulation of glucose metabolism in growing yeast cells. *Journal of Biotechnology* 27,27-45
- Fillinger, S., Ruijter, G., Tamas, M.J., Visser, J., Thevelein, J.M. and d'Enfert, C.** (2001) Molecular and physiological characterization of the NAD-dependent glycerol-3-phosphate dehydrogenase in the filamentous fungus *Aspergillus nidulans*. *Molecular Microbiology* 39,145-157
- Fleet, G.** (1992) Spoilage yeasts. *Critical Reviews in Biotechnology* 12,1-44
- Flis, K., Bednarczyk, P., Hordejuk, R., Szewczyk, A., Berest, V., Dolowy, K., Edelman, A. and Kurlandzka, A.** (2002) The Gef1 protein of *Saccharomyces cerevisiae* is associated with chloride channel activity. *Biochemical and Biophysical Research Communications* 294,1144-1150
- Flores, C-L., Rodríguez, C., Petit, T. and Gancedo, C.** (2000) Carbohydrate and energy-yielding metabolism in non-conventional yeasts. *FEMS Microbiology Reviews* 24,507-529
- Flury, U., Heer, B. and Fiechter, A.** (1974) Regulatory and physicochemical properties of two isoenzymes of malate dehydrogenase from *Schizosaccharomyces pombe*. *Biochimica et Biophysica Acta* 341,465-483
- Foulkes, J.G., Erikson, E. and Erikson, R.** (1983) Separation of multiple phosphotyrosyl- and phosphoseroyl-protein phosphatases from chicken brain. *Journal of Biological Chemistry* 258,431-438
- Franzusoff, A.J. and Cirillo, V.P.** (1983) Glucose transport activity in isolated plasma membrane vesicles from *Saccharomyces cerevisiae*. *The Journal of Biological Chemistry* 258,3608-3614
- Freer, S.N. and Greene, R.V.** (1990) Transport of glucose and cellobiose by *Candida wickerhamii* and *Clavispora lusitaniae*. *The Journal of Biological Chemistry* 265,12864-12868
- Führer, L., Kubicek, C.P. and Röhr, M.** (1979) Pyridine nucleotide levels and ratios in *Aspergillus niger*. *Canadian Journal of Microbiology* 26,405-408
- Fuhrmann, G.F. and Völker, B.** (1992) Regulation of glucose transport in *Saccharomyces cerevisiae*. *Journal of Biotechnology* 27,1-90
- Gaber, R.F., Styles, C.A. and Fink, G.R.** (1988) TRK encodes a plasma membrane protein required for high-affinity potassium transport in *Saccharomyces cerevisiae*. *Molecular Cell Biology* 8,2848-2859

- Gadd, G.M., Chalmers, K. and Reed, R.H.** (1987) The role of trehalose in dehydration resistance of *Saccharomyces cerevisiae*. *FEMS Microbiology Letters* 48,249-254
- Galinski, E.A.** (1995) Osmoadaptation in bacteria. *Advances in Microbial Physiology* 37,273-328
- Gancedo, C. and Serrano, R.** (1989) Energy-yielding metabolism. In *Metabolism and physiology of yeasts*, pp. 205-259, Edited by Rose, A.H. and Harrison, J.S., Vol 3, Academic Press
- Gancedo, C., Gancedo, J. M. and Sols, A.** (1968) Glycerol metabolism in yeasts. *European Journal of Biochemistry* 5,165-172
- Gancedo, C., Llobell, A., Ribas, J-C. and Luchi, F.** (1986) Isolation and characterization of mutants from *Schizosaccharomyces pombe* defective in glycerol catabolism. *European Journal of Biochemistry* 159,171-174
- Gancedo, C., Siverio, J.M. and Cregg, J.M.** (2003) Life cycle of *Hansenula polymorpha*. In *Non-conventional yeasts in genetics, biochemistry and biotechnology*, pp. 77-81, Edited by Wolf, K., Breunig, K. and Barth, G., Springer-Verlag
- Gancedo, J.M.** (1992) Carbon catabolite repression in yeast. *European Journal of Biochemistry* 206,297-313
- Gancedo, J.M.** (1998) Yeast carbon catabolite repression. *Microbiology and Molecular Biology Reviews* 62,334-361
- Gancedo, J.M. and Gancedo, C.** (1971) Fructose-1,6-diphosphatase, phosphofructokinase and glucose-6-phosphate dehydrogenase from fermenting and non fermenting yeast. *Archives of Microbiology* 76,132-138
- Gancedo, J.M. and Lagunas, R.** (1973) Contribution of the pentose phosphate pathway to glucose metabolism in *Saccharomyces cerevisiae*: a critical analysis on the use of labeled glucose. *Plant Sciences Letters* 1,193-200
- Ganster, R.W., McCartney, R.R. and Schmidt, M.C.** (1998) Identification of a calcineurin-independent pathway required for sodium ion stress response in *Saccharomyces cerevisiae*. *Genetics* 150,31-42
- Garay-Arroyo, A. and Covarrubias, A.A.** (1999) Three genes whose expression is induced by stress in *Saccharomyces cerevisiae*. *Yeast* 15,879-892
- García, M.J., Ríos, G., Ali, R., Bellés, J.M., and Serrano, R.** (1997) Comparative physiology of salt tolerance in *Candida tropicalis* and *Saccharomyces cerevisiae*. *Microbiology* 143,1125-1131
- Garcia de Blas, B., Rubio, F., Quintero, F.J., Bañuelos, M.A., Haro, R. and Rodríguez-Navarro, A.** (1993) Differential expression of two genes encoding isoforms of the ATPase involved in sodium efflux in *Saccharomyces cerevisiae*. *Molecular and General Genetics* 236,363-368
- Garlid, K.D.** (1996) Cation transport in mitochondria- the potassium cycle. *Biochimica et Biophysica Acta* 1275,123-126
- Gasch, A.P., Spellman, P.T., Kao, C.M., Carmel-Harel, O., Eisen, M.B., Storz, G., Botstein, D. and Brown, P.O.** (2000) Genomic expression programs in the response of yeast cells to environmental changes. *Molecular Biology of the Cell* 11,4241-4257
- Gasnier, B.** (1987) Characterization of low- and high-affinity glucose transports in the yeast *Kluyveromyces marxianus*. *Biochimica et Biophysica Acta* 903,425-433
- Gaxiola, R.A., Larrinoa, I.F., Villalba, J.M. and Serrano, R.** (1992) A novel and conserved salt-induced protein is an important determinant of salt tolerance in yeast. *The EMBO Journal* 11,3157-3164
- Gaxiola, R.A., Rao, R., Sherman, A., Grisafi, P., Alper, S.L. and Fink, G.R.** (1999) The *Arabidopsis thaliana* proton transporters, AthNhx1 and Avp1, can function in cation detoxification in yeast. *Proceedings of the National Academy of Sciences USA* 96,1480-1485
- Gaxiola, R.A., Yuan, D.S., Klausner, R.D. and Fink, G.R.** (1998) The yeast CLC chloride channel functions in cation homeostasis. *Proceedings of National Academy Sciences USA* 95,4046-4050
- Gee, R., Goyal, A., Byerrum, R.U. and Tolbert, N.E.** (1993) Two isoforms of dihydroxyacetone phosphate reductase from the chloroplasts of *Dunaliella tertiolecta*. *Plant Physiology* 103,243-249
- Gerós, H.V.** (1999) Transporte e utilização de açúcares e de ácidos carboxílicos nas leveduras *Dekkera anomala* e *Candida utilis*. Estudos em células e em vesículas membranares. PhD Thesis, Department of Biology, University of Minho, Braga, Portugal
- Gervais, P., Marechal, P.A. and Molin, P.** (1992) Effects of the kinetics of osmotic pressure variation on yeast viability. *Biotechnology and Bioengineering* 40,1435-1439
- Ghoshal, D., Mach, D., Agarwal, M., Goyal, A. and Goyal, A.** (2002) Osmoregulatory isoform of dihydroxyacetone phosphate reductase from *Dunaliella tertiolecta*: purification and characterization. *Protein Expression and Purification* 24,404-411

- Gläser, H-U. Thomas, D., Gaxiola, R., Montrichard, F., Surdin-Kerjan, Y. and Serrano, R.** (1993) Salt tolerance and methionine biosynthesis in *Saccharomyces cerevisiae* involve a putative phosphatase gene. *The EMBO Journal* 12, 3105-3110
- Godon, C., Lagniel, G., Lee, J., Buhler, J.M., Kieffer, S., Perrot, M., Boucherié, H., Toledano, M.B. and Labarre, J.** (1998) The H<sub>2</sub>O<sub>2</sub> stimulon in *Saccharomyces cerevisiae*. *Journal of Biological Chemistry* 273,22480-22489
- Goffeau, A. and Slayman, C. W.** (1981) The proton-translocating ATPase of the fungal plasma membrane. *Biochimica et Biophysica Acta* 639,197-223
- Gómez, M.J., Luyten, K. and Ramos, J.** (1996) The capacity to transport potassium influences sodium tolerance in *Saccharomyces cerevisiae*. *FEMS Microbiology Letters* 135,157-160
- Gonçalves, P., de Sousa, R.H. and Spencer-Martins, I.** (2000) *FSY1*, a novel gene encoding a specific fructose/H<sup>+</sup> symporter in the type strain of *Saccharomyces carlsbergensis*. *Journal of Bacteriology* 182,5628-5630
- González-Hernández, J.C., Cárdenas-Monroy, C. A. and Peña, A.** (2004) Sodium and potassium transport in the halophilic yeast *Debaryomyces hansenii*. *Yeast* 21,403-412
- Gould, S.J., McCollum, D., Spong, A.P., Heyman, J.A. and Subramani, S.** (1992) Development of the yeast *Pichia pastoris* as a model organism for genetic and molecular analysis of peroxisomal assembly. *Yeast* 8,613-628
- Goyal, A., Lilley, R. and Brown, A.D.** (1986) The size and turnover of the glycerol pool in *Dunaliella*. *Plant Cell Environment* 9,703-706
- Grabowska, D. and Chelstowska, A.** (2003) The *ALD6* gene product is indispensable for providing NADPH in yeast cells lacking glucose-6-phosphate dehydrogenase activity. *The Journal of Biological Chemistry* 18,13984-13988
- Grant, W.D., and Larsen, H.** (1989) Extremely halophilic archaeabacteria. In *Bergey's Manual of Systematic Bacteriology*, pp. 2216-2219, Vol 3, Edited by Staley, J.T., Bryant, M.P., Pfennig, N. and Holt, J.G., Williams and Wilkins, Baltimore, USA
- Grant, W.D., Gemmell, R.T. and McGinity, T.J.** (1998) Halophiles. In *Extremophiles. Microbial life in extreme environments*. pp. 93-132, Edited by Horikoshi, K. and Grant, W.D., Wiley-Liss. A John Wiley & Sons, Inc, Publications, New York, USA
- Groleau, D., Chevalier, P. and Tse Hing Yuen, T.L.S.** (1995) Production of polyols and ethanol by the osmophilic yeast *Zygosaccharomyces rouxii*. *Biotechnology Letters* 17,315-320
- Gunde-Cimerman, N., Zalar, P., de Hoog, S. and Plemenitas, A.** (2000) Hypersaline waters in salterns – natural ecological niches for halophilic black yeasts. *FEMS Microbiology Ecology* 32,235-240
- Gustafsson, L. and Larson, C.** (1987) Glycerol production in relation to the ATP pool and heat production rate of the yeasts *Debaryomyces hansenii* and *Saccharomyces cerevisiae* during salt stress. *Archives of Microbiology* 147,358-363
- Gustin, M.C., Albertyn, J., Alexander, M. and Davenport, K.** (1998) MAP kinase pathways in the yeast *Saccharomyces cerevisiae*. *Microbiology and Molecular Biology Reviews* 62,1264-1300
- Gustin, M.C., Martinac, B., Saimi, Y., Culbertson, M.R. and Kung, C.** (1986) Ion channels in yeast. *Science* 233,1195-1197
- Gustin, M.C., Zhou, X.L., Martinac, B. and Kung, C.** (1988) A mechanosensitive ion channel in the yeast plasma membrane. *Science* 242,762-765
- Gutierrez, C., Abee, T. and Booth, I.R.** (1995) Physiology of the osmotic stress response in microorganisms. *International Journal of Food Microbiology* 28,233-244
- Hahnenberger, K.M., Jia, Z. and Young, P.G.** (1996) Functional expression of the *Schizosaccharomyces pombe* Na<sup>+</sup>/H<sup>+</sup> antiporter gene, sod2, in *Saccharomyces cerevisiae*. *Proceedings of the National Academy of Sciences USA* 93,5031-5036
- Hahn-Hägerdal, B.** (1986) Water Activity: a possible external regulator in biotechnological processes. *Enzyme Microbiology and Technology*. 8,322-327
- Hall, J.P., Cherkasova, V., Elion, E., Gustin, M.C. and Winter, E.** (1996) The osmoregulatory pathway represses mating pathway activity in *Saccharomyces cerevisiae*: isolation of a *FUS3* mutant that is insensitive to the repression mechanism. *Molecular Cell Biology* 16,6715-6723
- Hallborn, J., Walfridsson, M., Penttila, M., Keränen, S. and Hahn-Hägerdal, B.** (1995) A short-chain dehydrogenase from *Pichia stipitis* having D-arabininol dehydrogenase activity. *Yeast* 11,839-847

- Hamada, T., Noda, F. and Hayashi, K.** (1984) Structure of cells wall and extracellular mannans from *Saccharomyces rouxii* and their relationship to a high concentration of NaCl in the growyh medium. *Applied and Environmental Microbiology* 48,708-712
- Hamilton, C.A., Taylor, G.J. and Good, A.G.** (2002) Vacuolar H<sup>+</sup>-ATPase, but not mitochondrial F<sub>1</sub>F<sub>0</sub>-ATPase, is required for NaCl tolerance in *Saccharomyces cerevisiae*. *FEMS Microbiology Letters* 208,227-232
- Hansen, H. and Hollenberg, C.P.** (1996) *Hansenula polymorpha* (*Pichia angusta*). In *Nonconventional yeasts in biotechnology*, pp. 293-311, Edited by Wolf, K., Springer-Verlag
- Hanya, Y. and Nakadai, T.** (2003) Yeasts and soy products. In *Yeasts in food. Beneficial an detrimental aspects*, pp. 413-428, Edited by Boekhout, T. and Robert, V., CRC Press, Behrs Verlag, Cambridge, England
- Haro, R. and Rodríguez-Navarro, A.** (2002) Molecular analysis of the mechanism of potassium uptake through the TRK1 transporter of *Saccharomyces cerevisiae*. *Biochimica et Biophysica Acta* 1564,114-122
- Haro, R., Garcíadeblas, B. and Rodríguez-Navarro, A.** (1991) A novel P-ATPase from yeast involved in sodium transport. *FEBS Letters* 291,189-191
- Haro, R., Sainz, L., Rubio, F. and Rodríguez-Navarro, A.** (1999) Cloning of two genes encoding potassium transporters in *Neurospora crassa* and expression of the corresponding cDNAs in *Saccharomyces cerevisiae*. *Molecular Microbiology* 31,511-520
- Harold, F.M.** (1986) The vital force: a study of bioenergetics. W.H. Freeman and company, New York, USA
- Haselback, R. J. and McAlister-Henn, L.** (1993) Function and expression of yeast mitochondrial NAD- and NADP-specific isocitrate dehydrogenases. *Journal of Biological Chemistry* 268,12116-12122
- Haskovec, C. and Kotyk, A.** (1973) Transport of acyclic polyols and of monosaccharides in *Torulopsis candida*. *Folia Microbiologica* 16,499
- Hattori, K. and Suzuki, T.** (1974) Large scale production of erythritol and its conversion to D-mannitol production by normal alkane-grown *Candida zeylanoides*. *Agricultural Biological Chemistry* 38,1203-1208
- Heiland, S., Radovanovic, N., Höfer, M., Winderickx, J. and Lichtenberg, H.** (2000) Multiple hexose transporters of *Schizosaccharomyces pombe*. *Journal of Bacteriology* 182,2153-2162
- Hellebust, J.A.** (1976) Osmoregulation. *Annual Review of Plant Physiology* 127,485-505
- Herruer, M.H., Mager, W.H., Raue, H.A., Vreken, P., Wilms, E. and Planta, R.J.** (1988) Mild temperature shock affects transcription of yeast ribosomal protein genes as well as the stability of theirs mRNAs. *Nucleic Acids Research* 16,7917-7929
- Herskowitz, I.** (1995) MAP kinase pathways in yeast: for mating and more. *Cell* 80,187-197
- Hipkin, C.R.** (1989) Nitrate assimilation in yeast. In *Molecular and genetics aspects of nitrate assimilation*, pp. 51-68, Edited by Wray, J.L. and Kinghorn, J.R., Oxford Science Publications, Oxford, England
- Hirai, M.E., Ohtani, E. and Fukui, S.** (1977) Glucose-phosphorylating enzymes of *Candida* yeasts and their regulation *in vivo*. *Biochimica et Biophysica Acta* 480,357-366
- Hirata, D., Harada, S-I., Namba, H. and Miyakawa, T.** (1995) Adaptation to high-salt stress in *Saccharomyces cerevisiae* is regulated by Ca<sup>2+</sup>/calmodulin-dependent phosphoprotein phosphatases (calcineurin) and cAMP-dependent protein kinase. *Molecular and General Genetics* 249,257-264
- Hirata, T., Wada, Y. and Futai, M.** (2002) Sodium and sulfate ion transport in yeast vacuoles. *Journal of Biochemistry* (Tokyo) 131,261-265
- Hirayama, T., Maeda, T., Saito, H. and Shinozaki, K.** (1995) Cloning and characterization of seven cDNAs for hyperosmotic-responsive (*HOR*) genes of *Saccharomyces cerevisiae*. *Molecular and General Genetics* 249,127-138
- Hochuli, E., Taylor, K.E. and Dutler, H.** (1977) Dihydroxyacetone reductase from *Mucor javanicus*. *European Journal of Biochemistry* 75,433-439
- Hocking, A.D.** (1988) Strategies for microbial growth at reduced water activities. *Microbiological Sciences* 5,280-289
- Hoek, J.B. and Rydstrom, J.** (1988) Physiological roles of nicotinamide nucleotide transhydrogenase. *Biochemistry Journal* 254,1-10
- Höfer, M. and Nassar, F.R.** (1987) Aerobic and anaerobic uptake of sugars in *Schizosaccharomyces pombe*. *Journal of General Microbiology* 133,2163-2172

- Hofmann, K.H. and Babel, W.** (1980) Dihydroxyacetone kinase of methanol-assimilating yeasts. I. Regulation of dihydroxyacetone kinase from *Candida methylica* *in situ*. *Zeitschrift für Allgemeine Mikrobiologie* 20,389-398
- Hofmann, S.** (2002) Osmotic stress signalling and osmoadaptation in yeasts. *Microbiology and Molecular Biology Reviews* 66,300-372
- Hohmann, S.** (1997a) Shaping up: the response of yeast to osmotic stress. In *Yeast stress responses*. pp.101-134, Edited by Hohmann, S. and Mager, W.H., MBIU R.G. Landes Company, USA
- Hohmann, S.** (1997b) Pyruvate decarboxylases. In *Yeast sugar metabolism. Biochemistry, genetics, biotechnology, and applications*, pp. 187-212, Edited by Zimmermann, F.K. and Entian, K.D., Tchnomic, Lancaster
- Hohmann, S. and Mager, W.H.** (1997) Yeast stress responses. MBIU R.G. Landes Company, USA
- Hong, Z., Mann, P., Shaw, K.J. and Didomenico, B.** (1994) Analysis of beta-glucans and chitin in a *Saccharomyces cerevisiae* cell wall mutant using high-performance liquid chromatography. *Yeast* 10,1083-1092
- Höötman, U., Bisping, B. and Rehm, H-J.** (1991) Physiology of polyol formation by free and immobilized cells of the osmotolerant yeast *Pichia farinosa*. *Applied Microbiology and Biotechnology* 35,258-263
- Hopkinson, D.A., Peters, J. and Harris, H.** (1974) Rare electrophoretic variants of glycerol-3-phosphate dehydrogenase: evidence for two structural gene loci (GPD1 and GPD2). *Annual Human Genetics* 37,477-484
- Horikoshi, K., Iida, S. and Ikeda, Y.** (1965) Mannitol and mannitol dehydrogenase in conidia of *Aspergillus oryzae*. *Journal of Bacteriology* 89,326-330
- Horwitz, S.B. and Kaplan, N.O.** (1964) Hexitol dehydrogenases of *Bacillus subtilis*. *Journal of Biological Chemistry* 239,830-838
- Hosono, K.** (1992) Effect of salt stress on lipid composition and membrane fluidity of the salt tolerant yeast *Zygosaccharomyces rouxii*. *Journal of General Microbiology* 138,91-96
- Hottiger, T., Schmutz, P. and Wiemken, A.** (1987) Heat-induced accumulation and futile cycling of trehalose in *Saccharomyces cerevisiae*. *Journal of Bacteriology* 169,5518-5522
- Hounsa, C-G., Brandt, E.V., Thevelein, J., Hohmann, S. and Prior, B.A.** (1998) Role of trehalose in survival of *Saccharomyces cerevisiae* under osmotic stress. *Microbiology* 144,671-680
- Huang, M-E., Chuat, J.C. and Galibert, F.** (1994) A voltage-gated chloride channel in the yeast *Saccharomyces cerevisiae*. *Journal of Molecular Biology* 242,595-598
- Hult, K. and Gatenbeck, S.** (1978) Production of NADPH in the mannitol cycle and its relation to polyketide formation in *Alternaria alternata*. *European Journal of Biochemistry* 88,607-612
- Hult, K., Veide, A. and Gatenbeck, S.** (1980) The distribution of the NADPH regenerating mannitol cycle among fungal species. *Archives of Microbiology* 128,253-255
- Iida, H., Yagawa, Y. and Anraku, Y.** (1990) Essential role for induced  $\text{Ca}^{2+}$  influx followed by  $[\text{Ca}^{2+}]$  rise in maintaining viability of yeast cells later in the mating pheromone response pathway. *Journal of Biological Chemistry* 265,13391-13399
- Inoue, S and Kimura, Y.** (1986) Mannitol production by *Torulopsis*. *Japanese patent JP 661035789*.
- International Union of Biochemistry Nomenclature Committee** (1984) Enzyme nomenclature Academic Press, Inc.
- Ishiguro, J.** (1998) Genetic control of fission yeast wall synthesis: the genes involved in wall biogenesis and their interactions in *Schizosaccharomyces pombe*. *Genes and Genetic Systems* 73,181-191
- ISSY** (2001) Biochemistry, Genetics, Biotechnology and Ecology of Non-conventional Yeasts (NCY) 21<sup>st</sup> International Specialized Symposium on Yeasts
- Itoh, N.** (1982) *Agricultural and Biological Chemistry* 46,3029 Cited in Jennings, 1984
- Iwaki, T., Higashida, Y., Tsuji, H., Tamai, Y. and Watanabe, Y.** (1998) Characterization of a second gene (ZSOD22) of  $\text{Na}^+/\text{H}^+$  antiporter from salt-tolerant yeast *Zygosaccharomyces rouxii* and functional expression of ZSOD2 and ZSOD22 in *Saccharomyces cerevisiae* *Yeast* 14,1167-1174
- Iwaki, T., Kurono, S., Yokose, Y., Kubota, K., Tamai, Y. and Watanabe, Y.** (2001) Cloning of glycerol-3-phosphate dehydrogenase genes (*ZrGPD1* and *ZrGPD2*) and glycerol dehydrogenase genes (*ZrGCY1* and *ZrGCY2*) from the salt-tolerant yeast *Zygosaccharomyces rouxii*. *Yeast* 18,737-744
- Iwamoto, H. and Ozawa, M.** (1973) D-mannitol. *Japanese patent JP 48091275*

- Iwamoto, H., Ozawa, M and Matsumoto, N.** (1973) Fermentative production of mannitol. *Japanese patent JP 48096787*
- Iwamoto, K., Kawanobe, H., Ikawa, T. and Shiraiwa, Y.** (2003) Characterization of salt-regulated mannitol-1-phosphate dehydrogenase in the red alga *Caloglossa continua*. *Plant Physiology* 133,893-900
- Jacobson, M.K. and Bernofsky, C.** (1974) Mitochondrial acetaldehyde dehydrogenase from *Saccharomyces cerevisiae*. *Biochimica et Biophysica Acta* 350,277-291
- Jacoby, J., Hollenberg, C.P. and Heinisch, J.J.** (1993) Transaldolase mutants in the yeast *Kluyveromyces lactis* provide evidence that glucose can be metabolized through the pentose phosphate pathway. *Molecular Microbiology* 10,867-876
- Jansen, M., Veurink, J.H., Euverink, G-J.W. and Dijkhuizen, L.** (2003) Growth of the salt-tolerant yeast *Zygosaccharomyces rouxii* in microtiter plates: effects of NaCl, pH and temperature on growth and fusel alcohol production from branched-chain amino-acids. *FEMS Yeast Research* 3,313-318
- Jelinsky, S.A. and Samson, L.D.** (1999) Global response of *Saccharomyces cerevisiae* to an alkylating agent. *Proceedings of the National Academy of Sciences USA* 96,1486-1491
- Jennings, D.H.** (1984) Polyol metabolism in fungi. *Advances in Microbial Physiology* 25,150-188
- Jennings, D.H.** (1993) Stress tolerance of fungi. Mycology Series, Marcel Dekker, Inc. New York, USA
- Jennings, D.H. and Burke, R.M.** (1990a) Compatible Solutes - the mycological dimension and their role as physiological buffering agents. *New Phytologist* 116,277-283
- Jennings, D.H. and Burke, R.M.** (1990b) Effect of sodium chloride on growth characteristics of the marine yeast *Debaryomyces hansenii* in batch and continuous culture under carbon and potassium limitation. *Mycology Research* 94,378-388
- Jentsch, T.J. and Gunther, W.** (1997) Chloride channels: an emerging molecular picture. *BioEssays* 19,117-126
- Jentsch, T.J., Friedrich, T., Schriever, A. and Hamada, H.** (1999) The CLC chloride channel family. *Pflugers Archives* 437,783-795
- Jentsch, T.J., Stein, V., Weinreich, F. and Zdebik, A.** (2002) Molecular structure and physiological function of chloride channels. *Physiological Reviews* 82,503-568
- Jia, Z-P., McCullough, N., Martel, R., Hemmingsen, S. and Young, P.G.** (1992) Gene amplification at a locus encoding a putative  $\text{Na}^+/\text{H}^+$  antiporter confers sodium and lithium tolerance in fission yeast. *The EMBO Journal* 11,1631-1640
- Jörnvall, H., Persson, M. and Jeffery, J.** (1981) Alcohol and polyol dehydrogenases are both divided into two protein types, and structural properties cross-relate the different enzyme activities within each type. *Proceedings of the National Academy of Sciences USA* 78,4226-4230
- Jovall, P-A., Tunblad-Johanson, I. and Adler, L.** (1990)  $^{13}\text{CNMR}$  analysis of production and accumulation of osmoregulatory metabolites in the salt-tolerant yeast *Debaryomyces hansenii*. *Archives of Microbiology* 154,209-214
- Kaerberlein, M., Andalis, A.A., Fink, G.R. and Guarente, L.** (2002) High osmolarity extends life span in *Saccharomyces cerevisiae* by a mechanism related to calorie restriction. *Molecular and Cellular Biology* 22,8056-8066
- Karlish, S.J.D., Beaugé, L.A. and Glynn, I.M.** (1979) Vanadate inhibits  $(\text{Na}^+ + \text{K}^+)$  ATPase by blocking a conformational change of the unphosphorylated form. *Nature* 282,333-335
- Kato, N., Yoshikawa, H., Tanaka, K., Shimao, M. and Sakazawa, C.** (1988) Dihydroxyacetone kinase from a methylotrophic yeast, *Hansenula polynorpha* CBS 4732. *Archives of Microbiology* 150,155-159
- Kayingo, G., Sirotnik, V., Hohmann, S. and Prior, B.A.** (2004) Accumulation and release of the osmolyte glycerol is independent of the putative MIP channel Spac977.17p in *Schizosaccharomyces pombe*. *Antonie Van Leeuwenhoek* 85,85-92
- Ketchum, K.A., Joiner, W.J., Sellers, A.J., Kaczmarek, L.K. and Goldstein, S.A.N.** (1995) A new family of outwardly rectifying potassium channel proteins with two pore domains in tandem. *Nature* 376,690-695
- Khaware, R.K., Koul, A. and Prasad, R.** (1995) High membrane fluidity is related to NaCl stress in *Candida membranefaciens*. *Biochemistry and Molecular Biology International* 35,875-880
- Kinclová, O., Potier, S. and Sychrová, H.** (2001a) The *Candida albicans*  $\text{Na}^+/\text{H}^+$  antiporter exports potassium and rubidium. *FEBS Letters* 504,11-15
- Kinclová, O., Potier, S. and Sychrová, H.** (2002) Difference in substrate specificity divides the yeast alkali-metal-cation/ $\text{H}^+$  antiporters into two subfamilies. *Microbiology* 148,1225-1232

- Kinclová, O., Ramos, J., Potier, S. and Sychrová, H.** (2001b) Functional study of the *Saccharomyces cerevisiae* Nhalp C-terminus. *Molecular Microbiology* 40,656-668
- Kiser, R.C. and Niehaus, W.G., Jr.** (1981) Purification and kinetic characterization of mannitol-1-phosphate dehydrogenase from *Aspergillus niger*. *Archives of Biochemistry and Biophysics* 211,613-621
- Kishimoto, N. and Yamashita, I.** (2000) Multiple pathways regulating fission yeast mitosis upon environmental stresses. *Yeast* 16,597-609
- Kis-Papo, T., Oren, A., Wasser, S.P. and Nevo, E.** (2003) Survival of filamentous fungi in hypersaline dead sea water. *Microbial Ecology* 45,183-190
- Klis, F.M.** (1994) Review: cell wall assembly in yeast. *Yeast* 10,851-869
- Klöppel, R. and Höfer, M.** (1974) Untersuchungen zur aufnahme von polyalkoholen bei der obligat aeroben hefe *Rhodotorula gracilis*. *Zbl. Bakt. Hyg. I. Abt. Orig.* 288, 211
- Ko, C.H. and Gaber, R.F.** (1991) *TRK1* and *TRK2* encode structurally related K<sup>+</sup> transporters in *Saccharomyces cerevisiae*. *Molecular and Cell Biology* 11,4266-4273
- Ko, C.H., Buckley, A.M. and Gaber, R.F.** (1990) *TRK2* is required for low affinity transport in *Saccharomyces cerevisiae*. *Genetics* 125,305-312
- Koh, T.Y.** (1975) Studies on the ‘osmophilic’ yeast *Saccharomyces rouxii*, an obligate osmophilic mutant. *Journal of General Microbiology* 88,101-114
- Kong, Y-C., May, J. W. and Marshall, J. H.** (1985) Glycerol oxidation and triose reduction by pyridine nucleotide-linked enzymes in the fission yeast *Schizosaccharomyces pombe*. *Journal of General Microbiology* 131,1571-1579
- Koser, S.A.** (1968) Vitamin requirements of bacteria and yeasts. Charles C. Thomas, Springfield, Illinois, USA
- Kotyk, A.** (1994) Dependence of the kinetics of secondary active transports in yeast on H<sup>+</sup>-ATPase acidification. *Journal of Membrane Biology* 138,29-35
- Kovác, L., Böhmerová, E. and Butko, P.** (1982) Ionophores and intact cells. I. Valinomycin and nigericin act preferentially on mitochondria and not on the plasma membrane of *Saccharomyces cerevisiae*. *Biochimica et Biophysica Acta* 721,341-348
- Kozak, L.P., and Birkenmeier, E.H.** (1983) Mouse *sn*-glycerol-3-phosphate dehydrogenase: molecular cloning and genetic mapping of a cDNA sequence. *Proceedings of the National Academy of Sciences USA* 50,3020-3024
- Kraakman, L.S., Griffioen, G., Zerp, S., Groeneveld, P., Thevelein, J.M., Mager, W.H. and Planta, R.J.** (1993) Growth-related expression of ribosomal protein genes in *Saccharomyces cerevisiae*. *Molecular and General Genetics* 239,196-204.
- Kuby, S.A. and Noltmann, E.A.** (1966) Glucose-6-phosphate dehydrogenase from brewer’s yeasts. *Methods in Enzymology* 9,116-125
- Kunze, G. and Kunze, I.** (1996) *Arxula adeninivorans*. In *Nonconventional yeasts in biotechnology*, pp. 389-409, Edited by Wolf, K., Springer-Verlag
- Kurtzman, C. P. and Fell, J. W.** (1998) The Yeasts, A Taxonomic Study, 4<sup>th</sup> Edition, Elsevier, Amsterdam, Germany
- Kushner, D.J.** (1978) Life in high salt and solute concentrations: halophilic bacteria. In *Microbial life in extreme environments*, pp. 317-368, Edited by Kushner D.J. (ed). London, Academic Press
- Kushner, D.J.** (1985) The halobacteriaceae. In *The bacteria. A treatise on structure and function*. Vol. 8, *Archaeabacteria*, Edited by Woese, C.R. and Wolfe, R.S., Academic Press, Inc, Orlando, Florida, USA
- Kushner, D.J.** (1988) What is the “true” internal environment of halophilic and other bacteria? *Canadian Journal of Microbiology* 34,482-486
- Kushner, D.J.** (1993) Life in high salt and solute concentrations. Growth and nutrition of halophilic bacteria. In *The Biology of Halophilic Bacteria*. pp. 87-103, Edited by Vreeland, R.H. and Hochstein, L. (eds) Boca Raton, FL CRC Press
- Lages, F. and Lucas, C.** (1994) Glycerol/ H<sup>+</sup> Symport in the halotolerant yeast *Pichia sorbitophila* : Characterization of an electrogenic active transport system. *Folia Microbiologica* 39,528-529 1994.
- Lages, F. and Lucas, C.** (1995) Characterization of a glycerol/H<sup>+</sup> symport in the halotolerant yeast *Pichia sorbitophila*. *Yeast* 11,111-119

- Lages, F. and Lucas, C.** (1997) Contribution to the characterization of glycerol active uptake in *Saccharomyces cerevisiae*. *Biochimica et Biophysica Acta* 1322,8-18.
- Lages, F., Silva-Graça, M. and Lucas, C.** (1999) Active glycerol uptake is a mechanism underlying halotolerance in yeasts: a study of 42 species. *Microbiology* 145,1,2577-2585
- Lages, M.O.P.** (2000) Transport activo de glicerol como mecanismo subjacente à resposta ao stress salino em leveduras. PhD Thesis, Department of Biology, University of Minho, Braga, Portugal
- Lagunas, R.** (1986) Misconceptions about the energy metabolism of *Saccharomyces cerevisiae*. *Yeast* 2,221-228
- Lagunas, R.** (1993) Sugar transport in *Saccharomyces cerevisiae*. *FEMS Microbiology Reviews* 104,229-242
- Lahav, R., Fareleira, P., Nejidat, A. and Abeliovich, A.** (2002) The identification and characterization of osmotolerant yeast isolates from chemical wastewater evaporation ponds. *Microbial Ecology* 43,388-396
- Lanyi, J.K.** (1974) Salt-dependent properties of proteins from extremely halophilic bacteria. *Bacteriology Reviews* 38,272-290
- Larsson, C. and Gustafsson, L.** (1987) Glycerol production in relation to the ATP pool and heat production rate of the yeasts *Debaryomyces hansenii* and *Saccharomyces cerevisiae* during salt stress. *Archives of Microbiology* 147,358-363
- Larsson, C. and Gustafsson, L.** (1993) The role of physiological state in osmotolerance of the salt-tolerant yeast *Debaryomyces hansenii*. *Canadian Journal of Microbiology* 39,603-609
- Larsson, C., Morales, C., Gustafsson, L. and Adler, L.** (1990) Osmoregulation of the salt-tolerant yeast *Debaryomyces hansenii* grown in a chemostat at different salinities. *Journal of Bacteriology* 172,1769-1774
- Larsson, C., Pählman, I-L., Ansell, R., Rigoulet, M., Adler, L. and Gustafsson, L.** (2000) The importance of ATP as a regulator of glycolytic flux in *Saccharomyces cerevisiae*. *Yeast* 16,797-809
- Larsson, C., Pählman, I-L., Ansell, R., Rigoulet, M., Adler, L. and Gustafsson, L.** (1998) The importance of the glycerol 3-phosphate shuttle during aerobic growth of *Saccharomyces cerevisiae*. *Yeast* 14,347-357
- Larsson, K., Ansell, R., Eriksson, P. and Adler, L.** (1993) A gene encoding sn-glycerol-3-phosphate dehydrogenase ( $\text{NAD}^+$ ) complements an osmosensitive mutant of *Saccharomyces cerevisiae*. *Molecular Microbiology* 10,1101-1111
- Latterich, M., and Watson, M.D.** (1993) Evidence for a dual osmoregulatory mechanism in the yeast *Saccharomyces cerevisiae*. *Biochemical Biophysical Research Communications* 191,1111-1117
- Leberman, R. and Soper, A.K.** (1995) Effect of high salt concentrations on water structure. *Nature* 378,364-366
- Lee, J. and Elion, E.A.** (1999) The MAPKKK Ste11 regulates vegetative growth through a kinase cascade of shared signaling components. *Proceedings of the National Academy of Sciences USA* 96,12679-12684
- Lee, J., Godon, C., Lagniel, G., Spector, D., Garin, J., Labarre, J. and Toledano, M.B.** (1999a) Yap1 and Skn7 control two specialized oxidative stress response regulons in yeast. *Journal of Biological Chemistry* 274,16040-16046
- Lee, J.H., van Montagu, M. and Verbuggen, N.** (1999b) A highly conserved kinase is an essential component for stress tolerance in yeast and plant cells. *Proceedings of the National Academy of Sciences USA* 10,5873-5877
- Lee, J.K., Koo, B.S., Kim, S.Y. and Hyun, H.H.** (2003a) Purification and characterization of a novel mannitol dehydrogenase from a newly isolated strain of *Candida magnoliae*. *Applied and Environmental Microbiology* 69,4438-4447
- Lee, J.K., Song, J.Y. and Kim, S.Y.** (2003b) Controlling substrate concentration in fed-batch *Candida magnoliae* culture increases mannitol production. *Biotechnology Progress* 19,768-775
- Lee, S-J., Park, S-Y., Na, J-G. and Kim, Y-J.** (2002) Osmolarity hypersensitivity of *hog1* deleted mutants is suppressed by mutation in *KSS1* in budding yeast *Saccharomyces cerevisiae*. *FEMS Microbiology Letters* 209,9-14
- Lee, W.H.** (1967) Mannitol acetyl phosphate phosphotransferase of *Aspergillus*. *Biochimica et Biophysica Research Communications* 29,337-342
- Lee, W.H.** (1970) Enzymatic and  $^{14}\text{C}$  mannitol studies of the *Aspergillus* mannitol metabolism. *Canadian Journal of Microbiology* 16,363-367
- Lerner, H.R., Sussman, I. and Avron, M.** (1980) Characterization and parcial purification of dihydroxyacetone kinase in *Dunaliella salina*. *Biochimica et Biophysica Acta* 615,1-9

- Lesage, F., Guillemaire, E., Fink, M., Duprat, F., Lazdunski, M., Romey, G. and Barhanin, J.** (1996) A pH-sensitive yeast outward rectifier K<sup>+</sup> channel with two-pore-domain and novel gating properties. *Journal of Biological Chemistry* 271,4183-4187
- Leskovac, V., Trivic, S. and Pericin D.** (2002) The three zinc-containing alcohol dehydrogenases from baker's yeast, *Saccharomyces cerevisiae*. *FEMS Yeast Research* 2,481-494
- Levin, D.E. and Bartlett-Heubusch, E.** (1992) Mutants in the *Saccharomyces cerevisiae PKC1* gene display a cell cycle-specific osmotic stability defect. *Journal of Cell Biology* 116,1221-1229
- Lewis, D.H. and Smith, D.C.** (1967) Sugar alcohols (polyols) in fungi and green plants. I. Distribution, physiology and metabolism. *New Phytology* 66,143-184
- Lewis, J.G., Learmonth, R.P. and Watson, K.** (1995) Induction of heat, freezing, and salt tolerance by heat and salt shock in *Saccharomyces cerevisiae*. *Microbiology* 141,687-694
- Li, B., Nierras, C.R. and Warner, J.R.** (1999) Transcriptional elements involved in the repression of ribosomal protein synthesis. *Molecular and Cell Biology* 19,5393-404.
- Lichtenberg-Fraté, H., Reid, J.D., Heyer, M. and Höfer, M.** (1996) The *SpTRK* gene encodes a potassium-specific transport protein THKp in *Schizosaccharomyces pombe*. *Journal of Membrane Biology* 152,169-181
- Lin, E.C.C. and Magasanik, B.** (1960) The activation of glycerol dehydrogenase from *Aerobacter aerogenes* by monovalent cations. *The Journal of Biological Chemistry* 235,1820-1823
- Lin, E.C.C., Koch, J.P., Chused, T.M. and Jorgensen, S.E.** (1962) Utilization of L- $\alpha$ -glycerophosphate by *Escherichia coli* without hydrolysis. *Biochemistry* 48,2145-2150
- Lin, S-J., Defossez, P-A. and Guarente, L.** (2000) Requirement of NAD and *SIR2* for life-span extension by calorie restriction in *Saccharomyces cerevisiae*. *Science* 289,2126-2128
- Lin, S-J., Kaeberlein, M., Andalis, A.A., Sturtz, L.A., Defossez, P-A., Culotta, V.C., Fink, G.R. and Guarente, L.** (2002) Calorie restriction extends *Saccharomyces cerevisiae* lifespan by increasing respiration. *Nature* 418,344348
- Lindahl, R.** (1992) Aldehyde dehydrogenase and their role in carcinogenesis. *Critical Reviews in Biochemical Molecular Biology* 27,283-335
- Lindquist, R.N., Lynn, J.L. and Lienhard, G.E.** (1973) Possible transition-state analogs for ribonuclease. The complexes of uridine with oxovanadium (IV) ion and vanadium (V) ion. *Journal of American Chemical Society* 95,8762-8768
- Llorente, N. and Castro, I.N.** (1977) Physiological role of yeasts NAD(P)<sup>+</sup> and NADP<sup>+</sup>-linked aldehyde dehydrogenases *Revista Española de Fisiología* 33,135-142
- Lobo, Z. and Maitra, P.K.** (1977) Resistance to 2-deoxyglucose in yeast: a direct selection of mutants lacking glucose-phosphorylating enzymes. *Molecular and General Genetics* 157,297-300.
- Lodder, J. and Kreger-van Rij, N.J.W.** (1952) The Yeasts. A taxonomic study. Amsterdam, North-Holland Publishing Company.
- Loescher, W.H.** (1987) Physiology and metabolism of sugar alcohols in higher plants. *Physiology Plantarum* 70,553-557.
- Loftus, T.M., Hall, L.V., Anderson, S.L., and McAlister-Henn, L.** (1994) Isolation, characterization, and disruption of the yeast gene encoding cytosolic NADP dependent isocitrate dehydrogenase. *Biochemistry* 33,9661-9667.
- Looten, P., Huchette, S. and Saniez, M.H.** (1992) Manufacture of mannitol by fermentation. Chinese patent CN 1064311
- Loray M.A, de Figueroa L.I.C. and Höfer M.** (1998) Effect of salt stress on the sugar uptake in osmotolerant yeasts. *Folia Microbiologica* 43,204-206
- Loureiro-Dias, M. C.** (1988) Movements of protons coupled to glucose transport in yeasts. A comparative study among 248 yeast strains. *Antonie van Leeuwenhoek* 54,331-343
- Loureiro-Dias, M.C.** (1987) Glucose and polyol transport systems in *Candida intermedia* and their regulation. *Journal of General Microbiology* 133,2737-2742
- Luard, E.J.** (1982a) Accumulation of intracellular solutes by two filamentous fungi in response to growth at low steady state osmotic potential. *Journal of General Microbiology* 128,2563-2574
- Luard, E.J.** (1982b) Growth and accumulation of solutes by *Phytophthora cinnamomi* and other lower fungi in response to changes in external osmotic potential. *Journal of General Microbiology* 128,2583

- Lucas, C.** (1987) Estudos fisiológicos sobre *Candida shehatae* Buckley & van Uden, uma levedura fermentadora de xilose. PhD Thesis, Universidade Nova de Lisboa, Oeiras, Portugal
- Lucas, C. and van Uden, N.** (1986) Transport of hemicellulose monomers in the xylose-fermenting yeast *Candida shehatae*. *Applied Microbiology and Biotechnology* 23,491-495
- Lucas, C., da Costa, M. and van Uden, N.** (1990) Osmoregulatory active sodium-glycerol co-transport in the halotolerant yeast *Debaryomyces hansenii*. *Yeast* 6,187-191
- Lue, N.F. and Kornberg, R.D.** (1987) Accurate initiation at RNA polymerase II promoters in extracts from *Saccharomyces cerevisiae*. *Proceedings of the National Academy of Sciences USA* 84,8839-8843
- Lüers, G.H., Advani, R., Wenzel, T. and Subramani, S.** (1998) The *Pichia pastoris* dihydroxyacetone kinase is a PTS1-containing, but cytosolic, protein that is essential for growth on methanol. *Yeast* 14,759-771
- Luttik, M.A.H., Overkamp, K.M., Kötter, P., de Vries, S., van Dijken, P. and Pronk, J.T.** (1998) The *Saccharomyces cerevisiae* *NDE1* and *NDE2* genes encode separate mitochondrial NADH dehydrogenases catalyzing the oxidation of cytosolic NADH. *The Journal of Biological Chemistry* 273,24529-24534
- Luxo, C., Nobre, M.F. and da Costa, M.S.** (1993) Intracellular polyol accumulation by yeast-like fungi of the genera *Geotrichum* and *Endomyces* in response to water stress (NaCl). *Canadian Journal of Microbiology* 39,868-873
- Luyten, K., Albertyn, J., Skibbe, W.F., Prior, B.A., Ramos, J., Thevelein, J.M. and Hohmann, S.** (1995) Fps1, a yeast member of the MIP family of channel proteins, is a facilitator for glycerol uptake and efflux and is inactive under osmotic stress. *The EMBO Journal* 14,1360-1371
- Luyten, K., Riou, C. and Blondin, B.** (2002) The hexoses transporters of *Saccharomyces cerevisiae* play different roles during enological fermentation. *Yeast* 19,713-726
- MacKenzie, K., Blomberg, A. and Brown, A.D.** (1986) Water stress plating hypersensitivity of yeasts. *Journal of General Microbiology* 132, 2053-2056
- Mackenzie, K.F., Singh, K.K. and Brown, A.D.** (1988) Water stress plating hypersensitivity of yeasts: protective role of trehalose in *Saccharomyces cerevisiae*. *Journal of General Microbiology* 134,1661-1666
- Madigan, M.T., Martinko, J.M. and Parker, J.** (1997) Brock Biology of Microorganisms. Eighth Edition. Prentice Hall International, Inc., Upper Saddle River, New Jersey.
- Maeda, T., Takekawa, M. and Saito, H.** (1995) Activation of yeast PBS2 MAPKK by MAPKKKs or by binding of an SH3-containing osmosensor. *Science* 269,554-558
- Maeda, T., Wurler-Murphy, S.M. and Saito, H.** (1994) A two-component system that regulates an osmosensing kinase cascade in yeast. *Nature* 369,242-245
- Mager, W.H., Siderius, M.** (2002) Novel insights into the osmotic stress response in yeast. *FEMS Yeast Research* 2,251-257
- Mager, W.H. and Hohmann, S.** (1997) Stress response. Mechanisms in the yeast *Saccharomyces cerevisiae*. In *Yeast stress responses*, pp. 1-5, Edited by Hohmann, S. and Mager W.H, R.G. Landes Company, Austin, Texas, USA
- Mager, W.H. and Varela, J.C.** (1993) Osmostress response of the yeast *Saccharomyces*. *Molecular Microbiology* 10,253-258
- Maitra, P.K. and Lobo, Z.** (1971) A kinetic study of glycolytic enzyme synthesis in yeast. *The Journal of Biological Chemistry* 246,475-489
- Majara, M., O'Connor-Cox, E.S.C.O., and Axcell, B.C.** (1996) Trehalose-A Stress protectant and stress indicator compound for yeast exposed to adverse conditions. *Journal of American Society of Brewing Chemists* 54,221-227
- Manfredi, R., Calza, L. and Chiodo, F.** (2002) Dual *Candida albicans* and *Cryptococcus neoformans* fungaemia in an AIDS presenter: a unique disease association in the highly active antiretroviral therapy (HAART) era. *Journal of Medical Microbiology* 51,1135-1137
- Mann, B. J., Bowman, B. J., Grotelueschen, J. and Metzenberg, R. L.** (1989) Nucleotide sequence of *pho4+*, encoding a phosphate-repressible phosphate permease of *Neurospora crassa*. *Gene* 83,281-289
- Maresová, L. and Sychrová, H.** (2003) Physiological characterization of osmotolerant yeast *Pichia sorbitophila* and comparison with a putative synonym *Pichia farinosa*. *Folia Microbiologica (Praha)* 48,211-217
- Márquez, J.A. and Serrano, R.** (1996) Multiple transduction pathways regulate the sodium-extrusion gene *PMR2/ENA1* during salt stress in yeast. *FEBS Letters* 382,89-92

- Marres, C.A.M., de Vries, S. and Grivell, L.A.** (1991) Isolation and inactivation of the nuclear gene encoding the rotenone-insensitive internal NADH-ubiquinone oxidoreductase of mitochondria from *Saccharomyces cerevisiae*. *European Journal of Biochemistry* 195,857-862
- Marshall, J. H., May, J. W. and Sloan, J.** (1985) Purification and properties of glycerol, NAD<sup>+</sup>-2-oxidoreductase (glycerol dehydrogenase) from *Schizosaccharomyces pombe*. *Journal of General Microbiology* 131,1581-1588
- Marshall, J.H., May, J.W., Sloan, J. and Vasiliadis, G.E.** (1986) Purification and properties of dihydroxyacetone kinase from *Schizosaccharomyces pombe*. *Journal of General Microbiology* 132,2611-2614
- Martin, D.D., Ciulla, R.A. and Roberts, M.F.** (1999) Osmoadaptation in Archaea. *Applied and environmental Microbiology* 65,1815-1825
- Martínez, P. and Persson, B. L.** (1998) Identification, cloning and characterization of a derepressible Na<sup>+</sup>-coupled phosphate transporter in *Saccharomyces cerevisiae*. *Molecular and General Genetics* 258,628-638
- Martins, L.O., Huber, R., Huber, H., Stetter, K.O., da Costa, M.S. and Santos, H.** (1997) Organic solutes in hyperthermophilic Archaea. *Applied and Environmental Microbiology* 63,896-902
- Matheson, A.T.** (1985) Ribosomes of archaebacteria. In *The bacteria*, pp. 345-377, Edited by Woese, C.R. and Wolf, R.S., Vol 8, Academic Press, New York, USA
- Matin, A. and Gottschal, J.C.** (1976) Influence of dilution rate of NAD(P) and NAD(P)H concentrations and ratios in a *Pseudomonas* sp. grown in continuous culture. *Journal of General Microbiology* 94,333-341
- Mauersberger, S., Kruse, K. and Barth, G.** (2003) Induction of citric acid/isocitric acid and α-ketoglutaric acid production in the yeast *Yarrowia lipolytica*. In *Non-conventional yeasts in genetics, biochemistry and biotechnology*, pp. 393-400, Edited by Wolf, K., Breunig, K. and Barth, G., Springer-Verlag
- Mauersberger, S., Ohkuma, M., Schunck, W-H. and Takagi, M.** (1996) *Candida maltosa*. In *Nonconventional yeasts in biotechnology*, pp. 409-580, Edited by Wolf, K., Springer-Verlag
- Maxwell, W.A. and Spoerl, E.** (1971) Mannitol uptake by *Saccharomyces cerevisiae*. *Journal of Bacteriology* 105,753-758
- May, J. W. and Sloan, J.** (1981) Glycerol Utilization by *Schizosaccharomyces pombe*, dehydrogenation as the initial step. *Journal of General Microbiology* 123,183-185
- May, J.W., Marshall, J.H. and Sloan, J.** (1982) Glycerol utilization by *Schizosaccharomyces pombe*, phosphorylation of dihydroxyacetone by a specific kinase as the second step. *Journal of General Microbiology* 128,1763-1766
- McAlister, L. and Holland, M.J.** (1985) Differential expression of the three yeast glyceraldehyde-3-phosphate dehydrogenase genes. *The Journal of Biological Chemistry* 260,15019-15027
- McAlister-Henn, L., Steffan, J.S., Minard, K.I. and Anderson, S.L.** (1995) Expression and function of a mislocalized form of peroxisomal malate dehydrogenase (MDH3) in yeast. *Journal of Biological Chemistry* 270,21220-21225
- Meaden, P.G., Dickinson, F.M., Mifsud, A., Tessier, W., Westwater, J., Bussey, H. and Midgley, M.** (1997) The *ALD6* gene of *Saccharomyces cerevisiae* encodes a cytosolic, Mg<sup>2+</sup>-activated acetaldehyde dehydrogenase. *Yeast* 13,1319-1327
- Megson, G.M., Stevens, D.A., Hamilton, J.R. and Denning, D.W.** (1996) D-mannitol in cerebrospinal fluid of patients with AIDS and cryptococcal meningitis. *Journal of Clinical Microbiology* 34,218-221
- Mehta, R.J., Fare, L.R., Shearer, M.E. and Nash, C.H.** (1977) Mannitol oxidation in two *Micromonospora* isolates and in representative species of other actinomycetes. *Applied and Environmental Microbiology* 33,1013-1015
- Mehta, S.V., Patil, V.B., Velmurugan, S., Lobo, Z. and Maitra, P.K.** (1998) *Std1*, a gene involved in glucose transport in *Schizosaccharomyces pombe*. *Journal of Bacteriology* 180,674-679
- Meikle, A.J., Chudek, J.A., Reed, R.H. and Gadd, G.M.** (1991) Natural abundance <sup>13</sup>C nuclear magnetic resonance spectroscopic analysis of acyclic polyol and trehalose accumulation by several yeast species in response to salt stress. *FEMS Microbiology Letters* 66,163-167
- Meikle, A.J., Reed, R.H. and Gadd, G.M.** (1988) Osmotic adjustment and the accumulation of organic solutes in whole cells and protoplasts of *Saccharomyces cerevisiae*. *Journal of General Microbiology* 134,3049-3060
- Melake, T., Passoth, V. and Klinner, U.** (1996) Characterization of the genetic system of the xylose-fermenting yeast *Pichia stipitis*. *Current Microbiology* 33,237-242

- Melo, A.M., Duarte, M. and Møller, I.M., Prokish, H., Dolan, P.L., Pinto, L., Nelson, M.A. and Videira, A.** (2001) The external calcium-dependent NADPH dehydrogenase from *Neurospora crassa* mitochondria *Journal of Biological Chemistry* 276,3947-3951
- Mendoza, I., Quintero, F.J., Bressan, R.A., Hasegawa, P.M. and Pardo, J.M.** (1996) Activated calcineurin confers high tolerance to ion stress and alters the budding pattern and cell morphology of yeast cells. *The Journal of Biological Chemistry* 38,23061-23067
- Mendoza, I., Rubio, F., Rodríguez-Navarro, A. and Pardo, J.M.** (1994) The protein phosphate calcineurin is essential for NaCl tolerance of *Saccharomyces cerevisiae*. *The Journal of Biological Chemistry* 269,8792-8796
- Menkel, F. and Knights, A.J.** (1994) A biological approach on modelling a variable biomass yield. *Process Biochemistry* 30, 485-495
- Merkel, J.R., Straume, M., Sajer, S.A. and Hopfer, R.L.** (1982) Purification and some properties of sn-glycerol-3-phosphate dehydrogenase from *Saccharomyces cerevisiae*. *Analytical Biochemistry* 122,180-185
- Meyrial, V., Laizé, V., Gobin, R., Ripoche, P., Hohmann, S. and Tacnet, F.** (2001) Existence of a tightly regulated water channel in *Saccharomyces cerevisiae*. *European Journal of Biochemistry* 268,334-343
- Minard, K.I. and McAlister-Henn, L.** (2001) Antioxidant function of cytosolic sources of NADPH in yeast. *Free Radical Biology & Medicine* 31,832-843
- Minard, K.I., Jennings, G.T., Loftus, T.M., Xuan, D. and McAlister-Henn, L.** (1998) Sources of NADPH and expression of mammalian NADP<sup>+</sup>-specific isocitrate dehydrogenases in *Saccharomyces cerevisiae*. *The Journal of Biological Chemistry* 273,31486-31493
- Miralles, V.J. and Serrano, R.** (1995) A genomic locus in *Saccharomyces cerevisiae* with four genes up-regulated by osmotic stress. *Molecular Microbiology* 17,653-662
- Miranda, M., Saldaña, C., Ramírez, J., Codiz, G. and Brunner, A.** (2002) The *KITrkl* gene encodes a low affinity transporter of the K<sup>+</sup> uptake system in the budding yeast *Kluyveromyces lactis*. *Yeast* 19,601-609
- Mitchell, P.** (1961) Coupling of phosphorylation to electron and hydrogen transfer by a chemi-osmotic type mechanism. *Nature* 191,144-148
- Mitchell, P.** (1967) Active transport and ion accumulation. In *Comprehensive biochemistry*, pp. 167-197, Edited by Florkin, M. and Stotz, E.H., Elsevier Publishers, Amsterdam, Germany
- Molin, M., Norbeck, J. and Blomberg, A.** (2002) Dihydroxyacetone kinases in *Saccharomyces cerevisiae* are involved in detoxification of dihydroxyacetone. *Journal of Biological Chemistry* 278,1415-1423
- Møller, I.M. and Lin, W.** (1986) Membrane -bound NAD(P)H dehydrogenases in higher plants cells. *Annual Review in Plant Physiology* 37,309-334
- Mora, J.** (1990) Glutamine metabolism and cycling in *Neurospora crassa*. *Microbiology Reviews* 54,293-304
- Morris, G J., Winters, L., Coulson, G.E. and Clarke, K.J.** (1986) Effect of osmotic stress on the ultrastructure and viability of the yeast *Saccharomyces cerevisiae*. *Journal of General Microbiology* 129,2023-2043
- Morton, N., Dickerson, A.G. and Hammond, J.B.W.** (1985) Mannitol metabolism in *Agaricus bisporus*: purification and properties of mannitol dehydrogenase. *Journal of General Microbiology* 131,2885-2890
- Müller, V. and Oren, A.** (2003) Metabolism of chloride in halophilic prokaryotes. *Extremophiles* 7,261-266
- Murguía, J.R., Bellés, J.M. and Serrano, R.** (1995) A salt-sensitive 3'(2'),5'-biphosphate nucleotidase involved in sulfate activation. *Science* 267,232-234
- Murguía, J.R., Bellés, J.M. and Serrano, R.** (1996) The yeast HAL2 nucleotidase is an *in vitro* target of salt toxicity. *Journal of Biological Chemistry* 271,29029-29033
- Nader, W., Betz, A. and Becker, J-U.** (1979) Partial purification, substrate specificity and regulation of glycerolphosphate dehydrogenase from *Saccharomyces carlsbergensis*. *Biochimica et Biophysica Acta* 571,177-185
- Nadkarni, V., Gabbay, K.H., Bohren, K.M. and Sheikh-Hamad, D.** (1999) Osmotic response element enhancer activity. Regulation through p38 kinase and mitogen-activated extracellular signal-regulated kinase kinase. *Journal of Biological Chemistry* 274,20185-20190
- Nakamura, T., Liu, Y., Hirata, D., Namba, H., Harada, S-I., Hirokawa, T. and Miyakawa, T.** (1993) Protein phosphatase type 2B (calcineurin)-mediated, FK506-sensitive regulation of intracellular ions in yeast is an important determinant for adaptation to high salt stress conditions. *The EMBO Journal* 12,4063-4071

- Nakata, K., Hasegawa, J. and Okamura, K.** (1995) Accumulation and role of trehalose in *Torulaspora delbrueckii* No.3110. *Bioscience Biotechnology and Biochemistry* 59,986-989
- Nass, R., and Rao, R.** (1998) Novel localization of a  $\text{Na}^+/\text{H}^+$  exchanger in a late endosomal compartment of yeast. *The Journal of Biological Chemistry* 273,21054-21060
- Nass, R., Cunningham, K.W. and Rao, R.** (1997) Intracellular sequestration of sodium by a novel  $\text{Na}^+/\text{H}^+$  exchanger in yeast is enhanced by mutations in the plasma membrane  $\text{H}^+$ -ATPase. Insights into mechanisms of sodium tolerance. *American Society for Biochemistry and Molecular Biology* 272,26145-26152
- Navarro-Aviño, J.P., Prasad, R., Miralles, V.J., Benito, R.M. and Serrano, R.** (1999) A proposal for nomenclature of aldehyde dehydrogenases in *Saccharomyces cerevisiae* and characterization of the stress-inducible *ALD2* and *ALD3* genes. *Yeast* 15,829-842
- Neuberg, C.** (1946) *Annual Review of Biochemistry*, 15,435- Cited in Jennings, 1984.
- Neves L., Lages F. and Lucas C.** (2004) New insights on glycerol transport in *Saccharomyces cerevisiae*. *FEBS Letters* 565,160-162
- Neves, M.L., Oliveira, R.P. and Lucas, C.M.** (1997) Metabolic flux response to salt-induced stress in the halotolerant yeast *Debaryomyces hansenii*. *Microbiology* 143,1133-1139
- Nevoigt, E. and Stahl, U.** (1997) Osmoregulation and glycerol metabolism in the yeast *Saccharomyces cerevisiae*. *FEMS Microbiology Reviews* 21,231-241
- Nguyen, T.H., Fleet, G.H. and Rogers, P.L.** (1998) Composition of the cell walls of several yeast species. *Applied Microbiology and Biotechnology* 50,206-212
- Nicholls, D.G. and Ferguson, S.J.** (1997) *Bioenergetics 2*. Academic Press, San Diego, USA
- Niederpruem, D.J., Hafiz, A. and Henry, L.** (1965) Polyol metabolism in the basidiomycete *Schizophyllum commune*. *Journal of Bacteriology* 89,954-959
- Niehaus, W.G. and Flynn, T.** (1994) Regulation of mannitol biosynthesis and degradation by *Cryptococcus neoformans*. *Journal of Bacteriology* 176,651-655
- Niehaus, W.G., Jr. and Dilts, R.P., Jr.** (1982) Purification and characterization of mannitol dehydrogenase from *Aspergillus parasiticus*. *Journal of Bacteriology* 151,243-250
- Niimi, M., Tokunaga, M. and Nakayama, H.** (1986) Regulation of mannitol catabolism in *Candida albicans*, evidence for cyclic AMP-independent glucose effect. *Journal of Medical and Veterinary Mycology* 24,211-217
- Nilsson, A. and Adler, L.** (1990) Purification and characterization of glycerol-3-phosphate dehydrogenase ( $\text{NAD}^+$ ) in the salt-tolerant yeast *Debaryomyces hansenii*. *Biochimica et Biophysica Acta* 1034,180-185
- Nilsson, L., Thomson, K.S. and Adler, L.** (1989) Purification and characterization of glycerol kinase in the salt-tolerant yeast *Debaryomyces hansenii*. *Biochimica et Biophysica Acta* 991,296-302
- Nishi, T. and Yagi, T.** (1992) A transient and rapid activation of plasma-membrane ATPase during the stages of osmoregulation in the salt-tolerant yeast *Zygosaccharomyces rouxii*. *FEMS Microbiology Letters* 99,95-100
- Nishi, T. and Yagi, T.** (1993) Participation of cAMP in the induction of the synthesis of glycerol for the osmoregulatory response in the salt-tolerant yeast *Zygosaccharomyces rouxii*. *Journal of General Applied Microbiology* 39,493-503
- Nishi, T. and Yagi, T.** (1995) Efflux of sodium ions by a  $\text{Na}^+/\text{H}^+$ -antiporter during salt stress in the salt-tolerant yeast *Zygosaccharomyces rouxii*. *Journal of General Applied Microbiology* 41,87-97
- Nissen, T.L., Anderlund, M., Nielsen, J., Villadsen, J. and Kielland-Brandt, M.C.** (2001) Expression of a cytoplasmic transhydrogenase in *Saccharomyces cerevisiae* results in formation of 2-oxoglutarate due to depletion of the NADPH pool. *Yeast* 18,19-32
- Nissen, T.L., Schulze, U., Nielsen, J. and Villadsen, J.** (1997) Flux distributions in anaerobic, glucose-limited continuous cultures of *Saccharomyces cerevisiae*. *Microbiology* 143,203-218
- Niu, X., Bressan, R.A., Hasegawa, P.M. and Pardo, J.M.** (1995) Ion homeostasis in NaCl stress environments. *Plant Physiology* 109,735-742
- Nobre, M.A.O.C.** (2003) Abordagem multidisciplinar do estudo da utilização de substratos simples e substratos mistos por *Debaryomyces hansenii*. Destaque para o caso da xilose. PhD Thesis, Department of Biology, University of Minho, Braga, Portugal

- Nobre, A., C. Lucas and C. Leão** (1999) Transport and utilization of hexoses and pentoses in the halotolerant yeast *Debaryomyces hansenii*. *Applied and Environmental Microbiology* 65,3594-3598
- Nobre, M.F. and da Costa, M.S.** (1985a) The accumulation of polyols by the yeast *Debaryomyces hansenii* in response to water stress. *Canadian Journal of Microbiology* 31,1061-1064
- Nobre, M.F. and da Costa, M.S.** (1985b) Factors favouring the accumulation of arabinitol in the yeast *Debaryomyces hansenii*. *Canadian Journal of Microbiology* 31,467-471
- Noiraud, N., Marousset, L. and Lemoine, R.** (2001) Identification of a mannitol transporter, AgMaT1, in celery phloem. *The Plant Cell* 13,695-705
- Norbeck, J.** (1997) Protein expression of yeast during growth under osmotic stress. PhD Thesis, Department of General and Marine Microbiology, Göteborg University, Sweden
- Norbeck, J. and Blomberg, A.** (1996) Protein expression during exponential growth in 0.7 M NaCl medium of *Saccharomyces cerevisiae*. *FEMS Microbiology Letters* 137,1-8
- Norbeck, J. and Blomberg, A.** (1997a) Two-dimensional electrophoretic separation of yeast proteins using a non-linear wide range (pH 3-10) Immobilized pH gradient in the first dimension; Reproducibility and evidence for isoelectric focusing of alkaline (pI>7) proteins. *Yeast* 13,1519-1534
- Norbeck, J. and Blomberg, A.** (1997b) Metabolic and regulatory changes associated with growth of *Saccharomyces cerevisiae* in 1.4 M NaCl. Evidence for osmotic induction of glycerol dissimilation via the dihydroxyacetone pathway. *The Journal of Biological Chemistry* 272,5544-5554
- Norbeck, J., Pählman, A-K., Akhtar, N., Blomberg, A. and Adler, L.** (1996) Purification and characterization of two isoenzymes of DL-glycerol-3-phosphatase from *Saccharomyces cerevisiae*. *The Journal of Biological Chemistry* 271,13875-13881
- Norkrans, B.** (1966) Studies on marine occurring yeasts: growth related to pH, NaCl concentration and temperature. *Archiv für Mikrobiologie* 54,374-392
- Norkrans, B.** (1968) Studies on marine occurring yeasts: respiration, fermentation and salt tolerance. *Archiv für Mikrobiologie* 62,358-372
- Norkrans, B.** (1969) The sodium and potassium contents of yeasts differing in halotolerance, at various NaCl concentrations in the media. *Antonie van Leeuwenhoek* 35,31-32
- Norkrans, B. and Kylin, A.** (1969) Regulation of the potassium to sodium ratio and of the osmotic potential in relation to salt tolerance in yeasts. *Journal of Bacteriology* 100,836-845
- Nuccio, M.L., Rhodes, D., McNeil, S.D. and Hanson, A.D.** (1999) Metabolic engineering of plants for osmotic stress resistance. *Current Opinion in Plant Biology* 2,128-134
- O'Rourke, S.M. and Herskowitz, I.** (2002a) A third osmosensing branch in *Saccharomyces cerevisiae* requires the Msb2 protein and functions in parallel with the Sho1 branch. *Molecular and Cellular Biology* 22,4739-4749
- Obón, J.M., Manjón A. and Iborra, J.L.** (1996) Comparative thermostability of glucose dehydrogenase from *Haloferax mediterranei*. Effects of salts and polyols. *Enzyme and Microbial Technology* 19,352-360
- Ohmiya, R., Yamada, H., Nakashima, K., Aiba, H. and Mizuno, T.** (1995) Osmoregulation of the fission yeast: cloning of two distinct genes encoding glycerol-3-phosphate dehydrogenase, one of which is responsible for the osmotolerance for growth. *Molecular Microbiology* 18,963-973
- Ohshiro, K. and Yagi, T.** (1996) Regulation of intracellular osmotic pressure and some factors that influence the promotion of glycerol synthesis in a respiration-deficient mutant of the salt-tolerant yeast *Zygosaccharomyces rouxii* during salt stress. *Journal of General Applied Microbiology* 42,201-212
- Oliveira, R., Lages, F., Silva-Graça, M. and Lucas, C.** (2003) Fps1p channel is the mediator of the major part of glycerol passive diffusion in *Saccharomyces cerevisiae*: artefacts and re-definitions. *Biochimica et Biophysica Acta* 1613,57-71
- Oliveira, R. and Lucas, C.** (2004) Expression studies of *GUP1* and *GUP2* genes involved in glycerol active transport in *Saccharomyces cerevisiae*, using semi-quantitative RT-PCR. *Current Genetics* (in press)
- Olliver, B., Hatchikian, C.E., Prensier, G., Guezenneec, J. and Garcia, J-L.** (1991) *Desulfohalobium retbaense* gen. Nov. sp. Nov., a halophilic sulphate-reducing bacterium from sediments of a hypersaline lake in Senegal. *International Journal of Systematic Bacteriology* 41,74-81

- Ölz, R., Larsson, K., Adler, L. and Gustafsson, L.** (1993) Energy flux and osmoregulation of *Saccharomyces cerevisiae* grown in chemostats under NaCl stress. *Journal of Bacteriology* 175,2205-2213
- Onishi, H.** (1957) Studies on osmophilic yeasts. Part III. Classification of osmophilic soy and miso yeasts. *Bulletin of the Agricultural Chemical Society of Japan* 21,151-156 [*Saccharomyces rouxii* var *halomembranis*, *Torulopsis halophilus*, *T. nodaensis*.]
- Onishi, H.** (1960) Studies on osmophilic yeasts. Part VIII Polyalcohol production by various genera and species of yeasts. *Bulletin of the Agricultural and Chemistry Society of Japan* 24,131-140
- Onishi, H. and Suzuki, T.** (1966) The production of xylitol, L-arabinitol and ribitol by yeasts. *Agricultural and Biological Chemistry* 30,1139-1144
- Onishi, H. and Suzuki, T.** (1968) Production of D-mannitol and glycerol by yeasts. *Applied Microbiology* 16,1847-1852
- Onishi, H. and Suzuki, T.** (1969a) Microbial production of xylitol from glucose. *Journal of Applied Microbiology* 18,1031-1036
- Onishi, H. and Suzuki, T.** (1969b) *Torulopsis mannitofaciens* sp. n. isolated from soy-sauce mash. *Antonie van Leeuwenhoek* 35,258-260
- Onishi, H. and Suzuki, T.** (1970a) Microbial production of D-mannitol and D-fructose from glycerol. *Biotechnology and Bioengineering* 12,913-920
- Onishi, H. and Suzuki, T.** (1970b) Production of erythritol, D-arabitol, D-mannitol and a heptitol-like compound from glycerol by yeasts. *Journal of Fermentation Technology* 48,563-566
- Ooms, L.M., McColl, B.K., Wiradjaja, F., Wijayaratnam, A.P.W., Gleeson, P., Gething, M.J., Sambrook, J. and Mitchell, C.A.** (2000) The yeast inositol polyphosphate 5-phosphatases Inp52p and Inp53p translocate to actin patches following hyperosmotic stress: mechanism for regulating phosphatidylinositol 4,5-bisphosphate at plasma membrane invaginations. *Molecular and Cellular Biology* 20,9376-9390
- Oren, A.** (1986) Intracellular salt concentrations of the anaerobic halophilic eubacteria *Haloanaerobium praevalens* and *Halobacteroides halophilus*. *Canadian Journal of Microbiology* 32,4-9
- Oren, A.** (1993) Anaerobic heterotrophic bacteria growing at extremely high salt concentrations, In *Trends in Microbial ecology*, pp. 539-542, Edited by Guerrero, R. and Pedrós-Alio, C., Spanish Society for Microbiology.
- Oren, A.** (1999) Bioenergetic aspects of halophilism. *Microbiology and Molecular Biology Reviews* 63,334-348
- Oren, A.** (2002) Diversity of halophilic microorganisms: environments, phylogeny, physiology, and applications. *Journal of Industrial Microbiology & Biotechnology* 28,56-63
- Oren, A., Heldal, M., Norland, S. and Galinski, E.A.** (2002) Intracellular ion and organic solute concentrations of the extremely halophilic bacterium *Salinibacter ruber*. *Extremophiles* 6,491-498
- Oren, A., Paster, B.J. and Woese, C.R.** (1984) *Haloanaerobiaceae*: a new family of moderately halophilic obligately anaerobic bacteria. *Systematic and Applied Microbiology* 5,58-70
- Ortega, M.D. and Rodríguez-Navarro, A.** (1986) Sodium ion transport in *Neurospora crassa*. *Physiologia Plantarum*. 66,705-711
- Overkamp, K.M., Bakker, B.M., Kötter, P., van Tuijl, A., de Vries, S., van Dijken, J.P. and Pronk, J.T.** (2000) *In vivo* analysis of the mechanisms for oxidation of cytosolic NADH by *Saccharomyces cerevisiae* mitochondria. *Journal of Bacteriology* 182,2823-2830
- Overkamp, K.M., Bakker, B.M., Steensma, H.Y., van Dijken, J.P. and Pronk, J.T.** (2002b) Two mechanisms for oxidation of cytosolic NADPH by *Kluyveromyces lactis* mitochondria. *Yeast* 19,813-824
- Özcan, S. and Johnston, M.** (1999) Function and regulation of yeast hexoses transporters. *Microbiology and Molecular Biology Reviews* 63,554-569
- Özcan, S., Dover, J., Rosenwald, A., Wölfel, S. and Johnston, M.** (1996) Two glucose transporters in *Saccharomyces cerevisiae* are glucose sensors that generate a signal for induction of gene expression. *Proceedings of the National Academy of Sciences USA* 93,12428-12432
- Padan, E., Venturi, M., Gerchman, Y. and Dover, N.** (2001)  $\text{Na}^+/\text{H}^+$  antiporters. *Biochimica et Biophysica Acta* 1505,144-157

- Påhlman, A-K., Granath, K., Ansell, R., Hohmann, S. and Adler, L.** (2001a) The yeast glycerol 3-phosphatases Gpp1 and Gpp2 are required for glycerol biosynthesis and differentially involved in the cellular responses to osmotic, anaerobic and oxidative stress. *The Journal of Biological Chemistry* 276,3555-3563
- Påhlman, I-L., Gustafsson, L., Rigoulet, M. and Larsson, C.** (2001b) Cytosolic redox metabolism in aerobic chemostat cultures of *Saccharomyces cerevisiae*. *Yeast* 18,611-620
- Påhlman, I-L., Larsson, C., Averét, N., Bunoust, O., Boubekeur, S., Gustafsson, L. and Rigoulet, M.** (2002) Kinetic regulation of the mitochondrial glycerol-3-phosphate dehydrogenase by the external NADH dehydrogenase in *Saccharomyces cerevisiae*. *The Journal of Biological Chemistry* 277,27991-27995
- Pampulha, M.E. and Loureiro-Dias M.C.** (1989) Combined effect of acetic acid, pH and ethanol on intracellular pH on fermenting yeast. *Applied Microbiology and Biotechnology* 31, 547-550
- Pao, S.S., Paulsen, I.T. and Saier Jr., M.H.** (1998) Major facilitator superfamily. *Microbiology and Molecular Biology Reviews* 62,1-34
- Paravicini, G., Cooper, M., Friedli, L., Smith, D.J., Carpentier, J-L., Klig, L.S. and Payton, M.A.** (1992) The osmotic integrity of the yeast requires a functional *PKC1* gene product. *Molecular and Cell Biology* 12,4896-4905
- Pardo, J.M., Reddy, M.P., Yang, S., Maggio, A., Huh, G.H., Matsumoto, T., Coca, M.A., Paino-Dúrzo, M., Koiwa, H., Yun, D.J., Watad, A.A., Bressan, R.A. and Hasegawa, P.M.** (1998) Stress signaling through  $\text{Ca}^{2+}$ /calmodulin-dependent protein phosphatase calcineurin mediates salt adaptation in plants. *Proceedings of the National Academy of Sciences USA* 95,9681-9686
- Parekh, S.R., and Pandey, N.K.** (1985) Production of glycerol by *Hansenula anomala*. *Biotechnology Bioengineering* 22,1089-1091
- Park, S-Y., Seo, S.B., Lee, S-J., Na, J-G. and Kim, Y-J.** (2001) Mutation in *PMR1*, a  $\text{Ca}^{2+}$ -ATPase in Golgi, confers salt tolerance in *Saccharomyces cerevisiae* by inducing expression of *PMR2*, an  $\text{Na}^+$ -ATPase in plasma membrane. *The Journal of Biological Chemistry* 276,28694-28699
- Parrou, J.L., Teste, M-A. and François, J.** (1997) Effects of various types of stress on the metabolism of reserve carbohydrates in *Saccharomyces cerevisiae*: genetic evidence for a stress-induced recycling of glycogen and trehalose. *Microbiology* 143,1891-1900
- Passoth, V., Hann-Hägerdal, B. and Klinner, U.** (2003) Regulation of fermentation and respiration. In *Non-conventional yeasts in genetics, biochemistry and biotechnology*, pp. 235-240, Edited by Wolf, K., Breunig, K. and Barth, G., Springer-Verlag
- Paton, F.M., and Jennings, D.H.** (1988) Effect of sodium and potassium chloride and polyols on malate and glucose-6-phosphate dehydrogenases from the marine fungus *Dendryphiella salina*. *Transactions of the British Mycological Society* 91,205
- Paulsen, I.T., Sliwinski, M.K., Nelissen, B., Goffeau, A. and Saier Jr., M.H.** (1998) Unified inventory of established and putative transporters encoded within the complete genome of *Saccharomyces cerevisiae*. *FEBS Letters* 430,116-125
- Pavlik, P., Simon, M., Schuster, T. and Ruis, H.** (1993) The glycerol kinase (*GUT1*) gene of *Saccharomyces cerevisiae*: cloning and characterization. *Current Genetics* 24,21-25
- Peinado, J.M., Cameira-dos-Santos, P.J. and Loureiro-Dias, M.C.** (1989) Regulation of glucose transport in *Candida utilis*. *Journal of General Microbiology* 135,195-201
- Perfect, J.R., Rude, T.H., Wong, B., Flynn, T., Chaturvedi, V. and Niehaus, W.** (1996) Identification of a *Cryptococcus neoformans* gene that directs expression of the cryptic *Saccharomyces cerevisiae* mannitol dehydrogenase gene. *Journal of Bacteriology* 178,5257-5262
- Perfect, J.R., Wong, B., Chang, Y.C., Kwon-Chung, K.J. and Williamson, P.R.** (1998) *Cryptococcus neoformans*: virulence and host defenses. *Journal of Medical & Veterinary Mycology* 36,1-9
- Persson, B., Hallborn, J., Walfridsson, M., Hahn-Hagerdal, B., Keranen, S., Penttila, M. and Jornvall, H.** (1994) Dual relationships of xylitol and alcohol dehydrogenases in families of two protein types. *FEBS Letters* 324,9-14
- Pesti, M. and Novák, R.** (1984) Decreased permeability of glycerol in an ergosterol-less mutant of *Candida albicans*. *Acta Microbiologica Hungarica* 31,81-84
- Peterson, G.L.** (1977) A simplification of the protein assay method of Lowry *et al.* which is more generally applicable. *Analytical Biochemistry* 83,346-356

- Petit, T. and Gancedo, C.** (1999) Molecular cloning and characterization of the gene *HXK1* encoding the hexokinase from *Yarrowia lipolytica*. *Yeast* 15,1573-1584
- Petit, T., Blázquez, M.A. and Gancedo, C.** (1996) *Schizosaccharomyces pombe* possesses an unusual and a conventional hexokinase: biochemical and molecular characterization of both hexokinases. *FEBS Letters* 378,185-189
- Petit, T., Diderich, J.A., Kruckeberg, A.L., Gancedo, C. and Van Dam, K.** (2000) Hexokinase regulates kinetics of glucose transport and expression of genes encoding hexose transporters in *Saccharomyces cerevisiae*. *Journal of Bacteriology* 182,6815-6818
- Petrovic, U. and Plemenitas, A.** (2003) Determination of intra- and extracellular concentration of glycerol in the halophilic black yeast *Hortaea werneckii* grown at different environmental salinities. In *Non-conventional yeasts in genetics, biochemistry and biotechnology*, pp. 126-130, Edited by Wolf, K., Breunig, K. and Barth, G., Springer-Verlag
- Petrovic, U., Gunde-Cimermann, N. and Plemenitas, A.** (2002) Cellular responses to environmental salinity in the halophilic black yeast *Hortaea werneckii*. *Molecular Microbiology* 45,665-672
- Petroviv, U., Gunde-Cimerman, N. and Plemenitas, A.** (1999) Salt stress affects sterol biosynthesis in the halophilic black yeast *Hortaea werneckii*. *FEMS Microbiology Letters* 180,325-330
- Pfyffer, G.E. and Rast, D.M.** (1989) Accumulation of acyclic polyols and trehalose as related to growth form and carbohydrate source in the dimorphic fungi *Mucor rouxii* and *Candida albicans*. *Mycopathologia* 105,25-33
- Pfyffer, G.E., Boraschi-Gaia, C., Weber, B., Hoesch, L., Orpin, C.G., and Rast, D.M.** (1990) A further report on the occurrence of acyclic sugar alcohols in fungi. *Mycological Research* 94, 219
- Pfyffer, G.E., Pfyffer, B.U. and Rast, D.M.** (1986) The polyol pattern, chemotaxonomy, and phylogeny of the fungi. *Sydowia* 39,160
- Philips, J. and Herskowitz, I.** (1997) Osmotic balance regulates cell fusion during mating in *Saccharomyces cerevisiae*. *The Journal of Cell Biology* 138,961-974
- Pitt, J.I. and Hocking, A.D.** (1997) Fungi and food spoilage. 2<sup>nd</sup> Edition, Blackie Academic & Professional
- Pollard, A. and Wyn-Jones, R.G.** (1979) Enzyme activities in concentrated solutions of glycinebetaine and other solutes. *Planta* 144,291-295
- Posas, F. and Saito, H.** (1997) Osmotic activation of the HOG MAPK pathway via Ste11p MAPKKK: scaffold role of Pbs2p MAPKK. *Science* 276,1613-1756
- Posas, F., Camps, M. and Ariño, J.** (1995) The PPZ protein phosphatases are important determinants of salt tolerance in yeast cells. *Journal of Biological Chemistry* 270,13036-13041
- Posas, F., Chambers, J.R., Heyman, J.A., Hoeffler, J.P., Nadal, E. and Ariño, J.** (2000) The transcriptional response of yeast to saline stress. *The Journal of Biological Chemistry* 275,17249-17255
- Posas, F., Takekawa, M. and Saito, H.** (1998) Signal transduction by MAP kinase cascades in budding yeast. *Current Opinion in Microbiology* 1,175-182
- Postma, E., Kuiper, A., Tomasouw, W.F., Scheffers, W.A. and van Dijken, J.P.** (1989) Competition for glucose between the yeasts *Saccharomyces cerevisiae* and *Candida utilis*. *Applied and Environmental Microbiology* 55,3214-3220
- Postma, E., Verduyn, C., Scheffers, W.A. and van Dijken, J.P.** (1989a) Enzymic analysis of the crabtree effect in glucose-limited chemostat cultures of *Saccharomyces cerevisiae*. *Applied Environmental Microbiology* 55,468-477
- Postorino, P., Tromp, R.H., Ricci, M.A., Soper, A.K. and Nielson, G.W.** (1993) The interatomic structure of water at supercritical temperatures. *Nature* 366,668-670
- Prasad, R. and Höfer, M.** (1986) Tetraphenylphosphonium is an indicator of negative membrane potential in *Candida albicans*. *Biochimica et Biophysica Acta* 861,377-380
- Pressmann, B.C.** (1976) Biological applications of ionophores. *Annual Review in Biochemistry* 501-530
- Pretorius, I.S.** (2000) Tailoring wine yeasts for the new millennium: novel approaches to the ancient art of winemaking. *Yeast* 16,675-729
- Prior, C., Mamessier, P., Fukuhara, H., Chen, X.J. and Wésolowski-Louvel, M.** (1993) The hexokinase gene is required for transcriptional regulation of the glucose transporter gene *RAG1* in *Kluyveromyces lactis*. *Molecular and Cell Biology* 13,3882-3889
- Prior, C., Potier, S., Souciet, J-L. and Sychrová, H.** (1996) Characterization of the *NHA1* gene encoding a  $\text{Na}^+/\text{H}^+$ -antiporter of the yeast *Saccharomyces cerevisiae*. *FEBS Letters* 387,89-93

- Prista, C. and Madeira-Lopes, A.** (1995) Thermokinetic and energetic profiles of the yeast *Debaryomyces hansenii* in the presence of sodium chloride. *Biotechnology Letters* 17,1233-1236
- Prista, C., Almagro, A., Loureiro-Dias, M.C. and Ramos, J.** (1997) Physiological basis for the high salt tolerance of *Debaryomyces hansenii*. *Applied and Environmental Microbiology* 63,4005-4009
- Prista, C., Soeiro, A., Vesely, P., Almagro, A., Ramos, J. and Loureiro-Dias, M.C.** (2002) Genes from *Debaryomyces hansenii* increase salt tolerance in *Saccharomyces cerevisiae* W303. *FEMS Yeast Research* 2,151-157
- Pronk, J.T., Steensma, H.Y. and Dijken, J.P.V.** (1996) Pyruvate metabolism in *Saccharomyces cerevisiae*. *Yeast* 12,1607-1633
- Quain, D.E. and Boulton, C.A.** (1987) Growth and metabolism of mannitol by strains of *Saccharomyces cerevisiae*. *Journal of General Microbiology* 133,1675-1684
- Radler, F.** (1993) Yeasts-metabolism of organic acids. In *Wine Microbiology and Biotechnology*, Edited by Fleet, G.H., Harwood Academic Publishers
- Ramírez, J., Ramírez, O., Saldaña, C., Coria, R. and Peña, A.** (1998) A *Saccharomyces cerevisiae* mutant lacking a K<sup>+</sup>/H<sup>+</sup> exchanger. *Journal of Bacteriology* 180,5860-5865
- Ramos, J.** (1999) Contrasting salt tolerance mechanisms in *Saccharomyces cerevisiae* and *Debaryomyces hansenii*. *Recent Research in Developmental Microbiology* 3,377-390
- Ramos, J., Contreras, P. and Rodríguez-Navarro, A.** (1985) A potassium transport mutant of *Saccharomyces cerevisiae*. *Archives of Microbiology* 143,88-93
- Ramos, J., Haro, R. and Rodríguez-Navarro, A.** (1990) Regulation of potassium fluxes in *Saccharomyces cerevisiae*. *Biochimica et Biophysica Acta* 1029,211-217
- Ramos, S., Balbín, M., Raposo, M., Valle, E. and Pardo, L.A.** (1989) The mechanism of intracellular acidification induced by glucose in *Saccharomyces cerevisiae*. *Journal of General Microbiology* 135,2413-2422
- Randez-Gil, F., Sanz, P and Prieto, J.A.** (1999) Engineering baker's yeasts: room for improvement. *Trends in Biotechnology* 17,237-244
- Redkar, R.J., Locy, R.D. and Singh, N.K.** (1995) Biosynthetic pathways of glycerol accumulation under stress in *Aspergillus nidulans*. *Experimental Mycology* 19,241-246
- Reed, R.H.** (1984) Use and abuse of osmo-terminology. *Plant Cell Envelope* 7,165-170
- Reed, R.H., Chudeck, J.A., Foster, R. and Gadd, G.M.** (1987) Osmotic significance of glycerol accumulation in exponentially growing yeasts. *Applied and Environmental Microbiology* 53, 2119-2123
- Rehm, H-J.** (1981) Microbial production of glycerol and other polyols. In "Biotechnology", pp. 51-69 Edited by Rehm, H-J. and Reed, G., Vol 6b, Verlag Chemie, Weinheim, Germany
- Reid, M.F. and Fewson, C.A.** (1994) Molecular characterization of microbial alcohol dehydrogenases. *Critical Reviews in Microbiology* 20,13-56
- Reifenberger, E., Boles, E. and Ciriacy, M.** (1997) Kinetic characterization of individual hexose transporters of *Saccharomyces cerevisiae* and their relation to the triggering mechanisms of glucose repression. *European Journal of Biochemistry* 245,324-333
- Reizer, J., Reizer, A. and Saier, M.H. Jr.** (1994) A functional superfamily of sodium/solute symporters. *Biochimica et Biophysica Acta* 1197,133-166
- Remize, Andrieu, E. and Dequin, S.** (2000) Engineering of the pyruvate dehydrogenase bypass in *Saccharomyces cerevisiae*: role of the cytosolic Mg<sup>2+</sup> and mitochondrial K<sup>+</sup> acetaldehyde dehydrogenases Ald6p and Ald4p in acetate formation during alcoholic fermentation. *Applied and Environmental Microbiology* 66,3151-3159
- Remize, F., Roustan, J.L., Sablayrolles, J.M., Barre, P. and Dequin, S.** (1999) Glycerol overproduction by engineered *Saccharomyces cerevisiae* wine yeast strains leads to substantial changes in by-product formation and to a stimulation of fermentation rate in stationary phase. *Applied and Environmental Microbiology* 65,143-149
- Rep M., Krantz M., Thevelein J.M. and Hohmann, S.** (2000) The transcriptional response of *Saccharomyces cerevisiae* to osmotic shock. *The Journal of Biological Chemistry* 275,8290-8300
- Rep, M., Albertyn, J., Thevelein, J.M., Prior, B.A. and Hohmann, S.** (1999) Different signalling pathways contribute to the control of *GPD1* gene expression by osmotic stress in *Saccharomyces cerevisiae*. *Microbiology* 145,715-727

- Rep, M., Reiser, V., Gartner, U., Thevelein, J.M., Hohmann, S., Ammerer, G. and Ruis, H.** (1999) Osmotic stress-induced gene expression in *Saccharomyces cerevisiae* requires Msn1p and the novel nuclear factor Hot1p. *Molecular and Cellular Biology* 19,5474-5485
- Restaino, S.B.L. and Lenovich, L.M.** (1982) Growth response of an osmotolerant sorbate-resistant yeast, *Saccharomyces rouxii* at different sucrose and sorbate levels. *Journal of Food Protection* 45,1120-1124
- Roberts, M.F.** (2004) Osmoadaptation and osmoregulation in archaea, update 2004. *Frontiers in Bioscience* 1-23
- Roberts, S.K.** (2003) TOK homologue in *Neurospora crassa*: first cloning and functional characterization of an ion channel in a filamentous fungus. *Eukaryotic Cell* 2,181-190
- Roberts, S.K., Fischer, M., Dixon, G.K. and Sanders, D.** (1999) Divalent cation block of inward currents and low-affinity K<sup>+</sup> uptake in *Saccharomyces cerevisiae*. *Journal of Bacteriology* 181,291-297
- Rodrigues, F., Sousa, M.J., Côrte-Real, M. and Leão, C.** (2003) *Zygosaccharomyces bailii*: a yeast with a peculiar pattern for the regulation of acetic acid metabolism in the presence of glucose. In *Non-conventional yeasts in genetics, biochemistry and biotechnology*, pp. 409-416, Edited by Wolf, K., Breunig, K. and Barth, G., Springer-Verlag
- Rodríguez-Navarro, A.** (1971) Inhibition by sodium and lithium in osmophilic yeasts. *Antonie van Leeuwenhoek* 37,225-231
- Rodríguez-Navarro, A.** (2000) Potassium transport in fungi and plants. *Biochimica et Biophysica Acta* 1469,1-30
- Rodríguez-Navarro, A. and Ortega, M.D.** (1982) The mechanism of sodium efflux in yeast. *FEBS Letters* 138,205-208
- Rodríguez-Navarro, A. and Ramos, J.** (1984) Dual System for potassium transport in *Saccharomyces cerevisiae*. *Journal of Bacteriology* 159,940-945
- Rodríguez-Navarro, A., Blatt, M.R. and Slayman, C.L.** (1986) A potassium-proton symport in *Neurospora crassa*. *Journal of General Physiology* 87,649-674
- Rodríguez-Navarro, A., Quintero, F.J. and Garcíadeblás, B.** (1994) Na<sup>+</sup>-ATPases and Na<sup>+</sup>/H<sup>+</sup> antiporters in fungi. *Biochimica et Biophysica Acta* 1187,203-205
- Roeßler, M. and Müller, V.V.** (1998) Quantitative and physiological analyses of chloride dependence of growth of *Halobacillus halophilus*. *Applied and Environmental Microbiology* 64,3813-3817
- Roeßler, M. and Müller, V.V.** (2001) Osmoadaptation in bacteria and archaea: common principles and differences. *Environmental Microbiology* 3,743-754
- Roeßler, M. and Müller, V.V.** (2002) Chloride, a new environmental signal molecule involved in gene regulation in a moderately halophilic bacterium, *Halobacillus halophilus*. *Journal of Bacteriology* 184,6207-6215
- Röling, W.F.M., Timotius, A.B., Stouthamer, A.H. and van Verseveld, H.W.** (1994b) Physical factors influencing microbial interactions and biochemical changes during the baceman stage of traditional Indonesian Kecap (soy sauce) production. *Journal of Fermentation and Bioengineering* 77,293-300
- Röling, W.F.M., Timotius, K.H., Prasetyo, A.B., Stouthamer, A.H. and van Verseveld, H.W.** (1994a) Changes in microflora and biochemical composition during the baceman stage of traditional Indonesian Kecap (soy sauce) production. *Journal of Fermentation and Bioengineering* 77,62-70
- Rønnow, B. and Kielland-Brandt, M.C.** (1993) GUT2, a gene for mitochondrial glycerol-3-phosphate dehydrogenase of *Saccharomyces cerevisiae*. *Yeast* 9,1121-1130
- Rosas, G., Gómez, F. and Peña, A.** (1994) Effect of potassium on amino acid transport in yeast. *Biochimica et Biophysica Acta* 1195,223-228
- Rose, A.H. and Harrison, J.S.** (1989) Solute transport. In *Metabolism and physiology of yeasts*, pp. 5-55, Edited by Cartwright, C.P., Rose, A.H., Calderbank, J. and Keenan, M.H.J., Vol 3, Academic Press
- Roth, J.A., Rivett, A.J. and Renskers, K.J.** (1982) Sulfate metabolism and sulfate conjugation. pp. 107-114, Edited by mulder, G.Y., Coldwell, J., van Kempen, G.M.J. and Vonk, R.J., Taylor and Francis, London, England
- Rothe, M. and Höfer, M.** (1994) K<sup>+</sup>-fluxes and growth of *Schizosaccharomyces pombe* at various external K<sup>+</sup>-concentrations. *Folia Microbiologica* 543-545
- Rottenberg, H.** (1979) The measurement of membrane potential and ΔpH in cells, organelles, and vesicles. *Methods in Enzymology vol LV* 55,547-569
- Royt, P.W.** (1983) Assymmetry of glucose transport in the yeast *Kluyveromyces lactis*. *Biochimica et Biophysica Acta* 728,363-370

- Rubin, G.M., Yandell, M.D., Wortman, J.R., Gabor, M.G.L., Nelson, C.R., Hariharan, I.K., Fortini, M.E., Li, P.W., et al.** (2000) Comparative genomics of the eukaryotes. *Science* 287,2204-2215
- Rubio, F., Schwarz, M., Gassmann, W. and Schroeder, J.I.** (1999) Genetic selection of mutations in the high affinity K<sup>+</sup> transporter HKT1 that define functions of a loop site for reduced Na<sup>+</sup> permeability and increased Na<sup>+</sup> tolerance. *The Journal of Biological Chemistry* 274,6839-6847
- Ruffner, H.P., Rast, D., Tobler, H. and Karesch, H.** (1978) *Phytochemistry* 17,865- Cited in Blomberg and Adler, 1992.
- Ruijter, G.J., Bax, M., Patel, H., Flitter, S.J., van de Vondervoort, P.J., de Vries, R.P., van Kuyk, P.A and Visser, J.** (2003) Mannitol is required for stress tolerance in *Aspergillus niger* conidiospores. *Eukaryotic Cell* 2,690-698
- Ruis, H. and Schüller, C.** (1995) Stress signaling in yeast. *BioEssays* 17,959-965
- Ruiz, A., Yenush, L. and Ariño, J.** (2003) Regulation of ENA1 Na<sup>(+)</sup>-ATPase gene expression by the Ppz1 protein phosphatase is mediated by the calcineurin pathway. *Eukaryotic Cell* 2,937-948
- Rupes, I.** (2002) Checking cell size in yeast. *Trends in Genetics* 18,479-485
- Rusnak, F. and Mertz, P.** (2000) Calcineurin: form and function. *Physiology Reviews* 80,1483-1521
- Russel, N.J., Evans, R.I., ter Steeg, P.F., Hellermans, J., Verheul, A. and Abee, T.** (1995). Membranes as a target for stress adaptation. *International Journal of Food Microbiology* 28,255-261
- Russel, P. and Hall, B.D.** (1983) The primary structure of the alcohol dehydrogenase gene from the fission yeast *Schizosaccharomyces pombe*. *Journal of Biological Chemistry* 258, 143-149
- Sáez, M.J. and Lagunas, R.** (1976) Determination of intermediary metabolites in yeast. Critical examination of the effect of sampling conditions and recommendations for obtaining true levels. *Molecular and Cell Biochemistry* 13,73-78
- Saier, M. Jr.** (2000) Families of transmembrane sugar transport proteins. *Molecular Microbiology* 35,699-710
- Salhany, J.M., Yamane, T., Shulman, R.G. and Ogawa, S.** (1975) High resolution <sup>31</sup>P nuclear magnetic resonance studies of intact yeast cells. *Proceedings of the National Academy of Sciences USA* 72,4966-4970
- Saliola, M., Bellardi, S., Marta, I. and Falcone, C.** (1994) Glucose metabolism and ethanol production in *adh* multiple and null mutants of *Kluyveromyces lactis*. *Yeast* 10,1133-1140
- Saliola, M., Gonnella, R., Mazzoni, C. and Falcone, C.** (1991) Two genes encoding putative mitochondrial alcohol dehydrogenases are present in the yeast *Kluyveromyces lactis*. *Yeast* 7,391-400
- Saliola, M., Shuster, J.R. and Falcone, C.** (1990) The alcohol dehydrogenase system in the yeast *Kluyveromyces lactis*. *Yeast* 6,193-204
- Sano, F., Asakawa, N., Inoue, Y. and Sakurai, M.** (1999) A dual role for intracellular trehalose in the resistance of yeast cells to water stress. *Cryobiology* 39,80-87
- Schachtman, D. and Liu, W.** (1999) Molecular pieces to the puzzle of the interaction between potassium and sodium uptake in plants. *Trends in Plant Science Reviews* 4,281-287
- Scheffers, W.A.** (1987) Alcoholic fermentation. *Studies in Mycology* 30,321-332
- Scher, B.M. and Horecker, B.L.** (1966) Pentose metabolism in *Candida* III. The triphosphopyridine nucleotide specific polyol dehydrogenase of *Candida utilis*. *Archives in Biochemistry and Biophysics* 116-117
- Schmatz, D.M.** (1997) The mannitol cycle in *Eimeria*. *Parasitology* 114S,S81-S89
- Schmatz, D.M., Baginsky, W.F. and Turner, M.J.** (1989) Evidence for and characterization of a mannitol cycle in *Eimeria tenella*. *Molecular Biochemistry in Parasitology* 32,263-270
- Schüller, C., Brewster, J.L., Alexander, M.R., Gustin, M.C. and Ruis, H.** (1994) The HOG pathway controls osmotic regulation of transcription via the stress response element (STRE) of *Saccharomyces cerevisiae* CTT1 gene. *The EMBO Journal* 13,4382-4389
- Schuurink, R., Busink, R., Hondmann, D.H.A., Witteveen, C.F.B. and Visser, J.** (1990) Purification and properties of NADP<sup>+</sup>-dependent glycerol dehydrogenases from *Aspergillus nidulans* and *A. niger*. *Journal of General Microbiology* 136,1043-1050
- Schuurmans Stekhoven, F.M.A.H.** (1966) Studies on yeast mitochondria. I. Existence of three phosphorylation sites along the respiratory chain of isolated yeast mitochondria. *Archives in Biochemistry and Biophysics* 115,555-568

- Schwappach, B., Stobrawa, S., Hechenberger, M., Steinmeyer, K. and Jentsch, T.J.** (1998) Golgi localization and functionally important domains in the NH<sub>2</sub> and COOH terminus of the yeast CLC putative chloride channel Gef1p. *Journal of Biological Chemistry* 273,15110-15118
- Schwencke, J., Farias, G. and Rojas, M.** (1971) The release of extracellular enzymes from yeast by osmotic shock. *European Journal of Biochemistry* 21,137-143
- Sengar, A.S., Markley, N.A., Marini, N.J. and Young, D.** (1997) Mkh1, a MEK kinase required for cell wall integrity and proper response to osmotic and temperature stress in *Schizosaccharomyces pombe*. *Molecular and Cellular Biology* 17,3508-3519
- Sentenac, H., Bonneaud, N., Minet, M., Lacroote, F., salmon, J-M., Gaynard, F. and Grignon, C.** (1992) Cloning and expression in yeast of a plant potassium ion transport system. *Science* 256,663-665
- Serrano, R.** (1978) Characterization of the plasma membrane ATPase of *Saccharomyces cerevisiae*. *Molecular Cellular Biochemistry* 22,51-62
- Serrano, R.** (1980) Effect of ATPase inhibitors on the proton pump of respiratory-deficient yeast. *European Journal of Biochemistry* 105,419-424
- Serrano, R.** (1983) *In vivo* glucose activation of the yeast plasma membrane ATPase. *FEBS Letters* 156,11-14
- Serrano, R.** (1989) Structure and function of the plasma membrane ATPase. *Annual Reviews of Plant Molecular Biology* 40,61-94
- Serrano, R.** (1991) Transport across yeast vacuolar and plasma membrane. In *The molecular and cellular biology of the yeast Saccharomyces; genome dynamics, protein synthesis and energetics*. Edited by Jones, E.W. and Broach, J.R., pp. 523-585, Cold Spring Harbor Laboratory Press, Cold Spring Harbor, New York, USA
- Serrano, R.** (1993) Structure, function and regulation of plasma membrane H<sup>+</sup>-ATPase. *FEBS Letters* 325,108-111
- Serrano, R.** (1994) Yeast halotolerance genes, crucial ion transport and metabolic reactions in salt tolerance. *NATO ASI Series Biochemical and Cellular Mechanisms of Stress Tolerance in Plants* 86,371-379
- Serrano, R.** (1996) Salt tolerance in plants and microorganisms, toxicity targets and defense responses. *International Review of Cytology* 165,1-52
- Serrano, R. and Rodríguez-Navarro, A.** (2001) Ion homeostasis during salt stress in plants. *Current Opinion in Cell Biology* 13,399-404
- Serrano, R., Kielland-Brandt, M. and Fink, G.R.** (1986) Yeast plasma membrane ATPase is essential for growth and has homology with (Na<sup>+</sup> + K<sup>+</sup>), K<sup>+</sup>- and Ca<sup>2+</sup> ATPases. *Nature* 319,689-693
- Serrano, R., Márquez, J.A. and Ríos, G.** (1997) Crucial factors in salt stress tolerance. In *Yeast stress responses*, pp. 147-169, Edited by Hohmann, S. and Mager, W.H., Molecular Biology Intelligence Unit R.G., Springer, Landes Bioscience Company, Austin, Texas, U.S.A.
- Serrano, R., Mulet, J.M., Ríos, G., Marquez, J.A., De, L.I.F., Leube, M.P., Mendizabal, I., Pascual, A.A., Proft, M., Ros, R. and Montesinos, C.** (1999) A glimpse of the mechanisms of ion homeostasis during salt stress. *Journal of Experiencia Botanica* 50,1023-1036
- Sharma, S.C.** (1997) A possible role of trehalose in osmotolerance and ethanol tolerance in *Saccharomyces cerevisiae*. *FEMS Microbiology Letters* 152,11-15
- Shen, B., Jensen, R.G. and Bohnert, H.J.** (1997) Increased resistance to oxidative stress in transgenic plants by targeting mannitol biosynthesis to chloroplasts. *Plant Physiology* 113,1177-1183
- Shen, B., Hohmann, S., Jensen, R.G. and Bohnert, H.J.** (1999) Roles of sugars alcohols in osmotic stress adaptation. Replacement of glycerol by mannitol and sorbitol in yeast. *Plant Physiology* 121,45-52
- Shere, S.M. and Jacobson, L.** (1970) *Physiologia Plantarum* 23,51- Cited in Blomberg and Adler, 1992.
- Sibirny, A.A.** (1996) *Pichia guilliermondii*. In *Nonconventional yeasts in biotechnology*, pp. 255-275, Edited by Wolf, K., Springer-Verlag
- Siderius, M., Kolen, C.P.A.M., Heerikhuizen, H. and Mager, W.H.** (2000) Candidate osmosensors from *Candida utilis* and *Kluyveromyces lactis*, structural and functional homology to the Sholp putative osmosensor from *Saccharomyces cerevisiae*. *Biochimica et Biophysica Acta* 1517,143-147
- Siderius, M., Rots, E. and Mager, W.H.** (1997) High-osmolarity signalling in *Saccharomyces cerevisiae* is modulated in a carbon-source dependent fashion. *Microbiology* 143,3241-3250

- Siderius, M., van Wustswinkel, O., Reijenga, K.A., Kelders, M. and Mager, W.H.** (2000) The control of intracellular glycerol in *Saccharomyces cerevisiae* influences osmotic stress response and resistance to increase temperature. *Molecular Microbiology* 36,1381-1390
- Silva-Graça, M. and Lucas, C.** (2003) Physiological studies on long-term adaptation to salt stress in the extremely halotolerant yeast *Candida versatilis* CBS 4019 (*syn. C. halophila*). *FEMS Yeast Research* 3,247-260
- Silva-Graça, M., Neves, L. and Lucas, C.** (2003) Outlines for the definition of halotolerance/halophilicity in yeasts: *Candida versatilis* (*halophila*) CBS 4019 as the archetype? *FEMS Yeast Research* 3,347-362
- Singh, K.K. and Norton, R.S.** (1991) Metabolic changes induced during adaptation of *Saccharomyces cerevisiae* to water stress. *Archives of Microbiology* 156,38-42
- Singh, M., Scrutton, N.S. and Scrutton, M.C.** (1988) NADPH generation in *Aspergillus nidulans*: is the mannitol cycle involved. *Journal of General Microbiology* 134,643-654
- Slaninová, I., Sesták, S., Svoboda, A. and Farkas, V.** (2000) Cell wall and cytoskeleton reorganization as the response to hyperosmotic shock in *Saccharomyces cerevisiae*. *Archives of Microbiology* 173,245-252
- Sleator, R.D. and Hill, C.** (2001) Bacterial osmoadaptation: the role of osmolytes in bacterial stress and virulence. *FEMS Microbiology Reviews* 26,49-71
- Small, W.C. and McAlister-Henn, L.** (1998) Identification of a cytosolically directed NADH dehydrogenase in mitochondria of *Saccharomyces cerevisiae*. *Journal of Bacteriology* 180,4051-4055
- Smirnoff, N. and Cumbes, Q.J.** (1989) Hydroxyl radical scavenging activity of compatible solutes. *Phytochemistry* 28,1057-1060
- Soldatenkov, V.A., Velasco, J.A., Avila, M.A., Dritschilo, A. and Notario, V.** (1995) Isolation and characterization of *SpTRK*, a gene from *Schizosaccharomyces pombe* predicted to encode a K<sup>+</sup> transporter protein. *Gene* 161,97-101
- Soong, T-W., Yong, T-F., Ramanan, N. and Wang, Y.** (2000) The *Candida albicans* antiporter gene *CNH1* has a role in Na<sup>+</sup> and H<sup>+</sup> transport, salt tolerance, and morphogenesis. *Microbiology* 146,1035-1044
- Soto, T., Vicente-Soler, J., Cansado, J. and Gacto, M.** (2003) Heat-shock-induced activation of trehalase in the yeast *Zygosaccharomyces rouxii*. In *Non-conventional yeasts in genetics, biochemistry and biotechnology*, pp. 429-433, Edited by Wolf, K., Breunig, K. and Barth, G., Springer-Verlag
- Spencer, J.F., Ragout de Spencer, A.L. and Laluce, C.** (2002) Non-conventional yeasts. *Applied Microbiology and Biotechnology* 58,147-156
- Spencer, J.F.T. and Sallans, H.R.** (1956) Production of polyhydric alcohols by osmophilic yeasts. *Canadian Journal of Microbiology* 2,72-79
- Spencer, J.F.T. and Spencer, D.M.** (1996) Maintenance and culture of yeasts. In *Methods in molecular biology*, pp. 5-16, Edited by Evans, I.H., Vol 53: Yeast protocols, Humana Press, Totowa, New Jersey, USA
- Spencer, J.F.T. and Spencer, D.M.** (1997) Ecology: where yeasts live. In *Yeasts in natural and artificial habitats*, pp. 33-58, Edited by Spencer, J.F.T. and Spencer, D.M., Springer-Verlag, Berlin, Germany
- Spencer-Martins, I. and van Uden, N.** (1985) Inactivation of active glucose transport in *Candida wickerhamii* is triggered by exocellular glucose. *FEMS Microbiology Letters* 28,277-279
- Speth, J.L. and Niederpruem, D.J.** (1976) Enzyme activities associated with arabitol and mannitol biosynthesis and catabolism in *Schizophyllum commune*. *Archives of Microbiology* 107,81-86
- Sprague, G.F. and Cronan, J.E.** (1977) Isolation and characterization of *Saccharomyces cerevisiae* mutants defective in glycerol catabolism. *Journal of Bacteriology* 129,1335-1342
- Sprott, G.D. and Jarrel, K.F.** (1981) K<sup>+</sup>, Na<sup>+</sup>, and Mg<sup>2+</sup> content and permeability of *Methanospirillum hugatei* and *Methanobacterium thermoautotrophicum*. *Canadian Journal of Microbiology* 27,444-451
- Stambuk, B.U., Panek, A.D., Crowe, J.H., Crowe, L.M. and Araujo, P.S.** (1998) Expression of high-affinity trehalose-H<sup>+</sup> symport in *Saccharomyces cerevisiae*. *Biochimica et Biophysica Acta* 1379,118-128
- Stankovic, L., Bilik, V. and Matulova, M.** (1989) Production of D-mannitol from D-aldopentoses by the yeast *Rhodotorula minuta*. *Folia Microbiologica (Prague)* 34,511-514.
- Stein, W.D.** (1986) Transport and diffusion across cell membranes. Academic Press, London, England

- Steinkraus, K.H., Ayres, R., Olek, A. and Farr, D.** (1985) Factors influencing permeability of the cell membrane of the osmotolerant yeast *Saccharomyces rouxii* grown in the presence and absence of 18% NaCl. I.  $\text{Na}^+/\text{K}^+$ -activated  $\text{Mg}^{2+}$ -dependent ATPase. *International Journal of Food Microbiology* 1,291-299
- Sterflinger, K.** (1998) Temperature and NaCl-tolerance of rock-inhabiting meristematic fungi. *Antonie van Leeuwenhoek* 74,271-281
- Stoop, J.M. and Mooibroek, H.** (1998) Cloning and characterization of NADP-mannitol dehydrogenase cDNA from the button Mushroom, *Agaricus bisporus*, and its expression in response to NaCl stress. *Applied and Environmental Microbiology* 64,4689-4696
- Stoop, J.M.H., Williamson, J.D. and Pharr, D.M.** (1996) Mannitol metabolism in plants: a method for coping with stress. *Trends in Plant Sciences* 1,139-144
- Strandberg, G.W.** (1969) D-mannitol metabolism by *Aspergillus candidus*. *Journal of Bacteriology* 97,1305-1309
- Stratford, M.** (1994) Another brick in the wall? Recent developments concerning the yeast cell envelope. *Yeast* 10,1741-1752
- Streekrishna, K. and Kropp, K.E.** (1996) *Pichia pastoris*. In *Nonconventional yeasts in biotechnology*, pp. 203-253, Edited by Wolf, K., Springer-Verlag
- Stueland, C.S., Gorden, K. and LaPorte, D.C.** (1988) The isocitrate dehydrogenase phosphorylation cycle-identification of the primary rate-limiting step. *Journal of Biological Chemistry* 263,19475-19479
- Suezawa, Y.** (1995) Bioconversions of ferrulic acid and p-coumaric acid to volatile phenols by halotolerant yeasts. *Nippon Nogeikagaku Kaishi* 69,1587-1596
- Supply, P., Wach, A. and Goffeau, A.** (1993) Enzymatic properties of the PMA2 plasma membrane-bound  $\text{H}^+$ -ATPase of *Saccharomyces cerevisiae*. *Journal of Biological Chemistry* 268,19753-19759
- Sussman, I. and Avron, M.** (1981) Characterization and partial purification of DL-glycerol-1-phosphatase from *Dunaliella salina*. *Biochimica et Biophysica Acta* 661,199-204
- Sutherland, F.C.W., Lages, F., Lucas, C., Luyten, K., Albertyn, J., Hohmann, S., Prior, B.A. and Kilian, S.G.** (1997) Characteristics of Fps1-dependent and independent glycerol transport in *Saccharomyces cerevisiae*. *Journal of Bacteriology* 179,7790-7795
- Suvarna, K., Bartiss, A. and Wong, B.** (2000) Mannitol-1-phosphate dehydrogenase from *Cryptococcus neoformans* is a zinc-containing long-chain alcohol/polyol dehydrogenase. *Microbiology* 146,2705-2713
- Suzuki, T. and Onishi, H.** (1975) *Agricultural and Biological Chemistry* 39,2389
- Swan, T.M. and Watson, K.** (1997) Membrane fatty acid composition and membrane fluidity as parameters of stress tolerance in yeast. *Canadian Journal of Microbiology* 43,70-77
- Swiecilo, A., Krawiec, Z., Waryn, J., Bartosz, G. and Bilinski, T.** (2000) Effect of stress on the life span of the yeast *Saccharomyces cerevisiae*. *Acta Biochimica Polonica* 47,355-364
- Sychrová, H.** (2004) Yeast as a model organism to study transport and homeostasis of alkali metal cations. *Physiological Research* 53,91-98
- Sychrová, H., Ramírez, J. and Peña, A.** (1999) Involvement of Nha1 antiporter in regulation of intracellular pH in *Saccharomyces cerevisiae*. *FEMS Microbiology Letters* 171,167-172
- Takashina, T., Otozati, K., Hamamoto, T. and Horikoshi, K.** (1994) Isolation of halophilic and halotolerant bacteria from a Japanese salt field and comparison of the parcial 16S-rRNA gene sequences of an extremely halophilic isolated with those of other extreme halophiles. *Biodiversity and Conservation* 3,632-642
- Tamaki, N. and Hama, T.** (1982) Aldehyde dehydrogenase from bakers' yeast. In *Methods in Enzymology*, pp. 469-473, Edited by Wood, W.A., Vol 89, Academic Press, New York, USA
- Tamás, M.J., Luyten, K., Sutherland, C., Hernadez, A., Albertyn, J., Valadi, H., Li, H. Prior, B.A., Killian, S., Ramos, J., Gustafsson, L., Thevelein, J.M. and Hohmann, S.** (1999) Fps1p controls the accumulation and the release of the compatible solute glycerol in yeast osmoregulation. *Molecular Microbiology* 31,1087-1104
- Tamás, M.J., Rep, M., Thevelein, J.M. and Hohmann, S.** (2000) Stimulation of the yeast high osmolarity glycerol (HOG) pathway: evidence for a signal generated by a change in turgor rather than by water stress. *FEBS Letters* 472,159-165
- Tarczynski, M.C., Jensen, R.G. and Bohnert, H.J.** (1992) Expression of a bacterial *mtlD* gene in transgenic tobacco leads to production and accumulation of mannitol. *Proceedings of the National Academy of Sciences USA* 89,2600-2604

- Tester, M. and Davenport, R.** (2003)  $\text{Na}^+$  tolerance and  $\text{Na}^+$  transport in higher plants. *Annals of Botany* (London) 91,503-527
- Teusink, B.** (1999) Exposing a complex metabolic system: glycolysis in *Saccharomyces cerevisiae*. PhD Thesis, Amsterdam University, Amsterdam, Germany
- Teusink, B., Diderich, J.A., Westerhoff, H.V., van Dam, K. and Walsh, M.C.** (1998) Intracellular glucose concentration in derepressed yeast cells consuming glucose is high enough to reduce the glucose transport rate by 50%. *Journal of Bacteriology* 180,556-562
- Thevelein, J.M.** (1996) Regulation of trehalose metabolism and its relevance to cell growth and function, pp. 395-414 in *The Mycota* Edited by Brambl R. and Marzluf, G.a., Vol 3, Springer Verlag Heidelberg
- Thevelein, J.M. and Hohman, S.** (1995) Trehalose synthase: guard to the gate of glycolysis in yeast. *TIBS* 20,3-10
- Thomas D.S., and Davenport, R.R.** (1985) *Zygosaccharomyces bailii* - a profile of characteristics and spoilage activities. *Food Microbiology* 2,157-169
- Thomas, D., Cherest, H. and Surdin-Kerjan, Y.** (1991) Identification of the structural gene for glucose-6-phosphate dehydrogenase in yeast. Inactivation leads to a nutritional requirement for organic sulfur. *EMBO Journal* 10,547-553
- Thomé, P.E. and Trench, R.K.** (1999) Osmoregulation and the genetic induction of glycerol-3-phosphate dehydrogenase by NaCl in the euryhaline yeast *Debaryomyces hansenii*. *Marine Biotechnology* 1,230-238
- Thomé-Ortiz, P.E.** (2003) Induction of GPD from the halotolerant yeast *Debaryomyces hansenii* by salt stress. In *Non-conventional yeasts in genetics, biochemistry and biotechnology*, pp. 59-63, Edited by Wolf, K., Breunig, K. and Barth, G., Springer-Verlag
- Thomé-Ortiz, P.E.** (2004) Isolation of a *GPD* gene from *Debaryomyces hansenii* encoding a glycerol 3-phosphate ( $\text{NAD}^+$ ). *Yeast* 21,119-126
- Thomé-Ortiz, P.E., Peña, A. and Ramírez, J.** (1998) Monovalent cation fluxes and physiological changes of *Debaryomyces hansenii* grown at high concentrations of KCl and NaCl. *Yeast* 14,1355-1371
- Tokuoka, K.** (1993) Sugar and salt-tolerant yeasts. *Journal of Applied Bacteriology* 74,101-110
- Tokuoka, K. and Ishitani, T.** (1991) Minimum water activities for the growth of yeasts isolated from high-sugar foods. *Journal of General Applied Microbiology* 37,111-119
- Tomita, M., Iwata, S. and Yamamoto S.** (1996) Alteration in cell wall chitin of *Zygosaccharomyces rouxii*. *Journal of Fermentation and Bioengineering* 81,171-173
- Trail, F. and Xu, H.** (2002) Purification and characterization of mannitol dehydrogenase and identification of the corresponding cDNA from the head blight fungus, *Gibberella zeae* (*Fusarium graminearum*). *Phytochemistry* 61,791-796
- Troler, J. A. and Christian, J.H. B.** (1978) Water activity and food. Food Science and Technology, Academic Press
- Trollmo, C., André, L., Blomberg, A. and Adler, L.** (1988) Physiological overlap between osmotolerance and thermotolerance in *Saccharomyces cerevisiae*. *FEMS Microbiology Letters* 56,321-326
- Tromp, R.H., Nielson, G.W. and Soper, A.K.** (1992) *Journal of Chemical and Physics* 96,8460-8469
- Tsai, C.S. and Chen, Q.** (1998) Purification and kinetic characterization of hexokinase and glucose-6-phosphate dehydrogenase from *Schizosaccharomyces pombe*. *Biochemical Cell Biology* 76,107-113
- Tsujimoto, Y., Izawa, S. and Inoue, Y.** (2000) Cooperative regulation of *DOG2*, encoding 2-deoxyglucose-6-phosphate phosphatase, by Snf1 kinase and the high-osmolarity glycerol-mitogen-activated protein kinase cascade in stress responses of *Saccharomyces cerevisiae*. *Journal of Bacteriology* 182,5121-5126
- Tunblad-Johansson, I. and Adler, L.** (1987) Effects of sodium chloride concentration on phospholipid fatty acid composition of yeasts differing in osmotolerance. *FEMS Microbiology Letters* 43,275-278
- Tunblad-Johansson, I., Andre, L. and Adler, L.** (1987) The sterol and phospholipid composition of the salt-tolerant yeast *Debaryomyces hansenii* grown at various concentrations of NaCl. *Biochimica et Biophysica Acta* 921,116-123
- Turk, M. and Plemenitas, A.** (2002) The HOG pathway in the halophilic black yeast *Hortaea werneckii*: isolation of the *HOG1* homolog gene and activation of HwHog1p. *FEMS Microbiology Letters* 216,193-199
- Turk, M., Méjanelle, L., Sentjurc, M., Grimalt, J.O., Gunde-Cimerman, N. and Plemenitas, A.** (2004) Salt-induced changes in lipid composition and membrane fluidity of halophilic yeast-like melanized fungi. *Extremophiles* 8,53-61

- Türkel, S.** (1999) Hyperosmotic stress represses the transcription of *HXT2* and *HXT4* genes in *Saccharomyces cerevisiae* *Folia Microbiologica* 44,372-376
- Ueng, S. T-H and McGuinness, E.T.** (1977) D-mannitol dehydrogenase from *Absidia glauca*. Steady-state kinetic properties and the inhibitory role of mannitol 1-phosphate. *Biochemistry* 16,107-111
- Ueng, S.T.-H., Hartanowicz, P., Lewandoski, C., Keller, J., Holick, M. and McGuinness, E.T.** (1976) D-mannitol dehydrogenase from *Absidia glauca*. Purification, metabolic role, and subunit interactions. *Biochemistry* 15,1743-1749
- Uesono, Y. and Toh-e, A.** (2002) Transient inhibition of translation by osmotic stress. *The Journal of Biological Chemistry* 277,13848-13855
- Ushio, K., Sawatani, M. and Nakata, Y.** (1991) Effect of altered sterol composition on the salt tolerance of *Zygosaccharomyces rouxii*. *Journal of Fermentation and Bioengineering* 71,390-396
- van Aelst, L., Hohmann, S., Zimmermann, F.K., Jans, A.W. and Thevelein, J.M.** (1991) A yeast homologue of the bovine lens fibre MIP gene family complements the growth defect of a *Saccharomyces cerevisiae* mutant on fermentable sugars but not its defect in glucose-induced RAS mediated camp signaling. *EMBO Journal* 10,2095-2104
- van Belle, D. and André, B.** (2001) A genomic view of yeast membrane transporters. *Current Opinion in Cell Biology* 13,1-10
- van den Berg, M.A.** (1997) Function and regulation of acetyl-coenzyme A synthetase in the yeast *Saccharomyces cerevisiae*. PhD Thesis, Delft, The Netherlands
- van den Berg, M.A., de Jong-Gubbels, P., Kortland, C.J., van Dijken, J.P., Pronk, J.T. and Steensma, H.Y.** (1996) The two acetyl-coenzyme A synthetases of *Saccharomyces cerevisiae* differ with respect to kinetic properties and transcriptional regulation. *The Journal of Biological Chemistry* 271,28953-28959
- van den Broek, P.J.A., Christianse, K. and van Steveninck, J.** (1982) The energetics of D-fucose transport in *Saccharomyces fragilis*. The influence of the proton motive force on sugar accumulation. *Biochimica et Biophysica Acta* 692, 231-237
- van den Broek, P.J.A., van Gompel, A.E., Luttk, M.A.H., Pronk, J.T. and van Leeuwen, C.C.M.** (1997) Mechanism of glucose and maltose transport in plasma-membrane vesicles from the yeast *Candida utilis*. *Biochemical Journal* 321,487-495
- van der Rest, M.E., Kamminga, A.H., Nakano, A., Anraku, Y., Poolman, B. and Konings, W.N.** (1995) The plasma membrane of *Saccharomyces cerevisiae*: structure, function, and biogenesis. *Microbiological Reviews* 59,304-322
- van der Sluis, C., Mulder, A.N.T., Grolle, K.C.F., Engbers, G.H.M., ter Schure, E.G., Tramper, J. and Wijffels, R.H** (2000) Immobilized soy-sauce yeasts: development and characterization of a new polyethylene-oxide support. *Journal of Biotechnology* 80,179-188
- van der Sluis, C., Stoffelen, C.J.P., Castelein, S.J., Engbers, G.H.M., ter Schure, E.G., Tramper, J. and Wijffels, R.H** (2001) Immobilized salt-tolerant yeasts: application of a new polyethylene-oxide support in a continuous stirred-tank reactor for flavour production. *Journal of Biotechnology* 88,129-139
- van Dijken, J.P. and Scheffers, W.A.** (1986) Redox balances in the metabolism of sugars by yeasts. *FEMS Microbiology Reviews* 32,199-224
- van Dijken, J.P., Harder, W., Beardsmore, A.J. and Quayle, J.R.** (1978) Dihydroxyacetone: an intermediate in the assimilation of methanol by yeasts? *FEMS Microbiology Letters* 4,97-102
- van Eck, J.H.** (1988) Water relations of polyhydroxyl alcohol production by yeasts. Master of Science Dissertation. University of Orange Free State, Bloemfontein, Republic of South Africa.
- van Eck, J.H., Prior, B. and Brandt, E.V.** (1989) Accumulation of polyhydroxy alcohols by *Hansenula anomala* in response to water stress. *Journal of General Microbiology* 135,3505-3513
- van Eck, J.H., Prior, B.A. and Brandt, E.V.** (1993) The water relations of growth and polyhydroxy alcohol production by ascomycetes yeasts. *Journal of General Microbiology* 139,1047-1054
- van Iersel, M.F.M., Eppink, M.H.M., van Berkel, W.J.H., Rombouts, F.M. and Abe, T.** (1997) Purification and characterization of a novel NADP-dependent branched-chain alcoholic dehydrogenase from *Saccharomyces cerevisiae*. *Applied and Environmental Microbiology* 63,4079-4082
- van Jagow, G. and Klingenberg, M.** (1970) Pathways of hydrogen in mitochondria of *Saccharomyces cerevisiae*. *European Journal of Biochemistry* 12,583-592
- van Laere, A.** (1989) Trehalose, reserve and/or stress metabolite? *FEMS Microbiology Reviews* 63,201-210

- van Richter, A.A.** (1912) Über einen osmophilen organismus, den hefepilz *Saccharomyces mellis acidi*. *Mycologisches Centralblatt* 1,67-76
- van Uden, N.** (1967) Transport-limited fermentation and growth of *Saccharomyces cerevisiae* and its competitive inhibition. *Archives of Microbiology* 58,155-168
- van Uden, N.** (1985) Ethanol toxicity and ethanol tolerance in yeasts. *Annual Reports on Fermentation Processes* 8,11-58
- van Uden, N.** (1989) Effects of alcohols on membrane transport in yeasts. In *Alcohol Toxicity in Yeasts and Bacteria*, pp. 135-145. Edited by van Uden, N. (Ed.), CRC Press, Boca Raton, Florida, USA
- van Urk, H., Bruinenberg, P.M., Veenhuis, M., Scheffers, W.A. and van Dijken, J.** (1989a) Respiratory capacities of mitochondria of *Saccharomyces cerevisiae* CBS 8066 and *Candida utilis* CBS 621 grown under glucose limitation. *Antonie van Leeuwenhoek* 56,211-220
- van Urk, H., Postma, E., Scheffers, W.A. and van Dijken, J.** (1989b) Glucose transport in Crabtree-positive and Crabtree-negative yeasts. *Journal of General Microbiology* 135,2399-2406
- van Wuytswinkel, O., Reiser, V., Siderius, M., Kelders, M.C., Ammerer, G., Ruis, H. and Mager, W.H.** (2000) Response of *Saccharomyces cerevisiae* to severe osmotic stress: evidence for a novel activation mechanism of the HOG MAP kinase pathway. *Molecular Microbiology* 37,382-397
- van Zyl, P.J., Kilian, S.G. and Prior, B.A.** (1993) Physiological responses of *Zygosaccharomyces rouxii* to osmotic stress. *Applied Microbiology and Biotechnology* 39,235-241
- van Zyl, P.J., Kilian, S.G., and Prior, B. A.** (1990) The role of an active transport mechanism in glycerol accumulation during osmoregulation by *Zygosaccharomyces rouxii*. *Applied Microbiology and Biotechnology* 34,231-235
- van Zyl, P.J., Prior, B.A. and Kilian, S.G.** (1991) Regulation of glycerol metabolism in *Zygosaccharomyces rouxii* in response to osmotic stress. *Applied Microbiology and Biotechnology* 36,369-374
- Varela, J.C.S., van Beekvelt, C., Planta, R.J. and Mager, W.H.** (1992) Osmostress-induced changes in yeast gene expression. *Molecular Microbiology* 6,2183-2190
- Varma, A., Singh, B.B., Karnani, N., Lichtenberg-Fraté, H., Höfer, M., Magee, B.B. and Prasad, R.** (2000) Molecular cloning and functional characterisation of a glucose transporter, *CaHGT1*, of *Candida albicans*. *FEMS Microbiology Letters* 182,15-21
- Vasiliadis, G.E., Sloan, J., Marshall, J.H. and May, J.W.** (1987) Glycerol and dihydroxyacetone metabolizing enzymes in fission yeasts of the genus *Schizosaccharomyces*. *Archives of Microbiology* 147,263-267
- Veiga, L.A., Bacila, M. and Horecker, B.L.** (1960) Pentose metabolism in *Candida albicans*. I. The reduction of D-xylose and L-arabinose. *Biochemical and Biophysical Research Communications* 2,440
- Ventosa, A., Nieto, J.J. and Oren, A.** (1998) Biology of moderately halophilic aerobic bacteria. *Microbiology and Molecular Biology Reviews* 62,504-544
- Verho, R., Richard, P., Jonson, P.H., Sundqvist, L., Londesborough, J. and Penttila, M.** (2002) Identification of the first fungal NADP-GAPDH from *Kluyveromyces lactis*. *Biochemistry* 41,13833-13838
- Versaw, W. K., and Metzenberg, R. L.** (1995) Repressible cation-phosphate symporter in *Neurospora crassa*. *Proceedings of the National Academy of Sciences USA* 92,3884-3887
- Vido, K., Spector, D., Lagniel, G., Lopez, S., Toledano, M.B. and Labarre, J.** (2001) A proteome analysis of the cadmium response in *Saccharomyces cerevisiae*. *Journal of Biological Chemistry* 276,8469-8474
- Villamon, E., Gozalbo, D., Martínez, J.P., and Gil M.L** (1999) Purification of a biologically active recombinant glyceraldehyde-3-phosphate dehydrogenase from *Candida albicans*. *FEMS Microbiology Letters* 179,61-65
- Vindelov, J. and Arneborg, N.** (2002) *Saccharomyces cerevisiae* and *Zygosaccharomyces mellis* exhibit different hyperosmotic shock responses. *Yeast* 19,429-439
- Viswanath-Reddy, M., Pyle, J.E. and Howe, H.B.** (1978) Purification and properties of NADP-linked glycerol dehydrogenase from *Neurospora crassa*. *Journal of General Microbiology* 107,289-296
- Von Weymarn, N.** (2002) Process development for mannitol production by lactic acid bacteria. PhD Thesis, Helsinki University of Technology, Finland.
- Vreeland, R.H.** (1987) Mechanisms of halotolerance in microorganisms. *Critical Reviews in Microbiology* 14,311-56.
- Wach, A. and Graber, P.** (1991) The plasma membrane H<sup>+</sup>-ATPase from yeast. Effects of pH, vanadate and erythrosine B on ATP hydrolysis and ATP binding. *European Journal of Biochemistry* 201,91-97

- Wada, Y., Ohsumi, Y. and Anraku, Y.** (1992) Chloride transport of yeast vacuolar membrane vesicles: a study of in vitro vacuolar acidification. *Biochimica et Biophysica Acta* 1101,296-302
- Walker, D.J., Black, C.R. and Miller, A.J.** (1998) The role of cytosolic potassium and pH in the growth of barley roots. *Plant Physiology* 118,957-964
- Walker, D.J., Leigh, R.A. and Miller, A.J.** (1996) Potassium homeostasis in vacuolated plant cells. *Proceedings of the National Academy of Sciences* 93,10510-10514
- Walker, G.M.** (1994) The roles of magnesium in biotechnology. *Critical Reviews in Biotechnology* 14,311-354
- Walker, G.M.** (1998) Yeast physiology and biotechnology. John Wiley & Sons Ltd, England
- Wang, H-T., Rahaim, P., Robbins, P. and Yocom, R.R.** (1994) Cloning, sequence, and disruption of the *Saccharomyces diastaticus* *DAR1* gene encoding a glycerol-3-phosphate dehydrogenase. *Journal of Bacteriology* 176,7091-7095
- Wang, S-Y.C. and le Tourneau, D.** (1972) Mannitol biosynthesis in *Sclerotinia sclerotiorum* *Archives in Mikrobiology* 81,91-99
- Wang, X., Mann, C.J., Bai, Y. Ni, L. and Weiner, H.** (1998) Molecular cloning, characterization, and potential roles of cytosolic and mitochondrial aldehyde dehydrogenases in ethanol metabolism in *Saccharomyces cerevisiae*. *Journal of Bacteriology* 180,822-830
- Wang, Z.X., Kayingo, G., Blomberg, A. and Prior B.A.** (2002) Cloning, sequencing and characterization of a gene encoding dihydroxyacetone kinase from *Zygosaccharomyces rouxii* NRRL2547. *Yeast* 19,1447-1458
- Warth, A.D.** (1991) Mechanism of action of benzoic acid on *Zygosaccharomyces bailii*: effects on glycolytic metabolite levels, energy production and intracellular pH. *Applied and Environmental Microbiology* 57,3415-3417
- Wartmann, T. and Kunze, G.** (2003) Expression of heterologous genes in *Arxula adeninivorans* budding cells and mycelia. In *Non-conventional yeasts in genetics, biochemistry and biotechnology*, pp. 7-12, Edited by Wolf, K., Breunig, K. and Barth, G., Springer-Verlag
- Wartmann, T., Kunze, I., Bui, M.D., Manteuffel, R. and Kunze, G.** (1995) Comparative biochemical, genetical and immunological studies of glucoamylase producing *Arxula adeninivorans* yeast strains. *Microbiology Research* 150,1113-120
- Watanabe Y. and Takakuwa, M.** (1987) Change of lipid composition of *Zygosaccharomyces rouxii* after transfer to high sodium chloride culture medium. *Journal of Fermentation Technology* 65,365-369
- Watanabe, Y. and Takakuwa, M.** (1984) Effect of sodium chloride on lipid composition of *Saccharomyces rouxii*. *Agricultural and Biological Chemistry* 48,2415-2422
- Watanabe, Y., Iwaki, T., Shimono, Y., Ichimiya, A., Nagaoka, Y. and Tamai, Y.** (1999) Characterization of the  $\text{Na}^+$ -ATPase gene (*ZENA1*) from the salt-tolerant yeast *Zygosaccharomyces rouxii*. *Journal of Bioscience and Bioengineering* 88,136-142
- Watanabe, Y., Miwa, S. and Tamai, Y.** (1995) Characterization of  $\text{Na}^+/\text{H}^+$ -antiporter gene closely related to the salt-tolerance of yeast *Zygosaccharomyces rouxii*. *Yeast* 11,829-838
- Watanabe, Y., Sanemitsu, Y. and Tamai, Y.** (1993b) Expression of plasma membrane proton-ATPase gene in salt-tolerant yeast *Zygosaccharomyces rouxii* is induced by sodium chloride. *FEMS Microbiology Letters* 114,105-108
- Watanabe, Y., Shiramizu, M. and Tamai, Y.** (1991b) Molecular cloning and sequencing of plasma membrane  $\text{Na}^+$ -ATPase gene from the salt-tolerant yeast *Zygosaccharomyces rouxii*. *Journal of Biochemistry* 110,237-240
- Watanabe, Y., Yamaguchi, M., Sakamoto, J. and Tamai, Y.** (1993a) Characterization of the plasma membrane  $\text{H}^+/\text{ATPase}$  from the salt-tolerant Yeast *Candida versatilis*. *Yeast* 9,213-220
- Watanabe, Y., Yamaguchi, M., Sanemitsu, Y. and Tamai, Y.** (1991a) Characterization of the plasma membrane proton-ATPase from salt-tolerant yeast *Zygosaccharomyces rouxii* cells. *Yeast* 7,599-606
- Watson, J.A., Hayashi, J.A., Schuytema, E. and Doughty, C.C.** (1969) Identification of reduced nicotinamide adenine dinucleotide phosphate dependent aldehyde reductase in a *Rhodotorula* strain. *Journal of Bacteriology* 100,110-116
- Weber, H. and Barth, G.** (1988) Nonconventional yeasts: their genetics and biotechnological applications. *Critical Reviews in Biotechnology* 7,281-337
- Weierstall, T., Hollenberg, C.P. and Boles, E.** (1999) Cloning and characterization of three genes (*SUT1-3*) encoding glucose transporters of the yeast *Pichia stipitis*. *Molecular Microbiology* 31,871-883

- Weissman, G., Collins, T., Evers, A. and Dunham, P.** (1976) Membrane perturbation: studies employing a calcium-sensitive dye, arsenazo III, in liposomes. *Proceedings of the National Academy of Sciences USA*, 73,510-514
- Welch, W.J.** (1993) How cells respond to stress. *Scientific American* 268,34-41
- Wésolowski-Louvel, M., Breunig, K.D. and Fukuhara, H.** (1996) *Kluyveromyces lactis*. In *Nonconventional yeasts in biotechnology*, pp. 138-201, Edited by Wolf, K., Springer-Verlag
- Wésolowski-Louvel, M., Goffrini, P., Ferrero, I. and Fukuhara, H.** (1992) Glucose transport in the yeast *Kluyveromyces lactis*. I. Properties of an inducible low-affinity glucose transporter gene. *Molecular and General Genetics* 233,89-96
- Wethered, J.M. and Jennings, D.H.** (1985) Major solutes contributing to the solute potential of *Thraustochytrium aureum* and *T. roseum* after growth in media of different salinities. *Transactions of the British Mycological Society* 85,439
- Wethered, J.M., Metcalf, E.C. and Jennings, D.H.** (1985) Carbohydrate metabolism in the fungus *Dendryphiella salina*. VIII The contribution of polyols and ions to the mycelial solute potential in relation to the external osmoticum. *New Phytologist* 101,631
- Wieland, J., Nitsche, A.M., Strayle, J., Steiner, H. and Rudolph, H.K.** (1995) The *PMR2* gene cluster encodes functionally distinct isoforms of a putative  $\text{Na}^+$  pump in the yeast plasma membrane. *The EMBO Journal* 14,3870-3882
- Wiggins, P.M.** (1988) Water structure in polymer membranes. *Program Polymer Science* 13,1-35
- Wiggins, P.M.** (1990) Role of water in some biological processes. *Microbiological Reviews* 54,432-449
- Wijisman, M.R., van Dijken, J.P., van Kleeff, B.H.A. and Scheffers, W.A.** (1984) Inhibition of fermentation and growth in batch cultures of the yeast *Brettanomyces intermedius* upon a shift from aerobic to anaerobic conditions (Custers effect). *Antonie van Leeuwenhoek* 50,183-192
- Williamson, J.D., Stoop, J.M.H., Massel, M.O., Conkling, M.A. and Pharr, D.M.** (1995) Sequence analysis of a mannitol dehydrogenase cDNA from plants reveals a function for the pathogenesis-related protein ELI3. *Proceedings of the National Academy of Sciences USA* 92,7148-7152
- Williamson, V.M. and Paquin, C.E.** (1987) Homology of *Saccharomyces cerevisiae* ADH4 to an iron-activated alcohol dehydrogenase from *Zymomonas mobilis*. *Molecular and General Genetics* 209,374-381
- Wilson, J.J., Khachatourians, G.G. and Ingledeew, W.M.** (1982) *Schwanniomyces*: SCP and ethanol from starch. *Biotechnological Letters* 4,333
- Wind, C.E. and Restaino, L.** (1995) Antimicrobial effectiveness of potassium sorbate and sodium benzoate against *Zygosaccharomyces bailii* in salsa mayonnaise. *Journal of Food Protection* 58,1257-1259
- Winderickx, J. de Winde, J.H., Crauwels, M., hino A., Hohmann, S., van Dijck, P. and Thevelein J.M.** (1996) Regulation of genes encoding subunits of the trehalose synthase complex in *Saccharomyces cerevisiae*: novel variations of STRE-mediated transcription control? *Molecular and General Genetics* 252,470-482
- Winkler, A., Arkind, C., Mattison, C.P., Burkholder, A., Knoche, K. and Ota, I.** (2002) Heat stress activates the yeast high-osmolarity glycerol mitogen-activated protein kinase pathway, and protein tyrosine phosphatases are essential under heat stress. *Eukaryotic Cell* 1,163-173
- Winkler, K., Kienle, I., Burgert, M., Wagner, J. and Holzer, H.** (1991) Metabolic regulation of the trehalose content of vegetative yeast. *FEBS Letters* 291,269-272
- Witt, J., Kronau, R., and Holzer, H.** (1968) Repression von alkoholdehydrogenase, malate dehydrogenase, isocitrate lyase and malate synthase in hefe durch glucose. *Biochimica et Biophysica Acta* 118,522-537
- Wolf, K., Breunig, K. and Barth, G.** (2003) Non-conventional yeasts in genetics, biochemistry and biotechnology. Practical protocols. Springer-Verlag, Germany
- Wolf, K.** (1996) Nonconventional yeasts in biotechnology. A handbook. Springer-Verlag, Germany
- Wolff, J.B. and Kaplan, N.O.** (1956) D-Mannitol 1-phosphate dehydrogenase from *Escherichia coli*. *Journal of Biological Chemistry* 218,849-869
- Wood, J.M.** (1999) Osmosensing by bacteria, signals and membrane-based sensors. *Microbiology and Molecular Biology Reviews* 63,230-262
- Wood, V., Gwilliam, R., Rajandream, M.A., Lyne, M., Lyne, R., Stewart, A., Sgouros, J., et al.,** (2002) The genome sequence of *Schizosaccharomyces pombe*. *Nature* 415,871-880
- Wyn Jones, R.G. and Pollard, A.** (1983) Proteins, enzymes and inorganic ions. In *Encyclopedia of plant physiology*. pp. 528-562, Edited by Lauchli, A. and Pirson, A., Spring-Verlag, Berlin, Germany

- Wyn Jones, R.G., Brady, C.J. and Spears, J.** (1979) Ionic and osmotic relations in plant cells. In recent advances in the biochemistry of cereals. pp. 63-103, Edited by Laidman, D.L. and Wyn Jones, R.G., Academic Press, London, England
- Wysocki, R., Chery, C.C., Wawrzycka, D., van Hulle, M., Cornelis, R., Thevelein, J.M. and Tamás, M.J.** (2001) The glycerol channel Fps1p mediates the uptake of arsenite and antimonite in *Saccharomyces cerevisiae*. *Molecular Microbiology* 40,1391-1401
- Yagi, T. and Nishi, T.** (1993) Regulation of intracellular osmotic pressure and changes in intracellular proteins during the initial stages of salt stress in *Zygosaccharomyces* strains exhibiting differences in salt-tolerance. *Microbios* 74,155-166
- Yale, J. and Bohnert, H.** (2001) Transcript expression in *Saccharomyces cerevisiae* at high salinity. *The Journal of Biological Chemistry* 276,15996-16007
- Yamada, H., Okamoto, K., Kodama, K., Noguchi, F. and Tanaka, S.** (1961) Enzymic studies on mannitol formation by *Piricularia oryzae*. *Journal of Biochemistry (Tokyo)* 49,404-410
- Yamada, T., Napa, H., Kawamoto, S., Tanaka, A. and Fukui, S.** (1980) Sub cellular localization of long-chain alcohol dehydrogenase and aldehyde dehydrogenase in n-alkane-grown *Candida tropicalis*. *Archives of Microbiology* 128,145-151
- Yanagida M.** (2002) The model unicellular eukaryote, *Schizosaccharomyces pombe*. *Genome Biology* 3,1-4
- Yancey, P.H., Clark, M.E., Hand, S.C., Bowlus, R.D. and Somero, G.N.** (1982) Living with water stress: evolution of osmolyte systems. *Science* 217,1214-1222
- Yang, X-X., Wartmann, T., Stoltzenburg, R. and Kunze, G.** (2000) Halotolerance of the yeast *Arxula adeninivorans* LS3. *Antonie van Leeuwenhoek* 77,303-311
- Yenush, L., Mulet, J.M., Ariño, J. and Serrano, R.** (2002) The Ppz protein phosphatases are key regulators of K<sup>+</sup> and pH homeostasis: implications for salt tolerance, cell wall integrity and cell cycle progression. *The EMBO Journal* 21,920-929
- Yoshikawa, S., Mitsui, N., Chikara, K-I., Hashimoto, H., Shimosaka, M. and Okazaki, M.** (1995) Effect of salt stress on plasma membrane permeability and lipid saturation in salt-tolerant yeast *Zygosaccharomyces rouxii*. *Journal of Fermentation and Bioengineering* 80,133-135
- Young, R.A. and Elliot, T.J.** (1989) Stress proteins, infection, and immune surveillance. *Cell* 59,5-8
- Zähringer, H., Burger, M., Holzer, H. and Nwaka, S.** (1997) Neutral trehalase Nth1p of *Saccharomyces cerevisiae* encoded by the *NTH1* gene is a multiple stress responsive protein. *FEBS Letters* 412,615-20.
- Zalashko, M.V., Salokhina, G.A., Fedor, N.N. and Grushenko, M.M.** (1987) Strain of *Torulopsis apicola* VKPM Y-566 – producer of mannitol. *Russian patent SU 1325073*
- Zeuthen, T.** (2001) How water molecules pass through aquaporins. *TRENDS in Biochemical Sciences* 26,77-79
- Zhao, W.N. and McAlister-Henn, L.** (1996) Expression and gene disruption analysis of the isocitrate dehydrogenase family in yeast. *Biochemistry* 35,7873-7878
- Zhou, X.L., Vaillant, B., Loukin, S.H., Kung, C. and Saimi, Y.** (1995) YKC1 encodes the depolarisation-activated K<sup>+</sup> channel in the plasma membrane of yeast. *FEBS Letters* 373,171-176
- Zhuge, J., Fang, H-Y., Wang, Z-X., Chen, D-Z., Jin, H-R and Gu, H-L.** (2001) Glycerol production by a novel osmotolerant yeast *Candida glycerinogenes*. *Applied Microbiology and Biotechnology* 55,686-692
- Zubay, G.** (1993) Biochemistry, 3<sup>rd</sup> Edition, Wm, C. Brown Publishers, USA