

José Luís Pereira¹
António Paulo Freitas

Article info:

Received 10.06.2019

Accepted 05.09.2019

UDC – 519.876.2

DOI – 10.24874/IJQR13.04-02



TOWARDS A CHARACTERIZATION OF BPM TOOLS' SIMULATION SUPPORT: THE CASE OF BPMN PROCESS MODELS

Abstract: Due to the increasing acceptance of BPM (Business Process Management), nowadays BPM tools are extensively used in organizations. Core to BPM are the process modeling languages, of which BPMN is the one that has been receiving most attention these days. Once a business process is described using BPMN, one can use a process simulation approach in order to discover its optimized form. This paper analyzes the business process modeling and simulation areas, identifying the elements that must be present in the BPMN language in order to allow processes to be simulated. During this analysis a set of existing BPM tools, which support BPMN, are compared regarding their limitations in terms of simulation capabilities. In this context, a platform to support the characterization of BPM tools regarding process simulation capabilities has been developed, which might be useful to users who want to select the most adequate BPM tool taking into account their simulation needs.

Keywords: BPM; BPM tools; BPMN; Process modeling; Process simulation.

1. Introduction

Nowadays, organizations maintain a special focus on their business processes, in a worldwide movement known as BPM (*Business Process Management*). Indeed, it is widely recognized that a business processes oriented management provides organizations with increased levels of performance and flexibility, as they can respond to the needs and changes of the markets in a most efficient and effective way. For this reason, the adoption of BPM technologies by organizations has been a reality.

In order for a business process to be managed it has to be modeled in the first place. Regarding the modeling of business processes there are several languages in use today, such as BPMN (*Business Process Model and Notation*) (Freund & Rücker,

2014), EPC (*Event-driven Process Chain*) (Davis, 2008), or UML-AD (*Unified Modeling Language – Activity Diagrams*) (Podeswa, 2009), to name only a few.

Since its conception, the BPMN language has gained worldwide acceptance and is, nowadays, recognized as the standard process modeling language to use in the development of BPM projects. The modeling of business processes, using the BPMN language, allows organizations to obtain graphical representations of their processes. Using the produced diagrams (*Business Process Diagrams*), organizations can assess whether their processes display anomalies, inconsistencies, inefficiencies and, therefore, improvement opportunities. The inability to quantify the processes weaknesses can be eliminated by organizations through the use of simulation. This approach allows

¹ Corresponding author: José Luís Pereira
Email: jlmp@dsi.uminho.pt

organizations to anticipate process behaviors, based on estimations and mathematical calculations performed with the aid of a computer, thus letting them identify and quantify its shortcomings and anomalies.

This paper expands and improves two other papers from the same authors (Freitas & Pereira, 2015; Pereira & Freitas, 2016). Specifically, we analyze the business process modeling and simulation areas, to identify the elements that must be present in the BPMN language in order to allow processes described in BPMN to be simulated. During this analysis a set of existing tools, which support BPMN, are compared regarding their limitations in terms of simulation support. Although this is an area that attracts more and more interest, there are still several limitations regarding the simulation of process models defined in BPMN.

Concerning the structure of this paper, first we introduce the BPM movement and its core concept – *business process*. Next, we briefly present the language commonly used to graphically represent processes - BPMN. In the following, we describe process simulation as a valuable approach to support decision-making in the context of business process improvement and we identify some elements that the BPMN language has to incorporate in order to enable the simulation of business processes. After that, some well-known BPM tools, which use BPMN to model processes, are compared, using a set of criteria, regarding their simulation support, in order to highlight their major weaknesses and limitations. Finally, we present the prototype of a tool we have developed to help users characterize and compare BPMN modeling tools, regarding their simulation capabilities support.

2. Business Process Management

It is widely accepted, nowadays, that organizations structured according to the “old” functional paradigm have great difficulties to succeed in the present market

conditions. For that reason, a new movement emerged in which the management and operation of organizations began to emphasize the concept of business process - *Business Process Management* (BPM). This movement has gained wide acceptance in the business world, as more and more organizations are using BPM to prepare themselves to deal, in an effective way, with the increasingly difficult conditions of the modern markets (Brocke & Rosemann, 2015a; Brocke & Rosemann, 2015b).

Harmon argues that BPM “*is part of a tradition that is now several decades old that aims at improving the way business people think about and manage their businesses*” (Harmon, 2015). Indeed, BPM has been inspired by several management disciplines, such as *Total Quality Management* (TQM), *Business Process Reengineering* (BRP), *Six Sigma*, and *Balanced Scorecard*, among others, who share the idea that a focused approach in business processes leads to substantial improvements in terms of organizational performance and achievement of objectives.

BPM is understood by organizations as new management approach to achieve business objectives by the management and continuous improvement of business processes. Once a process is in place, it needs to be managed continuously. Its performance, in terms of critical metrics that relate to customer needs and company requirements, needs to be monitored and if it does not meet targets, the reason for this flaw must be determined. Therefore, the concept of business process is paramount to the BPM approach.

The Information and Communication Technology (ICT) area has followed the movement around BPM and, as a result, several tools specifically developed to support the needs of BPM began to appear in the market. In this context emerged the *Business Process Management Systems* (BPMS), which are software tools that evolved from technologies such as *Workflow*

Systems, Enterprise Application Integration (EAI) and WebServices, among others, giving organizations the ability to implement, execute, monitor and manage their business processes. Therefore, BPM technology producers are spending a substantial part of their financial resources developing and improving their tools (Buelow, 2010).

The delivery of work to the right people, at the right time, using the right information, accordingly to the model of some business process is one of the capabilities of a BPMS. Anyway, before a business process can be analyzed, optimized, implemented and managed, it has to be modeled. Models of business processes are described using specific languages, of which BPMN is one of the most widely used, nowadays.

3. The BPMN Language

BPMN stands for *Business Process Model and Notation*. It has appeared in 2004, developed and sponsored by the *Business Process Management Initiative (BPMI)*, and later adopted as standard by the *Object Management Group (OMG)*. The first version of BPMN was developed in order to standardize the graphical representation of business processes, providing a set of "graphic symbols" for the various elements of the process, with a coherent meaning and ability to represent their possible combinations (OMG, 2011).

The use of this language has simplified the way organizations represent and communicate their business processes, as the BPMN allows business process modelers to represent complex business processes easily and effectively (Freund & Rucker, 2014). Through the standardization of this language, the modeled processes follow certain standards regarding graphic representation. Given that this language aims to simplify the understanding of process models, organizations tend to be the major beneficiaries, since the interpretation of the process models does not require high

technical knowledge. Simultaneously, as everyone recognizes, this language has contributed enormously to close the gap between two communities that have been mostly apart – business users/experts and information technology professionals – who now have a common working language.

White (2004a) argues that the main objective of BPMN is to provide a notation that is understandable to all the stakeholders around organizational processes, from business analysts, who document or define the models of business processes, to technical developers, who are responsible for developing the IT solutions that will support the those processes, and finally, to all users who will control and manage the processes developed.

The notation for the graphical representation of the language elements was designed so that different elements are distinguishable from each other and noticeable for modelers. For instance, it is normal to associate rectangles to business process activities, while decisions are represented by diamonds (White, 2004b).

To organize the graphic elements of the language, BPMN distinguishes among five specific categories (*flow objects, data, connection objects, swimlanes and artifacts*). The flow objects, which are the major graphic elements to represent the behavior of a business process, are divided into three groups (*events, activities and gateways*). The data category provides the information necessary for the activities, and is divided into four groups (*data object, collections of data, input data and output data*). The connection objects define the way objects are linked and the order in which activities are performed during the process. Currently there are three groups of connection objects (*sequence flows, message flows and associations*). Swimlanes are divided in two categories (*pool and lane*). Pools allow the identification of the actors involved in the process. In order to increase the detail, pools may be sub-divided in lanes. Artifacts are used in order to provide additional information about the process that

is represented. Currently, there are two types of artifacts (group and notes), and the process modeler can add more than one artifact to the process model.

4. Process Simulation with BPMN

Simulation is an approach that helps organizations to better understand their business processes. Indeed, by using simulation to analyze organizational processes, results can be quantified, studied and compared. Thus, simulation provides estimates of the impact that a modification may have on the performance of a process.

It is widely acknowledged today that simulation experiments are a reliable and credible source of insights with regard to the support of decision-making in organizations. Indeed, the ability to anticipate, in a tangible and understandable way, the probable results of a decision before making it in the real world, allows managers to better ground their decisions. Simply put, simulation assists managers in their decision-making duties, since it allows them to develop and analyze various scenarios of possible interest. The use of simulation to analyze “what if” scenarios eliminates the costs and risks that are inherent to testing them in a real environment.

According to Shannon, cited in Ingalls (2011, p. 1379), simulation “is the process of designing a model of a real system and conducting experiments with this model for the purpose either of understanding the behavior of the system or of evaluating various strategies (within the limits imposed by a criterion or set of criteria) for the operation of the system”. Regarding this definition, business processes might be seen as complex systems involving people, activities and technology under a great dependence, variability and complexity that make difficult forecast the systems performance and behavior. Hence, it is necessary to create simulation models of business processes in order of conducting experiments to understand their behavior and

the impact of changes.

With the growing importance of BPM in organizations, the use of BPMN to model their business processes is gaining more and more followers. If the elements needed for the simulation of processes were incorporated into the BPMN language, then one would be able not only to model the processes, but also to simulate them. That is, by using the BPMN language enriched with the proper elements needed to support simulation, users not only have the ability to model business processes, but also the ability to simulate the processes modeled, with all the advantages of testing and analyzing different scenarios without any risks to the system (Pereira & Ribeiro, 2016).

BPMN has been designed to standardize the graphical representation of business processes, without any concerns about simulation. Therefore, there is a need to define a set of “extensions” to the BPMN language, in order to allow process models developed in BPMN to be simulated. These are properties that the proponents of the BPMN language did not anticipate, but that are essential, so process models can be simulated. Following are some elements that a process model has to incorporate, in order to be simulated (Oliveira & Pereira, 2008):

- A business process may be triggered several times during a period of time. In order to simulate a process its pattern of triggering has to be known in advance. Typically, this can be represented using a suitable probabilistic distribution;
- In a business process any activity, in order to be accomplished, needs to have resources available to execute it, such as machines or humans. So, the number of resources committed to each activity in a process model is an important element for simulation;
- The execution of an activity by a resource, in particular its duration, is conditioned by the resource’s characteristics. Typically, in the case of human resources, the patterns of

activity execution are not always constant regarding its duration, but follow a probabilistic distribution. So, in a process model, each activity has to be characterized in terms of a probabilistic duration;

- To complicate the picture, it is a fact that during the execution of a process, not every resource dedicates 100% of its time to the same activity. Indeed, human resources tend to divide their attention simultaneously by several activities, pertaining to the same or even to different processes. This fact has consequences in terms of the duration of the activities and has to be taken in proper account;
- In a process model, after a decision point (gateway) any branch might be chosen during the execution of the process. But different branches have distinct probabilities of being followed in runtime. So, in a process model, every branch has to be characterized by a probability.

Other authors argue that, besides BPMN, for a simulation tool to become fully usable in the BPM area, some aspects have to be supported (Waller, Clark & Enstone, 2006):

- The resources that participate in the execution of activities have inconstant levels of availability. For instance, a person might not appear to work due to some illness, or a device might have some malfunction. In order to address these aspects, it must be possible to stochastically assign a value of unavailability to a resource;
- A resource, after terminating the execution of an activity, may not be immediately available to perform the next activity. Therefore, for each resource, it should be possible to define intervals of unavailability between tasks;

- When a resource has several items of work waiting for his attention some kind of selection takes place. The common and simpler way is to adopt a FIFO approach, but in reality some work items might have higher priorities than others. So, some kind of prioritization of work items must be defined;
- In a similar way, in a business process some activities might have maximum priority, and so it is mandatory to always have resources available to execute them, even if it is necessary to take those resources from other activities.

These are just some of the aspects that need to be taken into account if one wants to prepare business process models to be simulated. Some of these aspects might be reflected in the BPMN models, others relate to the simulation engines themselves

5. BPM Tools and Process Simulation

Until recently, to simulate a business process modeled in, for instance BPMN, an analyst had to re-model the process model according to the specific language of the selected simulation tool. Such a situation is unjustified and awkward as it involves a duplication of work. Fortunately, this situation has begun to change, as more and more tools emerge in the market, which allow the simulation of business processes modeled in BPMN.

However, one can find a common pattern among those tools – all of them originated from BPM tools vendors, not from simulation tools vendors. So, these are essentially BPM tools which have been extended with simulation capabilities, not simulation tools which have incorporated BPMN as a modeling language. Therefore, it is not clear right now if those tools can, effectively, simulate BPMN business processes with the desired level of realism and accuracy. In order to clarify this situation an analysis of some

available software packages is made. Some of the tools that have made incursions in the simulation area are:

- Bizagi (Modeler version 3.1);
- BIMP (online version);
- Bonita BPM (version 7.5.4);
- Visual Paradigm (version 12.1);
- BPSim (Trisotech BPMN 2.0 Modeler for Visio version 5.0.2).

To facilitate the analysis of these tools a simple scenario was developed which uses a common business process, dealing with the approval of the delivery date of an order. The main goal is to assess, for each BPM tool,

which simulation parameters are present or absent. Very briefly, the business process is carried out as follows: "The client sends a request to the commercial department of XPTO, asking about the delivery date of his order. The commercial department processes the request and forwards it to the responsible departments (purchasing department and production department). After getting the delivery date of the order and the conditions thereof, the commercial department prepares a report and informs the client. The client decides if he approves the delivery date of his order or if he wants to renegotiate it" (see Figure 1).




Figure 1. The BPMN Process "Request for Order Delivery Date"

In order to be able to analyze the simulation capabilities of the above BPM tools, using the process "Request of Order Delivery Date", we drew up a list of properties that a simulation tool should address. As a starting point, we have considered the simulation properties described in the previous section. To this initial set, we added several others, which are present in well-known simulation tools such as Arena, Simio, Simul8, among

others. We consider that these properties are the minimum necessary for a BPM tool to be of some value regarding the simulation of business processes.

Once there are several properties, to facilitate the analysis these were grouped into six classes: *Context Definition, Time Consumption, Control, Resources, Costs and Priorities* (see Table 1).

Table 1. Simulation Properties

Properties	Description
Context Definition	
Starting Time	Setting a start time to run the simulation
Duration	Setting the duration of the simulation
Time Unit	Defining the time unit of the simulation
Cost Unit	Defining the cost unit of the simulation
Replications	Number of replications of the simulation
Time Consumption	
Transfer Time	Time spent in transit from one activity to the next
Waiting Time	Time spent waiting to be executed (queue time)
Processing Time	Time spent in the execution of an activity (probability distribution)
Control	
Arrival Rate	Definition of the process triggering pattern (probability distribution)
Branch Probabilities	Definition of probabilities for each branch out of a gateway
Resources	
Capacity	Setting the number of resources available to execute each activity
Allocation Plan	Definition of a resources sharing plan for the execution of activities
Unavailability	Definition of unavailability periods for resources
Schedule	Definition of work schedules for resources
Costs	
Activity	Definition of the processing cost of an activity
Resource	Definition of the hourly cost of each resource
Priorities	
Interruptions	Definition of activities that cannot be interrupted while running
Execution Priority	Definition of activities that have priority in execution

Concerning probability distributions, there are several distributions, which are normally available in every simulation tool (such as the Normal, Triangular, Uniform, Beta, Exponential, Gamma, Erlang, Binomial, and Poisson distributions), that should also be present in a BPM tool with simulation capabilities.

6. BPM Tools Analysis Regarding Process Simulation

The analysis of the BPM tools mentioned earlier was performed taking into account the simulation properties identified in Table 1, above. The results of this analysis are presented in Table 2, which summarizes the simulation capabilities and limitations of each tool, facilitating the comparison among them. But before, each one of the BPM tools is

briefly presented and its most relevant characteristics are described.

6.1. BIMP

BIMP is referred as a simulator of business processes, running in an online server, and available to any user, free of charge. This tool, unlike the other BPM tools, has no modeling capacity. Accordingly, to simulate a business process with BIMP, it is necessary to first develop the business process in a modeling tool which allows to export the model in BPMN 2.0 or VSDX format (available in Visio 2013 BPMN). Failure to graphically represent a business process is a serious drawback of this tool, as it is necessary to use two different tools to model and simulate a business process. Due to this limitation we had some problems simulating the "Request for Order Delivery Date" BPMN Process, as

the identification of the BPMN elements which had to receive simulation properties was not easy to do. If the simulation of a relatively small process (composed of eight activities and four sub-processes) has been somewhat complex, one wonders how to simulate a larger process with this tool.

Regarding the list of simulation properties defined earlier, BIMP supports a fair amount of them, but the reports obtained from the tool are very simplistic and naïve. Although this is a different tool from the others that were analyzed here, the difficulty to add simulation properties to the BPMN elements of the process model, and the extreme simplicity of the reports produced, lead us to the conclusion that this tool cannot be used as a real-world simulation tool.

6.2. Bizagi

This is considered by many users one of the best BPM tools with respect to modeling business processes. Using this tool one can easily develop BPMN diagrams in order to represent all the essential details about business processes. From the developed models supporting documentation might be generate for later analysis.

In its latest version (version 3.1), process simulation capabilities have been included, using a very user friendly interface. The association of simulation properties to the elements in a BPMN diagram evolves around four steps (Process Validation, Time Analysis, Resource Analysis and Analysis Calendar). One of the advantages highlighted by the developers of Bizagi is the What-if Analysis function. This feature allows users to "clone" any scenario developed and change the parameters where "bottlenecks" are identified in the process. The report produced subsequently compares the simulated scenarios and identifies which are the elements that have changed, thus allowing us to analyze and assess the impact of changes made in the process model.

6.3. BPSim

Trisotech is a company dedicated to the development of BPM tools, which has developed strong partnerships with various industry leaders. Through these partnerships, Trisotech managed to develop a module capable of simulating business processes modeled with BPMN – BPSim (Business Process Simulation), which was added to the product of Trisotech (BPMN 2.0 Modeler for Visio). The partner for the development of BPSim was the Lanner Group, a company with a long tradition in the simulation area.

Regarding the simulation properties mentioned in Table 1, this was the tool that stood out as it supports the majority of those properties. With respect to "ease of use" this tool proved to be rather complex. To assign values to the BPMN elements of a process specific knowledge of the tool is needed. The ability to allocate resources to the activities is also a complex task. Additionally, the reports produced by the tool are less complete and of lower quality, if compared to other tools discussed here. Although it is not an easy to use tool, this was not a barrier to simulate our business process. Regarding simulation, for which this tool was specifically developed, it was noticeable that it stood out from the others, since it can cover a wide range of simulation properties that are necessary in a real case.

6.4. Bonita BPM

Contrary to BIMP, the Bonita BPM tool allows the graphical representation of business processes in BPMN. As with similar tools, process modelling is very simple and intuitive, doing simple drag and drop of the BPMN elements in a modeling canvas. Unfortunately, regarding simulation of process models, BonitaSoft is still in a very early phase of development, since it only includes resource definition and loading profiles.

Another limitation of this tool concerns the absence of information about queues. Since there are no graphical animation capabilities, as currently happens with the majority of simulation tools, one cannot, even visually, identify the activities that have larger queues. The reports obtained also do not produce any information regarding this situation, making very difficult to identify the bottlenecks that may exist in a business process. Although this tool provides a simulation module, the inability to obtain the data needed for a correct analysis of the processes behavior makes its real use very limited.

6.5. Visual Paradigm

In the past, the only option to model business processes with this tool was to use the graphical language UML (Unified Modeling Language), namely its Activity Diagrams. More recently, this tool also began to support BPMN, and using its “Enterprise” version one can also simulate business processes. Unfortunately, regarding its simulation

capabilities, it was clear from the beginning of our analysis that this tool would have difficulties to perform a simulation in full, as data inputs provided to the simulation model were very limited. A simulation feature that was not found in this tool is the possibility to assign a work cost to a resource.

Although this tool has a friendly user interface and is easy to use, with respect to simulation it still has considerable weaknesses. Indeed, it does not include a large part of the simulation properties mentioned above. On the other hand, the reports provided might be considered satisfactory, as they include data for the waiting time of each activity, the percentage of resources utilization, and the process cost.

Table 2 is as a summarization of the simulation capabilities of each BPM tool, taking into account the properties identified in Table 1, plus the probability distributions supported. A mark (X) signals that a property is supported by the tool.

Table 2. Simulation Properties by Tool

Properties	BIMP	Bizagi	BPSim	Bonita BPM	Visual Paradigm
Context Definition					
Starting Time	X	X	X	X	X
Duration	X	X	X	X	X
Time Unit	X	X	X	X	X
Cost Unit	X	X	X	X	X
Replications		X	X		
Time Consumption					
Transfer Time			X		
Waiting Time	X	X	X	X	X
Processing Time	X	X	X	X	X
Control					
Arrival Rate	X	X	X	X	
Branch Probabilities	X	X	X		X
Resources					
Capacity	X	X	X	X	X
Allocation Plan		X	X		
Unavailability					
Schedule	X	X	X	X	

Table 3. Simulation Properties by Tool (continued)

Properties	BIMP	Bizagi	BPSim	Bonita BPM	Visual Paradigm
Costs					
Activity	X	X	X	X	X
Resource	X	X	X	X	
Priorities					
Interruptions			X		
Execution Priority			X		
Probability Distributions					
Normal	X	X	X	X	X
Triangular	X	X	X		
Uniform	X	X	X		
Beta		X	X		
Erlang		X	X		
Poisson		X	X		

As we can observe, there are substantial differences among tools regarding simulation capabilities. Considering that a simulation experiment is intended to faithfully represent the real system or, at least, represent it as accurately as possible, BPM tools that have limitations concerning the support of simulation properties won't be able to fulfill that requirement thus, leading to simulation results that might be far away from the real ones.

7. A Platform to Characterize and Compare BPM tools Simulation Support

Although, nowadays, there are several BPM tools with simulation capabilities that support BPMN, there are substantial differences among them. In order to allow a detailed description of the simulation capabilities of each tool, making comparisons among them possible and easy to accomplish, we decided to develop a platform to support the characterization of BPM tools, based on the groups of simulation properties that were identified (Table 1).

A functional prototype of the platform, whose user interface, at the present, is mainly in Portuguese, has already been developed. We

decided to create two versions of the platform: a desktop version, with all the functionalities described below; and a web version, with a more limited set of functionalities, but with higher potential to reach more users.

In Table 2, one can see the results obtained with our analysis of the five BPM tools selected to this study. In that table we only show if a simulation property is, or is not, supported by a tool. Of course, a simple indication of presence/absence is not enough to properly characterize a given tool, as different tools may support the same simulation property with distinct levels of support. To solve that problem, if a tool supports a property, we propose to quantitatively characterize the level of support in a scale from 1 to 5 (1 - Insufficient; 5 - Excellent).

One of the requirements we think is of utmost importance is that the platform should have the capacity to evolve. The platform should be extensible in the sense that the set of described BPM tools could be expanded and the list of groups and simulation properties could be extended, if needed. In Figure 2 we show some of the mockups used to maintain the set of BPM tools, the groups of simulation properties, and the simulation properties.




Figure 2. Platform Maintenance – BPM Tools, Groups of Properties and Simulation Properties

The quantification of the support levels are updated dynamically, taking into consideration the opinions of other BPM tool users. To be useful, the contents of the platform should evolve by incorporating the evaluations of experienced users (contributors), thus improving its accuracy. In that sense, at each moment, the “knowledge” present in the platform would represent the weighted evaluations of the users that have contributed to its content until that moment.

One of the goals of the platform is to assist users in the comparison of BPM tools, taking into account their specific needs in terms of simulation support. To do that, users have the

possibility to give weights to each of the simulation properties, in order to best characterize their needs in terms of simulation. So, users select both the BPM tools and the groups of simulation properties, in which they are interested. For each group of simulation properties they select the desired simulation properties, assigning a value to each one of them, also in a scale from 1 to 5 (1 - Optional; ... ; 5 - Mandatory), thus quantifying their relative importance to them. The results of a comparison are presented to users in the form of several different graphics and reports that they have previously selected (for instance, Figure 3).




Figure 3. Results of a BPM Tools Comparison

As was mentioned before, at this moment the user interface of the platform is entirely in Portuguese which, at least in the case of the web version, is an important limitation to its more ample usage. In the near future we intend to translate all the user interface to English, in order to make the platform available to more users.

8. Conclusions

Due to the universal acceptance of the BPM approach, the so-called BPM tools have gained relevance in the organizational context. These tools aim to support the needs of organizations regarding the management of their business processes. In this context, our interest in process simulation comes from the fact that the ability to simulate business processes, before their actual implementation, might provide substantial gains to organizations, while reducing the risks associated to changes.

This paper concludes work initiated in two other papers, from the same authors, in which the business process modeling and simulation areas were explored in order to identify the elements that must be present in the BPMN language, used by almost all BPM tools, to allow processes modeled in BPMN to be

simulated (Freitas & Pereira, 2015; Pereira & Freitas, 2016).

The analysis of the BPM tools used in our work has revealed that, besides a minimum set of features needed to perform simple simulation work, there are very distinct simulation capabilities among BPM tools. Thus, a suitable approach to compare BPM tools regarding their simulation capabilities was needed. Therefore, a fully functional prototype of a platform to support the characterization and comparison of BPM tools, regarding process simulation capabilities, has been developed.

This platform, which is available as a desktop application and as a web portal, is open to the community of BPM tools users, waiting to receive their contributions in order to improve its contents. We hope that this platform, which is completely extensible in terms of the characterized BPM tools and simulation properties to be supported, might be helpful to users who want to select the most adequate BPM tool, taking into account their specific simulation needs.

Acknowledgments: This work has been supported by FCT - Fundação para a Ciência e Tecnologia, within the Project Scope: UID/CEC/00319/2019.

References:

- Brocke, J., & Rosemann, M. (2015a). *Handbook on business process management 1: Introduction, methods, and information systems* (2nd Ed). Springer-Verlag.
- Brocke, J., & Rosemann, M. (2015b). *Handbook on business process management 2: Strategic alignment, governance, people and culture* (2nd Ed). Springer-Verlag.
- Buelow, H. (2010). *Getting started with oracle bpm suite 11gR1*. Packt Publishing Ltd.
- Davis, R. (2008). *ARIS design platform: Advanced process modelling and administration*. Springer.
- Freitas, A. P., & Pereira, J. L. (2015). Process Simulation Support in BPM Tools: The Case of BPMN. *Proceedings of the 5th International Conference on Business Sustainability*. Póvoa de Varzim – Portugal.
- Freund, J. & Rücker, B. (2014). *Real-life bpmn: Using bpmn 2.0 to analyze, improve, and automate processes in your company* (2nd Ed), CreateSpace Independent Publishing Platform.

- Harmon, P. (2015). The scope and evolution of business process management. In: Brocke & Rosemann. *Handbook on business process management 1: Introduction, methods, and information systems* (2nd Ed). Springer-Verlag.
- Ingalls, R. (2011). Introduction to simulation. *Proceedings of the 2011 Winter Simulation Conference. WSC 2011*.
- OMG (2011). *Business process model and notation (bpmn)*. Object Management Group, Inc.
- Oliveira, P., & Pereira, J. (2008). A Simulação Computorizada no Suporte à Optimização e Melhoria Contínua de Processos Organizacionais. *Proceedings da 8ª Conferência da Associação Portuguesa de Sistemas de Informação. CAPSI 2008*. Setúbal - Portugal.
- Pereira, J. L., & Freitas, A. P., (2016). Simulation of BPMN Process Models: Current BPM Tools Capabilities. *Proceedings of the 4th World Conference on Information Systems and Technologies. WorldCist'16*. Recife - Brazil.
- Pereira, J. L., & Ribeiro, M., (2016). Simulation for Decision Making: The Need for Multi-Paradigm Approaches. *Proceedings of the 27th International Business Information Management Association Conference*. Milan - Italy.
- Podeswa, H. (2009). *UML for the IT business analyst* (2nd Ed). Cengage Learning PTR.
- Waller, A., Clark, M., & Enstone, L. (2006). L-SIM: Simulating BPMN Diagrams with a Purpose Built Engine. *Proceedings of the Winter Simulation Conference. WSC 2006*. 591–597. Monterey, CA.
- White, S. (2004a). Business process modeling notation. *Specification*. BPMI Org.
- White, S. (2004b). *Introduction to BPMN*. BPTrends, 1-11.

José Luís Pereira

Information Systems
Department &
ALGORITMI Centre
Minho University, Campus
de Azurém, Guimarães,
Portugal
jlmp@dsi.uminho.pt

António Paulo Freitas

Information Systems
Department &
ALGORITMI Centre
Minho University, Campus
de Azurém, Guimarães,
Portugal
59742@alunos.uminho.pt
